



SHEET INDEX

1. PHASING & LAYOUT PLAN
2. 1180 PHASE 1 PLAN
3. 1160 PHASE 1 PLAN
4. WILLOWBEND RD P&P 0+00 TO 6+00
5. WILLOWBEND RD P&P 6+00 TO 13+00
6. WILLOWBEND RD P&P 13+00 TO 20+00
7. WILLOWBEND RD P&P 20+00 TO 25+00
8. WILLOWBEND RD P&P 25+00 TO 31+00
9. WILLOWBEND RD P&P 31+00 TO 33+42.40
10. SAND CHERRY LN P&P 0+00 TO 3+01.02
11. WINEBERRY LN P&P 0+00 TO 2+11.80
12. BAYBERRY CT PTP 0+00 TO 1+00
13. ROSEWOOD LN P&P 0+00 TO 2+29.00
14. WILLOWBEND PL P&P 0+00
15. 1:20 PLAN METERING SAM 104
16. LIFT STATION

LEGEND

+ 3339.42	SPOT ELEVATION
	MANHOLE
	FIRE HYDRANT
	WATER VALVE
	POWER POLE
	TREE
	WIRE FENCE
	CURB & GUTTER
	WATER LINE
	POWER LINE
	UNDERGROUND TELEPHONE LINE
	SANITARY SEWER LINE
	STORM SEWER LINE
	CONTOUR (5')
3379	CONTOUR (10')
	SET 5/8" REBAR W/CAP "RUNNER - 3400 and SPERLICH"
	FOUND SURVEY MONUMENT
	WATER SERVICE
	SANITARY SEWER SERVICE

GENERAL NOTE:

FIELD VERIFY LOCATIONS & ELEVATION OF ALL EXISTING FACILITIES PRIOR TO BEGIN WORK.

CONTACT CALL ONE

COORDINATE STREET LIGHT CONDUIT, PULL BOXES, POLES AND PRIVATE UTILITY LINES PRIOR TO PAVING.

COORDINATE PERMANENT TRAFFIC CONTROL SIGNING WITH CITY TRAFFIC DIVISION PRIOR TO INSTALLATION.

WATER AND SEWER NOTES:

WATER: 8" PVC MIN. IN 52 FT. ROW.
6" PVC MIN IN 49 FT ROW.
NORTH OR EAST SIDE OF STREET.
UNLESS OTHERWISE SHOWN.
SERVICE ELEVATION 3306
HYDRANT SPACING 400 FT.

SEWER: 8" PVC MIN. WITHIN PUBLIC RIGHT OF WAY.
MANHOLE SPACING 400' MAX.

9946 PLUM CREEK: PHASING & LAYOUT PLAN

CENTERLINE

project no. : 00-746
date: 05-010-20
file: 746COVER.
sheet: 1 OF