

SECTION I**INFORMATION TO BIDDERS  
(SUPPLY/SERVICES CONTRACT)**1. BIDDER QUALIFICATION

- A. No proposal shall be accepted from and no contract will be awarded to any person, firm, or corporation that is in arrears to the City of Rapid City, upon debt or contract that is a defaulter, as surety or otherwise, upon any obligation to the City, or that is deemed irresponsible or unreliable by the City of Rapid City.
- B. If requested, bidders shall be required to submit satisfactory evidence that they have a practical knowledge of the particular service bid upon and that they have the necessary financial resources to complete the proposed services called for as described in the attached technical specifications.

2. BID PROPOSAL SUBMITTAL

- A. Before submitting the proposal, the bidder shall read the Invitation to Bid, Technical Specifications, and all other contract documents included herein; fully inform himself as to all existing conditions, uncertainties and limitations; and shall include sums in the proposal covering the cost of each item included in the contract. The submission of a proposal shall be considered conclusive evidence that the bidder has complied with these requirements.
- B. Each Bid Proposal shall be typed or legibly written in ink, with all prices given in figures and also words where called for. The Bid Proposal must cover all of the items of performance therein and no others, unless instructions to the contrary are specifically stated in the Technical Specifications.
- C. Each Bid Proposal shall be made on the forms provided and must be returned along with all contract documents. The Bid Proposal must be enclosed, sealed and returned in the self-addressed envelope attached hereto. If the bidder wishes to remain on the Bidders List but does not wish to bid on this Bid Proposal, he must return the entire Bid Proposal enclosed and sealed in the self-addressed envelope attached hereto.
- D. The completed forms shall be without any interlineations, alterations, or erasures. Bids shall not contain any recapitulations of the performance herein asked for and alternative proposals will not be considered unless called for.
- E. Each bidder must sign the proposal with his usual signature and shall give his full business address on the form provided in this Bid Proposal. Bids by partnerships shall be signed with the partnerships name by one of the members or by an authorized representative. Bids by corporations shall be signed with the name of the corporation followed by the signature and designation of the President, Secretary or other person authorized to bind it, in the matter, and shall have the corporation seal affixed thereto.

3. BID BOND

Each Bid Proposal must be accompanied by a certified check, cashier's check or a bank draft for one hundred dollars (\$100.00). Such check to be certified or issued by either a state bank or national bank and payable to the City of Rapid City, South Dakota, as a guarantee of the bidder entering into a contract for the supplying of materials with the City of Rapid City. After this has been accomplished, the bidder's check will be returned; the checks of all unsuccessful bidders will be returned after the contract has been awarded. Failure to submit the required bond may be cause for rejection of the bid.

4. PERFORMANCE BOND

- A. A performance bond or irrevocable straight letter of credit with good and sufficient surety will be delivered to the City of Rapid City within ten (10) days after receipt of the final award document. The penal sum of the performance bond will be \$5,000.00 during the performance period of the contract, including the option period if exercised by the City. The bond must be secured with an agency authorized to do business in the State of South Dakota. The irrevocable straight letter of credit must be issued by either a state or national bank having an office in the State of South Dakota.
- B. The bonding requirements in identical percentages as the basic contract year, shall also be applicable during the period of any options which may be exercised under this contract. Upon exercise of any option of this contract, the contractor will promptly obtain and provide to the City a consent of surety for the option period.

5. LATE BIDS, MODIFICATION OF BIDS OR WITHDRAWAL OF BIDS

- A. Any bid received at the Office of the Finance Officer after the exact time specified for receipt will not be considered unless it is received before the award is made and either:
  - 1. It was sent by registered or certified mail not later than the fifth (5th) calendar day prior to the date specified for the receipt of bids.
  - 2. It was sent by mail and it is determined by the City that the late receipt was due solely to mishandling by the City after receipt by the City.
- B. Any modifications or withdrawal of bid is subject to the same conditions as in (A) above except that withdrawal of bid by telegram is authorized. A bid may also be withdrawn in person by a bidder or his authorized representative, provided his identity is made known and he signs a receipt for the bid, but only if the withdrawal is made prior to the exact time set for the receipt of bids.

6. TELEGRAPHIC BIDS

Telegraphic bids will not be accepted.

7. PROPOSAL INTERPRETATION

- A. No information derived from any maps, plans, specifications, profiles, drawings, or from any City representative will relieve the bidder from any risk or from fulfilling all the terms of this contract. The accuracy of the bidder's interpretation of the facts disclosed by any City representative is not guaranteed. The bidder shall not at any time make claim to any additional payments, considerations, or accounting of any misunderstandings regarding the nature or amount of work to be done.
- B. Should the bidder find discrepancies in or omissions from any drawings, specifications, or other contract documents, or should he be in doubt as to their true meaning. He shall at once notify the Rapid City Police Department, Chief of Police Thomas L. Hennies, telephone (605)394-4133, at least 48 hours, excluding Saturdays, Sundays and holidays, prior to the time set for the opening of proposals. If the point in question is not clearly and fully set forth, a written addendum or bulletin of instructions will be filed with the Finance Officer and a copy will be sent to all bidders.

8. CONTRACT INCLUSIONS

All bidders are hereby placed on notice that Section I through III as included herein will be incorporated by reference as contract documents with the contract which will be executed by the successful bidders, and will be on file in the Office of the Finance Officer. As the noted documents will become contract documents, if you are the successful bidder, the same should not be destroyed.

SECTION II

**BID FORM**

BID OPENING DATE:

LOCATION OF BID OPENING:

Office of the Finance Officer  
1st Floor  
300 6th Street  
Rapid City, South Dakota 57701

BUYER:

Rapid City Police Department  
Phone Number: (605)394-4133

PERIOD OF PERFORMANCE:

365 Calendar Days

\*OPTION TO EXTEND:

Four (4) One Year Periods

COMPANY NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

POINT OF CONTACT: \_\_\_\_\_

PHONE NUMBER: \_\_\_\_\_

**BID SCHEDULE**

Furnish and deliver to the City of Rapid City the following uniform items in accordance with Section IV of this Invitation to Bid. Period of performance of this schedule will be one (1) year from date of contract.

ALL PERSONNEL - COMMON ITEMS

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
1.	Convertible Jacket	Each	25	\$ _____	\$ _____
2.	Winter Parka	Each	25	\$ _____	\$ _____
3.	Officer Cap	Each	20	\$ _____	\$ _____
4.	Winter Cap	Each	45	\$ _____	\$ _____
5A.	Tie - Male	Each	90	\$ _____	\$ _____
5B.	Tie - Female	Each	10	\$ _____	\$ _____
6A.	Gloves - Unlined	Pair	25	\$ _____	\$ _____
6B.	Gloves - Lined	Pair	25	\$ _____	\$ _____
6C.	Gloves - Fleece Lined	Pair	25	\$ _____	\$ _____
6D.	Gloves - Female	Pair	5	\$ _____	\$ _____
7.	Raincoat	Each	12	\$ _____	\$ _____
8.	Cap Raincover	Each	12	\$ _____	\$ _____
9.	Coveralls	Pair	25	\$ _____	\$ _____
10.	Foul Weather Boot	Pair	10	\$ _____	\$ _____
11.	Vee-neck All American Military Sweater	Each	10	\$ _____	\$ _____
EST. TOTAL ITEMS 1-11					\$ _____

SWORN PERSONNEL - MALE

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
1.	Lt. Weight Summer Shirt	Each	20	\$ _____	\$ _____
2.	Heavy Weight Summer Shirt	Each	100	\$ _____	\$ _____
3.	Lt. Weight Winter Shirt	Each	20	\$ _____	\$ _____
4.	Heavy Weight Winter Shirt	Each	20	\$ _____	\$ _____
5.	Elastique Year Around Pant	Pair	50	\$ _____	\$ _____
6.	Elastique Winter Pant	Pair	50	\$ _____	\$ _____
EST. TOTAL ITEMS 1-7					\$ _____

SWORN PERSONNEL - FEMALE

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
1.	Lt. Weight Summer Shirt	Each	5	\$ _____	\$ _____
2.	Heavy Summer Shirt	Each	15	\$ _____	\$ _____
3.	Lt. Weight Winter Shirt	Each	5	\$ _____	\$ _____
4.	Heavy Winter Shirt	Each	15	\$ _____	\$ _____
5.	Summer Slacks	Pair	10	\$ _____	\$ _____
6.	Winter Slacks	Pair	10	\$ _____	\$ _____
EST. TOTAL ITEMS 1-7					\$ _____

NON-SWORN PERSONNEL - MALE

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
1.	Summer Shirt	Each	10	\$ _____	\$ _____
2.	Winter Shirt	Each	10	\$ _____	\$ _____
3.	Year Around Pants	Pair	5	\$ _____	\$ _____
4.	Winter Pants	Pair	5	\$ _____	\$ _____
EST. TOTAL ITEMS 1-4					\$ _____

NON-SWORN PERSONNEL - FEMALE

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
-------------	--------------------	-------------	-------------	-------------------	------------------

1.	Summer Blouse	Each	24	\$ _____	\$ _____
2.	Winter Blouse	Each	24	\$ _____	\$ _____
3.	Summer Slacks	Pair	12	\$ _____	\$ _____
4.	Winter Slacks	Pair	12	\$ _____	\$ _____
EST. TOTAL ITEMS 1-4					\$ _____

SUPERVISORY PERSONNEL - MALE

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
1.	Summer Shirt	Each	36	\$ _____	\$ _____
2.	Winter Shirt	Each	36	\$ _____	\$ _____
3.	Trousers	Pair	22	\$ _____	\$ _____
4.	Blazer	Each	5	\$ _____	\$ _____
5.	Top Coat	Each	5	\$ _____	\$ _____
6.	Tie	Each	10	\$ _____	\$ _____
7.	Ike Jacket	Each	2	\$ _____	\$ _____
EST. TOTAL ITEMS 1-7					

SUPERVISORY PERSONNEL - FEMALE

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
-------------	--------------------	-------------	-------------	-------------------	------------------

1.	Summer Shirt	Each	3	\$ _____	\$ _____
2.	Winter Shirt	Each	3	\$ _____	\$ _____
3.	Slacks	Pair	3	\$ _____	\$ _____
4.	Skirt	Each	2	\$ _____	\$ _____
5.	Blazer	Each	2	\$ _____	\$ _____
6.	Top	Each	2	\$ _____	\$ _____
7.	Scarf, Ladies	Each	3	\$ _____	\$ _____
EST. TOTAL ITEMS 1-7					\$ _____

SPECIAL RESPONSE TEAM

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>UNIT</u>	<u>QUAN</u>	<u>UNIT PRICE</u>	<u>EST TOTAL</u>
1.	S.W.A.T. Suit, Nomex	Each	10	\$ _____	\$ _____
2.	S.W.A.T. Suit, Twill	Each	10	\$ _____	\$ _____
3.	Balaclava, Nomex	Each	10	\$ _____	\$ _____
4.	Gloves, Nomex	Pair	10	\$ _____	\$ _____
EST. TOTAL ITEMS 1-4					\$ _____

EVALUATION AND AWARD FACTORS

Each bid will be evaluated as to the low bid received for the total bid. One award will be made to the low responsive responsible bidder conforming to the requirements of this Invitation to Bid.

The City of Rapid City reserves the right to reject any or all bids in part or in whole or to waive any technicalities in bidding if it is so deemed to be in the best interest of the City to do so.

NOTE: The City of Rapid City reserves the right to delete any items on this bid. The unit price for each listed item shall include its prorated share of overhead and profit so that the sum of the products obtained by multiplying the quantity shown for each item by the unit price represents the total bid. All products specified herein must be included in the total bid price.

**SIGNATURE PAGE**

The undersigned bidder hereby acknowledges that he/it has not entered into any agreement with any other bidder or prospective bidder or with any other person, firm or corporation relating to price named in said proposal, nor any agreement or arrangement under which any person, firm or corporation is to refrain from bidding, nor any agreement or arrangement for any act or omission in restraint of free competition among bidders.

Furthermore, said bidder has not disclosed to any person, firm or corporation the terms of said proposal or price named therein.

In compliance with the terms and conditions of this Invitation to Bid the undersigned agrees to furnish any or all items upon which prices are offered at the price set opposite each item, delivered at the designated point(s), within the time specified in the schedule.

BIDDER, the following MUST be fully completed:

DATED AT \_\_\_\_\_ THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 19 \_\_\_\_.

SIGNATURE OF BIDDER:

IF INDIVIDUAL \_\_\_\_\_ DOING BUSINESS AS

IF A PARTNERSHIP \_\_\_\_\_

BY \_\_\_\_\_, MEMBER OF FIRM

IF CORPORATION

A \_\_\_\_\_ CORPORATION

BY \_\_\_\_\_

TITLE \_\_\_\_\_

CORPORATE SEAL

BUSINESS ADDRESS OF BIDDER \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

TELEPHONE NUMBER \_\_\_\_\_

**STATEMENT OF BIDDER'S QUALIFICATIONS**

1. Company Name \_\_\_\_\_

2. How many years have you been engaged in this type of business? \_\_\_\_\_

3. List several companies and a person to contact with whom you have contracts:

A. \_\_\_\_\_

B. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

C. \_\_\_\_\_

D. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

4. Are any lawsuits pending against you or your firm at this time that may directly or indirectly affect your performance during the term of the contract?

YES \_\_\_\_\_ NO \_\_\_\_\_ IF YES, DETAIL: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5. The undersigned hereby authorizes and requests any person, firm, or corporation to furnish any information requested by the City of Rapid City in verification of the recitals comprising this Statement of Bidder's Qualifications.

DATED AT \_\_\_\_\_ THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 19 \_\_\_\_\_

\_\_\_\_\_  
(COMPANY NAME)

BY: \_\_\_\_\_

TITLE: \_\_\_\_\_

STATE OF \_\_\_\_\_ )

COUNTY OF \_\_\_\_\_ )

\_\_\_\_\_, being duly sworn deposes and says that  
he is \_\_\_\_\_ of \_\_\_\_\_ and that the answers  
to the foregoing questions and all statements therein contained are true and correct.

Subscribed and sworn to before me, this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_.

\_\_\_\_\_  
NOTARY PUBLIC

SEAL

My Commission Expires: \_\_\_\_\_

SECTION III

**GENERAL PROVISIONS**

1. OPTIONS TO EXTEND

- A. This contract may be extended at the City's option, on a yearly basis, not to exceed four (4) such extensions, providing both parties consent to the same terms and conditions of this contract.
- B. Within ninety (90) days prior to the contract expiration date, the contractor will submit to the City a request for extension of contract at current terms.
- C. See Section I, Paragraph 4.B. for bonding requirements in option years.

2. CHANGES CLAUSE

No change will be made to the requirements of this contract without express written consent of the City of Rapid City. Any excess cost incurred by the contractor, in the event an unauthorized change is made, will be at his expense, and not chargeable to the City. Any change made without the consent of the City may result in cancellation of this contract. If equivalent items are bid, samples must be submitted with the bid. Equivalent samples received from the low bidder may be retained by the Rapid City Police Department until after the first delivery for comparison purposes.

3. INSPECTION AND ACCEPTANCE

Each item delivered under this contract will be inspected by the City at the time of delivery, or as soon as thereafter possible. Any item found not to meet the Technical Provisions of this contract will be immediately returned to the contractor for alteration, repair or replacement. Any item will be considered accepted by the City after a satisfactory inspection has been made and any alterations, repairs or replacement has been accomplished.

4. PAYMENT

Payment will be made on an "As Required Basis," but in no case will the City be required to make payments more than once monthly. An itemized invoice will be submitted stating as a minimum the items furnished, unit price for each, and date of acceptance of items. Contractor will be paid only for those items which have been delivered and accepted by the Rapid City Police Department.

5. ESTIMATED QUANTITIES

All quantities included in this bid are estimated requirements. The City guarantees no minimum quantity of any item included in this contract.

6. CONTRACT TERMINATION

The City reserves the right to terminate this contract at any time; upon giving two (2) months written notice to the contractor.

7. TAX EXEMPTIONS

In accordance with regulations of the Department of Revenue, State of South Dakota, all manufacturer's excise and sales tax due to the State of South Dakota, County of Pennington, City of Rapid City, or other local entity, on any items provided pursuant to this contract are exempted from payment by the City. When necessary to comply with this provision, a tax exemption certificate will be issued to the successful bidder by the Office of the Finance Officer.

## SECTION IV

### **SPECIFICATIONS**

1. All uniforms furnished under this contract shall be tailored to fit the individual size requirements of personnel needing uniforms. The Assistant Chief of Police shall be the final authority as to whether or not an item has been tailored to meet the specifications of the Rapid City Police Department.

2. DELIVERY

Delivery will be made, tailored to fit, within four (4) consecutive weeks after measurements are taken, or if measurements are on file, within four (4) consecutive weeks of the date ordered by the Rapid City Police Department.

- A. The Rapid City Police Department reserves the right to grant extensions on only non-standard items that require special manufacturing. All items will be delivered F.O.B., Rapid City Police Department, 300 Kansas City Street, Rapid City, South Dakota 57701-2890.

3. FITTING

The low bidder will make arrangements with the Rapid City Police Department to take measurements of all employees requiring uniforms. This fitting shall be accomplished within two (2) weeks after date of award of contract and will take no longer than three (3) days to complete. Thereafter, measurements will be taken once monthly at a location and date as set by the Rapid City Police Department.

All fittings will be made at no additional charge to the City of Rapid City.

4. CHANGES TO UNIFORM ITEMS

The City reserves the right to change any of the uniform items as set forth in this specification. Contractor shall receive notice of a required change four (4) months prior to the effective date of change.

5. ADDITIONS AND DELETIONS OF UNIFORM ITEMS

The City reserves the right to add or delete any item(s) included in this contract. The contractor shall receive, in writing, notice of any required additions or deletions four (4) months prior to the effective date of the additions or deletions.

6. EMBLEMS, CHEVRONS AND BADGE PATCHES

The following items will be mounted to the specified uniform items prior to delivery. The items will be mounted at no extra charge to the City.

- A. EMBLEMS

Shoulder patches shall be sewn on each sleeve with the center top of patch 1/2" below shoulder seam and centered on sleeve crease.

- B. CHEVRONS

Chevrons (as required) shall be sewn on each sleeve with the center top of chevron touching bottom center of the shoulder emblem and centered on sleeve crease.

- C. BADGE PATCHES

Badge patches (as required) shall be sewn on the upper left chest area where a standard metal badge would be worn.

7. SPECIFICATIONS

See attached annexes.

- Annex A -- All Personnel - Common Items
- Annex B -- Sworn Personnel - Male
- Annex C -- Sworn Personnel - Female
- Annex D -- Non-Sworn Personnel - Male
- Annex E -- Non-Sworn Personnel - Female
- Annex F -- Supervisory Personnel - Male
- Annex G -- Supervisory Personnel - Female
- Annex H -- Special Response Team

**AGREEMENT  
FOR THE PURCHASE OF UNIFORMS  
FOR THE RAPID CITY POLICE DEPARTMENT**

THIS AGREEMENT is made and entered into this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, by and between the CITY OF RAPID CITY, SOUTH DAKOTA, a municipal corporation of the State of South Dakota, with offices at 300 6th Street, Rapid City, South Dakota 57701,

herein referred to as "City" and \_\_\_\_\_,

whose address is \_\_\_\_\_,  
sometimes hereinafter referred to as "Contractor."

**WITNESSETH:**

THAT WHEREAS, pursuant to the Invitation to Bid dated \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_,

bids were opened for the furnishing of uniforms for the Rapid City Police Department on the \_\_\_\_\_ day  
of \_\_\_\_\_, 20\_\_\_\_, in Rapid City, South Dakota; and

WHEREAS, the City has elected to accept the bid of \_\_\_\_\_  
for the furnishing of uniforms for the Rapid City Police Department according to the terms of Invitation to Bid dated  
\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

NOW, THEREFORE, for the consideration herein expressed, it is hereby agreed as follows by and between the City  
and \_\_\_\_\_:

1. The contract documents shall be this Agreement, the Invitation to Bid, together with the Notice to Bidder, Information to Bidders, the bid of \_\_\_\_\_, the General Provisions, Specification, Notice of Award, and Letter of Acceptance.
2. The City accepts the bid of the contractor for the furnishing of uniforms for the Rapid City Police Department at the unit prices quoted in its bid which is attached hereto as Exhibit "A" and incorporated herein by this reference. The contractor at his sole cost, risk, and expense agree to perform all necessary labor, and to furnish the heretofore mentioned items of uniform clothing in accordance with the standards of the industry and terms of this agreement and other contract documents.
3. **TERM OF CONTRACT:** The duration of this contract shall be for one year from the date the contract is executed by both parties. This contract may be extended by both parties. This contract may be extended by the City on a yearly basis, not to exceed four such extensions, providing both parties consent to the same terms and conditions of this contract. The City reserves the right to terminate this contract, at any time, upon giving two (2) months written notice to the contractor.
4. Within ninety (90) days prior to the contract expiration date, the contractor will submit to the City a request for extension of contract at current terms.

5. **TERMS OF PAYMENT:** Payment will be made on an "as required basis," but in no case will the City be required to make payments more than once monthly. An itemized invoice will be submitted stating as a minimum the items furnished, unit price for each item, and date of acceptance of items. Contractor will be paid for only those items which have been delivered and accepted by the Rapid City Police Department.
6. All quantities included in this bid are estimated requirements. The City guarantees no minimum quantity of any item included in this contract.
7. All items of uniform clothing furnished under this contract shall be tailored to fit the individual size requirements of personnel needing uniforms. The Uniform Purchasing Agent shall be the final authority as to whether or not an item has been tailored to meet the specifications of the Rapid City Police Department.
8. Contractor will make arrangements with the Rapid City Police Department to take measurements of all employees. This fitting shall be accomplished within two (2) weeks after date of award of contract, and will take no longer than three (3) days to complete. Thereafter, measurements will be taken once monthly at a location and date set by the Rapid City Police Department, if required. All fittings will be made at no additional charge to the City of Rapid City.
9. Delivery will be made, tailored to fit, within two (2) consecutive weeks after measurements are taken, or if measurements are on file, within two (2) consecutive weeks of the date ordered by the Rapid City Police Department. The Rapid City Police Department reserves the right to grant extensions on only non-standard items that require special manufacturing. All items will be delivered F.O.B., Rapid City Police Department, 300 Kansas City Street, Rapid City, South Dakota 57701-2890.
10. Each item delivered under this contract will be inspected by the City at the time of delivery, or as soon thereafter as possible. Any item found not to meet the specifications of this contract will be immediately returned to the contractor for alterations, repair or replacement. Any item will be considered accepted by the City after a satisfactory inspection has been made, and any alterations, repairs or replacements have been accomplished.
11. The City reserves the right to add, delete or change any uniform item included in the contract. Contractor shall receive notice of any required addition, deletion, or change four (4) months prior to the effect date of addition, deletion, or change.
12. In accordance with regulations of the Department of Revenue, State of South Dakota, County of Pennington, City of Rapid City, or other local entity, on any items provided pursuant to this contract are exempted from tax by the City. When necessary to comply with this provision, a tax exemption certificate will be issued to contractor by the Office of the City Finance Officer.
13. No changes will be made to the requirements of this contract without the express written consent of the City of Rapid City. Any excess cost incurred by the contractor, in the event an unauthorized change is made, will be at his expense and not chargeable to the City. Any change made without consent of the City may result in cancellation of this contract.
14. A performance bond or irrevocable straight letter of credit with good and sufficient surety along with the bid will be delivered to the City of Rapid City within ten (10) days after receipt of the final award document. The penal sum of the performance bond will be \$5,000.00 during the performance period of the contract, including the option period if exercised by the City. The bond must be secured with an agency authorized to do business in the State of South Dakota. The irrevocable straight letter of credit must be issued by either a state or national bank having an office in the State of South Dakota. The bonding requirements in identical percentages as the basic contract year, shall also be applicable during the period of any options which may be exercised under this contract. Upon exercise of any option of this contract, contractor will promptly obtain and provide to the City a consent of surety for the option period.
15. Contractor is an independent contractor, and nothing herein contained shall constitute or designate contractor or any of its employees or agents as agents or employees of the City.

THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 20 \_\_\_\_\_.

ATTEST:

THE CITY OF RAPID CITY, SOUTH DAKOTA

BY \_\_\_\_\_  
JIM SHAW, MAYOR

\_\_\_\_\_  
JIM PRESTON  
CITY FINANCE OFFICER

DATE \_\_\_\_\_

\_\_\_\_\_  
NAME OF THE COMPANY

CORPORATE SEAL

BY \_\_\_\_\_

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

\_\_\_\_\_

ANNEX - A

**ALL PERSONNEL - COMMON ITEMS**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LIST NUMBER</u>
1	Men's 3 in 1 Waterproof Jacket	
2	Winter Parka	Spiewak 4227
3	Officer Cap	Lancaster 1960
4	Winter Cap	Sentry P107
5A	Tie - Male	Broome 900VTBH
5B	Tie - Female	Broome 900B0BH
6A	Gloves - Unlined	
6B	Gloves - Lined	
6C	Gloves - Fleece Lined	
6D	Gloves - Female	Sullivan 380L
7	Raincoat	Pro Tuff RW165P
8	Cap Rain Cover	Cap Cover 17FG PCWV
9	Coveralls	Dickie 4879N
10	Foul Weather Boot	Sorel 080-0081
11	V-Neck All American Military Sweater	Small 729

ITEM 1 -5.11 TACTICAL INC. MODEL 48001 MEN'S 3 IN 1 WATERPROOF JACKET

FABRIC: Shell: 100% Nylon Face; Taffeta liner in main body & sleeves; Abrasion resistant lower lining to protect against weapon and duty belt.

Fleece Liner: Can be worn separately. Wind resistant Polyester Fleece; Taffeta lined sleeves; Abrasion resistant fabric on shoulders, elbows and lower inside lining. There must be 2 mic loops at each front shoulder and hidden mic pass-through area near back vent.

It comes with two (2) hand pockets; two (2) mic loops at each front shoulder. There is one (1) inner security pocket and one (1) inner stash pocket. It comes with two-way side zippers. There are tabs to attach the zip-out jacket to the shell jacket at the cuffs and center back neck.

ANSI II REFLECTIVE VEST: Exceeds minimum retro reflectivity requirements of ANSI/ISEA 107-1999 standards.

DESIGN: The 3-in-1 jacket is made of waterproof breathable material. The jacket shall incorporate twelve pockets as described below. It comes with a removable hood with zipper; and two-way #5 side zippers that permit armpit ventilation. This jacket has hook and loop cuff tab adjustments and a 2-way center front zipper.

POCKETS: The jacket is made with (12 pockets) – BBS pockets in two (2) vertical front chest; two (2) horizontal chest pockets – the left has a pull-out badge holder, the right has a pull-out identification panel; two (2) fleece lined front hand pockets with hidden hem adjustments inside; two (2) zippered sleeve pockets, two (2) interior chest pockets, one (1) rear stow pocket and one (1) pull-out panel pocket at upper back.

The two vertical front lined pockets with the 5.11 Back-up-Belt System, a hook and loop material. The Velcro serves as a mounting surface for 5.11's Velcro Accessories Pouches.

The rear stow pocket carries an ANSI II reflective vest.

The pocket at upper back has a pull out identification panel for embroidery/printing of POLICE, FIRE, etc. as desired; size is 11" wide by 5" tall.

JACKET COLORS: Black Dark Navy

ITEM 2 - WINTER PARKA

OUTER SHELL: Super missile cloth cotton twill.

LINING AND INTERLINING: Nylon quilted to heavy weight insulation.

HOOD: Hood must be fur or pile line and capable of zipping open to form a collar.

LENGTH: 34 inches

COLOR: Navy Blue

Spiewak and Sons, Inc. Style #4227 or equivalent.

ITEM 3 - OFFICER CAP

MATERIAL: All wool blue serge, 16 oz., obtained from cloth bearing a stamp placed by the mill showing the genuineness of the material.

STYLE AND COVER: Four-piece removable. The tip shall measure 10-1/2" wide by 10-3/4" on length with front measuring 2-3/8" and sides measuring 2" and back seam measuring 1-7/8". The front of the cap shall measure 4" from the bottom of the band to the piping. Measurements given are for size 7. Circumference may vary 1/8" larger or smaller in proportion to head size. The quarters of the cover shall be finished with a slide made of black selicia lining collar-folded and finished to a 1/2" measurement.

PIPING: Shall be same as cover, and sewn between crown and quarters.

LINING: To be high-count quality gold rayon, sanforized and pre-shrunk, completely covered with plastic sweat protector.

FRONT INNER LINING: Shall consist of a nylon filament haircloth cut to completely fill front, seam to seam, and covered with a gold rayon lining to match tip. Haircloth should be positioned and cut so that warp will run vertical.

STAY: Shall be black plastic airline style with 1" cloth-covered twin wire in the center. Stay shall be riveted to inside of frame to correct height of cover.

FRAME: Shall be 2-1/4" black open unicane. A plastic welting shall be sewn to the top and covered with black leatherette.

OUTBAND: A 1-3/4" black rayon mesh braid shall be sewn to a strip of cloth, same as cover, 3/4" wide. Braid shall be sewn to frame. When braid is mounted to frame it shall be permanently stitched on top and bottom through the frame and pulled up taut, leaving 1/4" of blue serge showing on the bottom.

FASTENERS: One snap fastener shall be placed in the front of cover on slide and one in frame to accept same.

VISOR: Top shall be of .025 finyl plastic patent imitation leather; construction shall be composition. Visor shall be bound with black plastic and shall

measure 2" in width at the widest point and drop to an angle of 40 degrees. The visor shall be mounted on an inner band and sewn onto the inside of the frame.

SIDE BUTTONS:

Shall be gilt "P" with prongs.

SWEATBAND:

Shall be made of perforated and burred Grade A select quality roan 1-3/4" wide. It shall be felled at least 6 stitches to the inch, hand sewn with an all-nylon thread, black size "C". A brown hatters bow shall be attached to the overlap of the sweatband in the back of the cap. The sweatband shall be handsewn to create a cushioning effect in the front of the cap.

EYELETS:

Two rustproof, black eyelets shall be placed on each side of cap for ventilation. They shall be spaced evenly on each side and shall be placed 1-3/4" apart. Badge eyelets in front shall be spaced horizontally 1-1/2" from center to center and 1-1/8" from bottom of front quarter.

GROMMET:

To be all nylon 3/4" tubular with elastic stripping outside and cut to fill out cap. A 1/16" galvanized #2 spring wire shall be placed in each cap for packing and blocking purposes.

BINDING:

Caps shall be bound on a lock stitch machine with a double-folded, high-count cotton binding at top seam catching tip, quarters and piping.

Lancaster Hat #1960 or equivalent.

#### ITEM 4 - WINTER CAP

COLOR:

Navy Blue

STYLE:

Trooper Style Cap, front stayer and ear flaps

CROWN:

Heavy Vinyl

SIDES:

Genuine Mouton Fur

FRONT:

Genuine Mouton Fur

CHIN STRAP:

To button on top of head with 4 black snaps

LINING:

Insulated Quilt

HEAD BAND:

1-1/8" nylon

BADGE HOLES:

Front to have 2 badge holes 1-1/2" apart

ITEM 5A - TIE - MALE

COLOR: Black  
FABRIC: Rayon  
STYLE: 3-1/2" pre-tied knot. Full band around the neck with center velcro release system. Button hole on back for attaching to shirt.  
Broome #900VTBH

ITEM 5B - TIE - FEMALE

COLOR: Black  
FABRIC: Rayon  
STYLE: 3-1/2" pre-tied tie with metal breakaway fastener. Button hole in back for attaching to shirt.  
Broome #900BOBH

ITEM 6A - GLOVES - UNLINED

COLOR: Black  
FABRIC: Deerskin leather

ITEM 6B - GLOVES - LINED

COLOR: Black  
FABRIC: Deerskin leather

ITEM 6C - GLOVES - FLEECE LINED

COLOR: Black  
FABRIC: Durable heavy weight cowhide  
LINING: Deep pile sherpa lining  
WRISTS: Elasticized  
Ruben 2103

ITEM 6D - GLOVES - FEMALE

COLOR: Black  
FABRIC: Leather  
Sullivan #380L or equivalent

ITEM 7 - RAINCOAT

Yellow 200 Denier Urethan Coated Waterproof Nylon  
Padded "Stay Dry" Collar  
No Shoulder Seams to Bind or Leak  
Caped Back Flow Through Ventilation  
Non-Conductive Plastic Snaps and Hardware  
Storm Flap Front  
Double Stitched and Sealed Seams  
Tough Durable Polyester Thread  
Machine Wash Fabric  
Contoured to Fit  
Tear and Mildew Resistant  
Stain and Chemical Resistant  
Three Quarter Length  
Two Lower Patch Pockets with Storm Flaps  
Two Vertical Side Openings with Velcro Closure for Gun and Radio  
Snaps on Collar for Optional Hood  
Pro Tuff Style #RW165P or equivalent.

ITEM 9 - CAP RAIN COVER

Clear Plastic with Visor Protector  
Cap Cover MFG PCWV or equivalent

ITEM 10 - COVERALLS

COLOR:

Navy Blue

Heavy 9 oz. 50% polyester/50% cotton sateen. Sewn with polyester core thread. Bartacked at all points of strain.

Shape/Set finish, never needs ironing, minimal shrinkage. Soil Release finish. Machine washable.

Zipper closures on chest pockets to prevent losses. Zipper closure on left hip pocket to protect billfold. 2-Way heavy duty front zipper.

Reinforced bi-swing for freedom and comfort. Lined waistband for extra strength and comfort, double stitched at top and bottom to prevent ripouts, side elastic inserts for better fit.

Concealed snaps on cuffs and top of front zipper closure to prevent scratching of surfaces. Pencil pocket on left sleeve, double rule pocket, hammer loop, openings.

Action proportioned throughout, graduated rise to fit properly in each size.

Dickie Mfg. Co. #4879N or equivalent.

ITEM 10 - FOUL WEATHER BOOT

COLOR:

Black

STYLE:

Rugged storm trooper styling. 16" nylon upper with 3/8" wool felt liner, molded rubber bottom with lug sole.

Sorel Snowbear #080-0081

ITEM 11 - V-NECK ALL-AMERICAN MILITARY SWEATER

REQUIREMENTS FOR THE YARN:

Type: 20% pure new virgin American long fiber worsted wool/80% Monsanto Pil-Trol-S-63 acrylic fiber engineered for easy care and comfort with extraordinary low pilling.

Quality: Manufacturer must be licensed by Monsanto and submitted to Monsanto for quality control testing and must meet rigid requirements for laundering performance, dimensional stability, and stringent standards for pilling performance.

Color fastness: Good

Dry Cleaning: Good

Laundering: Good

Crocking: Good

**REQUIREMENTS FOR THE**

**RE-ENFORCEMENT PATCH FABRIC:**

Cloth Type: 65% Polyester/35% Cotton - Twill Weave  
Weight: 8 oz. per square yard  
Count Warp: 82 (+ or - 2)  
Count Fill: 46 (+ or - 2)  
Tearing Strength (lbs) - Warp: Minimum of 9  
Tearing Strength (lbs) - Fill: Minimum of 0  
Breaking Strength (lbs) - Warp: Minimum of 200  
Breaking Strength (lbs) - Fill: Minimum of 120  
Maximum Shrinkage - Warp: Less than 2%  
Maximum Shrinkage - Fill: Less than 2%  
Color fastness and Crocking: Good

**REQUIREMENTS FOR THE TAPE**

**RE-ENFORCEMENT:**

Type: Cotton woven tape, 5/8 inches wide conforming to Type II of DDD-T-86.  
Color: Approximately same as sweater

**REQUIREMENTS FOR THE THREAD:**

Type: Cotton, conforming to Type IA3, ticket no. 40 and 50 of V-T-276  
Color fastness: Good

**OPTIONS:**

Epaulets w/velcro closure

Badge Tab

Name Plate Patch

**ORIGIN:**

Made in USA

**WARRANTY:**

One year against workmanship or fabric defects.

smg 2/91

729 -- Police Blue

ANNEX - B

**SWORN PERSONNEL - MALE**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	Lt. Weight Summer Shirt	LEV 997
2	Heavy Weight Summer Shirt	F/C 97R6676
3	Lt. Weight Winter Shirt	LEV 779
4	Heavy Weight Winter Shirt	F/C 47W6676
5	Year Around Pant	Small 8308
6	Winter Pant	Small 229

ITEM 1 - LT. WEIGHT SUMMER SHIRT

SIZE:	Short sleeve permanent press police shirt with convertible collar. Tapered form fit; stitched-in military creases.
FABRIC:	100% texturized polyester; gabardine weave; weight to be 4.5 ounce. Fast color guaranteed washable. Permanent press - soil release finish.
COLORS:	Medium Navy or White
COLLARS:	Convertible type - points approximately 3-3/8" long; top stitched 3/16" from edge. Die cut. Permanent sewed-in collar stays.
FRONT:	Revere front - Seven (7) buttons and button holes.
FLAPS:	Die cut and creased to insure uniformity. Two flaps 5-1/2" wide, 2-1/2" at sides, 2-3/4" at center with deep scallops. Velcro at corners. Pencil divisions through left flap; button holes on flaps to match pocket buttons.
POCKETS:	Die cut and creased to insure uniformity. Two pockets with 1/2" hem; 1-1/2" box pleats stitched to prevent spreading. 6" deep x 5-3/8" wide with mitered corners. Left pocket to have pencil division - 1-1/2". Buttons on pockets to match flap button holes. Velcro at corners to match flap Velcro.
BADGE PATCH:	Inside sling type badge holder of self goods approximately 1-1/2" wide to extend from joining seam to pocket of left front. Two small button holes, 1-1/4" apart with the lower button hole approximately 3/4" above the flap.
SLEEVES:	One piece - 9-1/2" to 9-3/4" in length with 3/4" hem.
YOKES:	Two piece yoke; outside yoke top stitched.
SHOULDER STRAPS:	To measure 2" at sleeve head; tapered to 1-5/8" at ends which are to be pointed 7/8". Straps to be stitched on shoulders by single needle machine forming an "X". Length of straps to be graduated conforming to size of shirt. Buttons attached to yokes to match shoulder strap button holes at pointed ends.
STITCHED PLEAT:	There shall be 1/16" stitched in crease on front and three 1/16" stitched-in creases on back.
BUTTONS:	19 ligne pearlized buttons.
LINING:	Collar lining to be 100% dacron polyester.
THREAD:	Spun polyester thread.
STITCHING:	Sleeving and closing operations - overlock with safety stitch
CUTTING:	Collars, pockets, flaps and shoulder straps to be die cut to insure uniformity.
PRESSING:	Component parts must be pressed on hot head machines; finished shirts to be folded and hand pressed, using jet clips.



**FLAPS:** Deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirt front approximately 1/4" above pocket. Left flap to have invisible pencil opening 1-1/4" to correspond precisely with pencil slot of pocket. Both flaps to be interlined with #500 stabilized Mello-Press. Under side of the flap to have Velcro tape 1" long by 3/8" wide, positioned on outer points of both pocket flaps.

**SHORT-SLEEVES:** Sleeves are to be straight and whole, to have 1/2" hem and to finish approximately 9" long from shoulder seams.

**BUTTONS:** First grade 19 ligne pearlescent plastic to match.

**STITCHING:** Single needle throughout. All top stitched 1/4" off the edge. Sleeve inserting and side close felling, safety stitched.

**THREAD:** All sewing threads to be cotton wrapped filament dacron/polyester to match.

**MILITARY CREASES:** 7 baked-in sharp military creases on all shirts. One crease on each front to be centered vertically through pocket and flap. Spacing for military creases on shirt back to be proportionate to size of the shirt as follows: sizes 14 through 15-1/2 -- creases to be 4-3/4" apart; sizes 16 through 18 -- creases to be 5/8" apart as measured from the center crease. Military creases on both sleeves to be centered on the middle of the shoulder strap.

**CONVERTIBILITY:** This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons and protective pieces on the inside of the garment on the shoulders, as well as a reinforcing strip inside the right front.

Flying Cross Lot #97R6676 or equivalent.

ITEM 3 - LT. WEIGHT WINTER SHIRT

**STYLE:** Long sleeve permanent press police shirt with collar and band; tapered form fit. Stitched-in military creases.

**FABRIC:** 100% texturized polyester; gabardine weave; weight to be 4.5 ounce. Fast color guaranteed washable. Permanent press - soil release finish.

**COLORS:** Medium Navy or White

**COLLAR:** Dress style collar- points approximately 3-3/8" long; top stitched 3/16" from edge; die cut with permanent sewed-in collar stays.

**BAND:** Stand approximately 1-1/4" high; die cut.

**FRONTS:** 7 buttons with corresponding button holes; French front.

**FLAPS:** Die cut and creased to insure uniformity. Two flaps 5-1/2" wide, 2-1/2" at sides, 2-3/4" at center with deep scallops. Velcro at corners. Pencil division through left flap; button holes on flaps to match pocket buttons.

**POCKETS:** Die cut and creased to insure uniformity. Two pockets with 1/2" hem; 1-1/2" box pleats stitched to prevent spreading. 6" deep x 5-3/8" wide with mitered corners. Left pocket to have pencil division - 1-1/2". Buttons on pockets to match flap button holes. Velcro at corners to match flap Velcro.

**BADGE PATCH:** Inside sling type badge holder of self goods approximately 1-1/2" wide to extend from joining seam to pocket of left front. Two small button holes, 1-1/4" apart with the lower button hole approximately 3/4" above the flap.

**SLEEVES:** One piece with top placket 1" wide; bottom placket 1/2" wide. Plackets to be approximately 6-1/2" long from top of cuff with opening approximately 5". One button and button hole on sleeve facing.

**CUFFS:** 3" wide with 1/2" hem; 3/16" top stitching. Two buttons with corresponding button holes on each cuff.

**YOKES:** Two piece yoke; outside yoke top stitched.

**SHOULDER STRAPS:** To measure 2" at sleeve head, tapered to 1-5/8" at ends which are to be pointed 7/8". Straps to be stitched to shoulder by single needle machine forming an "X". Length of straps to be graduated conforming to size of shirt. Buttons attached to yoke to match shoulder strap button holes at pointed ends.

**STITCHED PLEAT:** There shall be on 1/16" stitched-in crease on each front and three 1/16" stitched crease on back.

**BUTTONS:** 19 ligne pearlized buttons.

**LININGS:** Collar linings to be 100% dacron polyester.

**THREAD:** Spun polyester thread.

**STITCHING:** Sleeving and closing operations - overlock with safety stitch.

**CUTTING:** Collars, bands, pockets, shoulder straps and flaps to be die cut to insure uniformity.

**PRESSING:** Component parts must be pressed on hot head machines; finished shirts to be folded and hand pressed, using jet clips.

LEV #779 or equivalent.

**ITEM 4 - HEAVY WEIGHT WINTER SHIRT**

**FABRIC:** Content: All synthetic tropical weave, 65% dacron polyester, 35% Avril Rayon conforming to the following specifications:

Weight: 6.5 oz./yd. 2

Construction: 50 warp x 40 filling yarns per square inch. All yarns size 10/1 singles.

Air Permeability: Ft. 3/Min/Ft. 2 131 ASTM D 737-46.

Tensile: Break strength 122 warp - 91 filling (lbs.)

Properties: Break strength 9.8 warp - 8.2 filling (lbs.)

Pilling: Minimum 4.9 rating

**COLOR:** Medium Navy or White

**STYLE:** Plain front coat style, form-fitting, collar attached, long sleeves with barrel cuffs. Two plain breast pockets. Shoulder straps. Full badge reinforcement. Matching inside yoke and collar band of high luster dacron cotton poplin.

**COLLAR & STAND:** Collar points not less than 3" long with sewn-in Mylar stays. Collar height at rear 1-1/2". Top stitched 1/4" off the edge. Collar stand to measure 1-5/16" at rear and band to be die cut and interlined with stabilized Mello-Press (#285 in collar, #500 in band.)

**FRONT:** Left front to have 1-1/2" selvage edge revers along front. Held in position only by 7 button holes. Right front to have 1" hemmed self-button piece along front edge with 7 buttons to correspond with left front.

**SHOULDER STRAPS:** Asymmetrical shape top stitched 1/4" off the edge to be set on yoke with leading top stitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from folded collar. Cross-stitched approximately 2" from sleeve seam.

**BADGE REINFORCEMENT:** Two-ply sling 1-1/8" wide centered over left pocket and stitched to shoulder seam and flap setting stitch. To have 2 button hole eyelets approximately 1-1/4" from top of pocket flap spaced 1-1/4" apart and centered on sling.

**POCKETS:** Two breast pockets with 1-3/8" stitched pleats. Pocket to measure 5-5/8" wide, 6" deep. Left breast pocket to have 1-1/4" pencil stitch. Each pocket to have Velcro tape 1" long by 3/8" wide, positioned on both edges of pocket to correspond with outer scalloped flap points.

**FLAPS:** Deep scalloped design to measure 5-7/8" across and 2-3/4" in depth at center point, 2-1/4" at sides. Secured to shirt front approximately 1/4" above pocket. Left flap to have invisible pencil opening 1-1/4" to correspond precisely with pencil slot of pocket. Both flaps to be interlined with #500 stabilized Mello-Press. Under side of the flap to

have Velcro tape 1" long by 3/8" wide, positioned on outer points of both pocket flaps.

**SLEEVES:** Straight at width - no bias - of one piece shaped at head, jacket type. Sleeve vent 5-1/2" long with top and bottom facings. Top facing to measure 1-1/8" wide point blocked at top. Underfacing 1/2" wide.

**CUFFS:** To measure 2-3/4" in depth with rounded corners. With two buttons and corresponding button hole on each cuff and one button and button hole in center of facing. Both cuffs to be interlined with stabilized #500 Mello-Press.

**BUTTONS:** First grade 19 ligne pearlescent plastic to match.

**STITCHING:** Single needle throughout. All top stitched 1/4" off the edge. Sleeve inserting and side close felling, safety stitched.

**THREAD:** All sewing threads to be cotton wrapped filament dacron/polyester to match.

**MILITARY CREASES:** 7 baked-in sharp military creases on all shirts. One crease on each front to be centered vertically through pocket and flap. Spacing for military creases on shirt back to be proportionate to size of the shirt as follows: sizes 14 through 15-1/2 -- creases to be 4-3/4" apart; sizes 16 through 18 -- creases to be 5/8" apart as measured from the center crease. Military creases on both sleeves to be centered on the middle of the shoulder strap.

**CONVERTIBILITY:** This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons and protective pieces on the inside of the garment on the shoulders and cuffs, as well as a reinforcing strip inside the right front.

Flying Cross #47W6676 or equivalent.

ITEM 5 - YEAR AROUND PANTS

**FABRIC:** Milliken Mills, Style 8309, Color Navy, 100% Polyester, 13-13-1/2 oz. Elastique. Fabric must be treated with VISA finish.

**DESIGN:** The trousers shall be made using a uniform pattern, having a plain front and quarter top front pockets, 1 watch pocket and 2 back pockets.

**POCKETS:** The front pockets shall have a minimum opening of 6-1/2" and shall be 6" deep from the bottom of the opening. They shall be stitched, turned, and re-stitched. The back pockets shall have a minimum opening of 5-1/2" and shall be 6" deep. They shall be made with a Reese PW automatic machine and shall be finished on the outside with an exposed top and bottom cord. The left back pocket shall have a tab to button. The watch pocket, located approximately 3-1/2" to the front of the right

side seam at the waistband, shall have a minimum opening of 3" and shall be 3" deep. The front pockets and watch pocket shall each have a straight bartack and each back pocket shall be bartacked with a triangular bartacking machine.

**POCKETING:**

All pocketing shall be 65% Polyester/35% Cotton with PRES-TU-LAST finish. The front pockets should be constructed from one piece of material with a woven reinforced area starting at the bottom and extending up approximately 3-1/2". From the bottom up it shall be woven 96 x 60. From this stopping point the pocket should be woven 72 x 60. Since this reinforced area assured double wear, no other type pocketing will be acceptable. All pocketing shall harmonize with the outer fabric.

**WAISTBAND:**

The waistband shall be a minimum of 2" wide and shall be closed with crush-proof hook and eye, the eye being bartacked for stability. The waistband curtain shall be 65% Polyester/35% Cotton with PRES-TU-LAST finish, and shall match the color of the pocketing. There shall be a 2 bead Silicone Grip Tex on the curtain to secure shirt tails. It shall be attached with a rocap machine. Waistband stiffener 3/4" in width shall be sewn into the waistband on the front of the trouser from side seam to side seam. This is to prevent waistband roll over. The trousers are to have a continuous closed waistband.

**INSIDE TRIM:**

The right fly lining and crotch lining shall be of the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper. The inside left and right flies shall be fused with an interlining for stability. A separate French fly made of the outer fabric shall be sewn to the inside right fly. The crotch lining shall be serged to each front.

**BELT LOOPS:**

There should be a minimum of 5 belt loops on waist sizes 28, 29, 30, and a minimum of 7 on all sizes over 30. Except for the back loop, all loops shall be Keystone style measuring 1-3/4" at the top and 1-1/4" at the bottom. The back loop shall be straight and shall be 3/4" wide. Except for the back loop, which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap, and shall accommodate a 1-5/8" belt.

**ZIPPER:**

The trousers shall be closed with a Talon Omni 42 memory lock zipper. The zipper tape must have been treated with PRES-TU-LAST finishing. There shall be a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly, and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser. This bartack will reduce stress on the left fly and zipper.

**SEAMING:** The entire trouser is to be seamed with Polyester core or 100% spun Polyester thread and the seat seam shall be stitched with a tandem needle seat seaming machine. All exposed inside seams of the trousers are to be serged.

**FINISHING AND PRESSING:** The trousers shall be made in a first class workmanlike manner with all loose threads removed. They must be pressed completely and properly, using only the PRES-TU-LAST method. High temperature hot-heads with baking or high temperature hot-heads with supplemental electrical heat must be used. Side seam, inseam, and seat seam are to be pressed open. There must be a Texpak clip attached to the top fly of the trousers.

**SIZE TAGS:** The trousers must have a sewn in label giving washing instructions and be marked with lot number, size, fiber content, and WPL number.

#### ITEM 6 - WINTER PANT

**FABRIC:** Raeford Mills, Style 645 , \* Color Navy, 55% Dacron Polyester/45% Wool, 2-Ply, 16.5 - 17 oz. Elastique, 229 Tuffy Lastik.

\* French Blue -- Raeford Mills, Style 646-114\_

**DESIGN:** Shall be made on a uniform pattern, having a plain front with quarter top pockets, a watch pocket and 2 back pockets.

**POCKETS:** The front pockets shall have a minimum opening of 6-1/2" and they shall be 6" deep from the bottom of the opening. They will be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1-1/4" wide. The back pockets will have a minimum opening of 5-1/2" and will be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left back pocket will have a tab to button. The watch pocket, located approximately 3-1/2" to the front of the right side seam at the waistband, shall have an approximately opening of 2-3/4" and will be 3" deep. The front pockets and watch pocket shall each have a straight bartack. Each back pocket is to be bartacked with a triangular bartacking machine.

**POCKETING:** All pocketing shall be black \*, 65% Polyester/35% Cotton with a minimum thread count of 68 x 54. The weight shall be 2.60 yds/lb.

\* Pink Tan & French Blue pants will have a harmonizing pocketing color instead of black.

**WAISTBAND:** The waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. The waistband curtain, attached with a rocap machine, will have Snugtex and be made of black\*, 65% Polyester/35% Cotton. No roll waistband stiffener, 3/4" in width, shall be sewn into the waistband on the front of the trouser from side seam to side seam. The trousers are to be made with a continuous

closed waistband. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain.

\* Pink Tan & French Blue pants will have a harmonizing waistband color instead of black.

INSIDE TRIM:

The right fly and crotch linings shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper. The crotch lining shall be serged to each front. A separate French fly made of the outer fabric shall be sewn to the inside right fly.

BELT LOOPS:

There shall be a minimum of 5 belt loops on waist sizes 28, 29, 30, and a minimum of 7 on all sizes over 30. Except for the back loop, all loops shall be keystone style measuring 1-3/4" at the top and 1-1/2" at the bottom. The back loop shall be straight and shall be 3/4" wide. Except for the back loop which shall be tacked on, all loops will be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1-5/8" belt.

ZIPPER:

The trousers shall be closed with a Scovil Guardloc brass memory lock zipper which has a brass bottom stop at the base of the zipper chain. A straight bartack will be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

SEAMING:

The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

SIZE TAG:

The trouser shall have a sewn in label giving care instructions and an outside waistband label which will be marked with lot number, size, fiber content and WPL number.

FINISHING AND PRESSING:

All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open. There must be a Texpak clip attached to the top fly of the finished trousers.

LSG 11-85

229 -- Navy Blue

ANNEX C

**SWORN PERSONNEL - FEMALE**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	Lt. Weight Summer Shirt	LEV 202 Navy
2	Heavy Weight Summer Shirt	F/C 54R6676
3	Lt. Weight Winter Shirt	LEV 404 Navy
4	Heavy Weight Winter Shirt	F/C 04R6676
5	Summer Slacks	Small 8409
6	Winter Slacks	Small W229

ITEM 1 - LT. WEIGHT SUMMER SHIRT

STYLE: Short sleeve permanent press ladies police shirt with convertible collar. Stitched in military creases.

FABRIC: 100% texturized woven, polyester/gabardine weave; fast color.

COLOR: Medium Navy

COLLAR: Convertible collar - points approximately 3-1/8" long; top stitched 3/16" from edge; die cut with permanent sewed in collar stays.

FRONTS: Selvedge revere fronts - six buttons and six button holes.

FLAPS: Die cut and creased to insure uniformity. Two scalloped flaps 4-7/8" wide, 2" at side, points, and 2-1/4" at center with deep scallops. Velcro at corners. Pencil division through left flap.

POCKETS: Die cut and creased to insure uniformity. Two pockets with 1/2" hem; 4-3/4" deep x 4-3/4" wide with mitered corners. 1-1/2" box pleats stitched to prevent spreading. Left pocket to have pencil division 1-1/4". Velcro on corners to match flap Velcro.

BADGE PATCH: Inside sling type badge holder of self goods approximately 1-1/2" wide to extend from joining seam to pocket of left front. Two small button holes, 1-1/4" apart with the lower button hole approximately 1/2" above the flap.

SLEEVES: One piece approximately 8" in length with 3/4" hem.

PLEATS: There shall be 2 stitched Military pleats on front and three on back.

YOKES: Two piece yoke; outside top stitched.

SHOULDER STRAPS: To measure 2" at sleeve head, tapered to 1-5/8" at ends which are to be pointed 7/8". Straps to be stitched to shoulders by single needle machine forming an "X". Length of straps to be graduated conforming to size of shirt. Buttons attached to yokes to match shoulder strap button holes at pointed ends.

BUTTONS: 19 ligne pearlized buttons.

LININGS: Collar linings to be 100% dacron polyester.

THREAD: Spun polyester thread.

STITCHING: Sleeving and closing operations - overlock with safety stitch.

CUTTING: Collars, pockets and flaps to be die cut to insure uniformity.

PRESSING: Component parts must be pressed on hot head machines; finished shirts to be folded and hand pressed.

LEV 202 Navy or equivalent.

ITEM 2 - HEAVY WEIGHT SUMMER SHIRT

**FABRIC:** Content: All synthetic tropical weave 65% Dacron Polyester/35% Avril Rayon conforming to the following specifications:

Weight: 6.6 oz./yd. 2

Construction: 49 warp x 36 filling yarns per square inch. All yarns size 10/1 singles

Air Permeability: Ft. 3/Min/Ft. 2 131 ASTM D 737-46

Tensile: Break Strength 100 warp - 60 filling (lbs.)

Properties: Tear Strength 9.7 warp - 8.5 filling (lbs.)

Pilling: Minimum 4.9 rating

**COLOR:** Medium Navy

**STYLE:** The style shall be known as a convertible collar, short sleeve, coat shirt, with full length tail and form-fitting. The shirt to have two outside breast pockets and scalloped flaps having one button each. Also to have full badge sling and shoulder straps. The back to have a double yoke, with high count Dacron Polyester/Cotton band and yoke trim.

**COLLAR:** Convertible collar shall be one piece and to measure 2-7/8" long at points. The collar shall be made with permanent collar stays. Collar to be top stitched 1/4" off the edge.

**FRONT:** Each front shall have a facing 3" in width extending from neckline to bottom of shirt provided by a turnunder of material. The right front shall have six button holes spaced 3-1/2" apart and to be set 3/4" from edge. Second button hole to be positioned 2-1/2" from top button, balance of buttons spaced 3-1/2" apart. Buttons to be strongly attached through two thicknesses of material forming left front, and shall correspond to each button hole.

**SHOULDER STRAP:** Asymmetrical shape top stitched 1/4" off the edge to be set on yoke with leading top stitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from folded collar. Cross stitched approximately 2" from sleeve seam.

**BADGE REINFORCEMENT:** Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam a flap setting stitch. To have 2 button hole eyelets approximately 3/4" from top of pocket flap spaced 3/4" apart and centered on sling.

**POCKETS:** Two breast pockets with 1-1/4" stitched pleats. Pocket to measure 4-7/8" wide, 5" deep. Each pocket to have Velcro tape 1" long by 3/8" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as sample.

**FLAPS:** Deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirt front approximately 1/4" above pocket. Left flap to have invisible pencil opening 1-1/4". Both flaps to be interlined with #500 Mello-Press. Under side of flap to have

	Velcro tape 1" long by 3/8" wide positioned on outer points of both pocket flaps as sample.
SHORT SLEEVES:	Sleeve are to be straight and whole, to have 3/4" hem and to finish approximately 3-1/2" long from shoulder seams.
BUTTONS:	First grade 19 ligne pearlescent plastic to match.
STITCHING:	Single needle throughout. All top stitched 1/4" off the edge. Sleeve inserting and side close felling, safety stitched.
THREAD:	All sewing threads to be fast color polyester core cotton wrap to match.
MILITARY CREASES:	7 baked-in sharp military creases on all shirts. One crease on each front to be centered vertically through pocket and flap. Spacing for military creases on shirt back to be proportionate to the size of the shirt. Military creases on both sleeves to be centered on the middle of the shoulder strap.
CONVERTIBILITY:	This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons and protective pieces on the inside of the garment on the shoulders as well as a reinforcing strip inside the left front.  Flying Cross Item #54R6676 or equivalent.

ITEM 3 - LT. WEIGHT WINTER SHIRT

STYLE:	Long sleeve permanent press ladies police shirt with convertible collar. Stitched in military creases.
FABRIC:	100% texturized woven, polyester/gabardine weave; fast color.
COLOR:	Medium Navy
FRONTS:	Selvedge revere fronts - six buttons and six button holes.
FLAPS:	Die cut and creased to insure uniformity. Two scalloped flaps 4-7/8" wide, 2" at side, points, and 2-1/4" at center with deep scallops. Velcro at corners. Pencil division through left flap.
POCKETS:	Die cut and creased to insure uniformity. Two pockets with 1/2" hem; 4-3/4" deep x 4-3/4" wide with mitered corners. 1-1/2" box pleats stitched to prevent spreading. Left pocket to have pencil division 1-1/4". Velcro on corners to match flap Velcro.
BADGE PATCH:	Inside sling type badge holder of self goods approximately 1-1/2" wide to extend from joining seam to pocket of left front. Two small button holes, 1-1/4" apart with the lower button hole approximately 1/2" above the flap.
SLEEVES:	One piece with top placket 1" wide; bottom placket 1/2" wide. Plackets to be approximately 6" long from top of cuff with opening approximately 4-1/2". No pleats or gathers.

CUFFS: 3" wide with 1/2" hem; 3/16" top stitching. Two buttons with corresponding button holes on each cuff.

PLEATS: There shall be 2 stitched Military pleats on front and three on back.

YOKES: Two piece yoke; outside top stitched.

SHOULDER STRAPS: To measure 2" at sleeve head, tapered to 1-5/8" at ends which are to be pointed 7/8". Straps to be stitched to shoulders by single needle machine forming an "X". Length of straps to be graduated conforming to size of shirt. Buttons attached to yokes to match shoulder strap button holes at pointed ends.

BUTTONS: 19 ligne pearlized buttons

LININGS: Collar linings to be 100% dacron polyester.

THREAD: Spun polyester thread.

STITCHING: Sleeving and closing operations - overlock with safety stitch.

CUTTING: Collars, pockets and flaps to be die cut to insure uniformity.

PRESSING: Component parts must be pressed on hot head machines; finished shirts to be folded and hand pressed.

LEV 404 Navy or equivalent.

ITEM 4 - HEAVY WEIGHT WINTER SHIRT

FABRIC: Content: All synthetic tropical weave 65% Dacron Polyester / 35% Avril Rayon conforming to the following specifications:

Weight: 6.6 oz./yd. 2

Construction: 49 warp x 36 filling yarns per square inch. All yarns size 10/1 singles

Air Permeability: Ft. 3/Min/Ft. 2 131 ASTM D 737-46

Tensile: Break Strength 100 warp - 60 filling (lbs.)

Properties: Tear Strength 9.7 warp - 8.5 filling (lbs.)

Pilling: Minimum 4.9 rating

COLOR: Medium Navy

STYLE: Plain front coat style, form fitting, collar attached, long sleeves with barrel cuffs. Two pleated breast pockets with scalloped flaps. Shoulder straps. Full badge reinforcement. Matching inside yoke and collar band of high luster Dacron/Cotton Poplin.

COLLAR:	Convertible collar shall be one piece and to measure 2-7/8" long at points. The collar shall be made with permanent collar stays. Collar to be top stitched 1/4" off the edge.
FRONT:	Each front shall have a facing 3" in width extending from neckline to bottom of shirt provided by a turnunder of material. The right front shall have six button holes spaced 3-1/2" apart and to be set 3/4" from edge. Second button hole to be positioned 2-1/2" from top button, balance of buttons spaced 3-1/2" apart. Buttons to be strongly attached through two thicknesses of material forming left front, and shall correspond to each button hole.
SHOULDER STRAPS:	Asymmetrical shape top stitched 1/4" off the edge to be set on yoke with leading top stitch conforming with front joining seam. To measure 2" at sleeve tapering to 1-3/8" and set not more than 1/2" from folded collar. Cross stitched approximately 2" from sleeve seam.
BADGE REINFORCEMENT:	Two-ply sling 1" wide centered over left pocket and stitched to shoulder seam a flap setting stitch. To have 2 button hole eyelets approximately 3/4" from top of pocket flap spaced 3/4" apart and centered on sling.
POCKETS:	Two breast pocket with 1-1/4" stitched pleats. Pocket to measure 4-7/8" wide, 5" deep. Each pocket to have Velcro tape 1" long by 3/8" wide, positioned on both edges of pocket to correspond with outer scalloped flap points as sample.
FLAPS:	Deep scalloped design to measure 5-1/4" across and 2-1/4" in depth at center point, 1-3/4" at sides. Secured to shirt front approximately 1/4" above pocket. Left flap to have invisible pencil opening 1-1/4". Both flaps to be interlined with #500 Mello-Press. Under side of flap to have Velcro tape 1" long by 3/8" wide positioned on outer points of both pocket flaps as sample.
SLEEVES:	Straight at width - no bias - of one piece shaped at head, jacket type. Sleeve vent approximately 4-3/4" long with top and bottom facings. Top facing to measure 1-1/8" wide point blocked at top. Underfacing 1/2" wide.
CUFFS:	To measure 2-1/2" in depth with rounded corners as sample. With two button adjustable cuff. Both cuffs to be interlined with stabilized #500 Mello-Press.
BUTTONS:	First grade 19 ligne pearlescent plastic to match.
STITCHING:	Single needle throughout. All top stitched 1/4" off the edge. Sleeve inserting and side close felling, safety stitched.
THREAD:	All sewing threads to be fast color polyester core cotton wrap to match.
MILITARY CREASES:	7 baked-in sharp military creases on all shirts. One crease on each front to be centered vertically through pocket and flap. Spacing for military creases on shirt back to be proportionate to the size of the shirt. Military creases on both sleeves to be centered on the middle of the shoulder strap.

CONVERTIBILITY:

This garment shall be designed to accommodate removable metal buttons having eyelets under the sewn buttons and protective pieces on the inside of the garment on the shoulders as well as a reinforcing strip inside the left front.

Flying Cross Item #04R6676 or equivalent.

ITEM 5 - SUMMER SLACKS

FABRIC:

Honour Corps, traditional style, small #8409, A VISA fabric from Milliken & Company, Color Navy, 13.5 - 14 oz. min. per linear yard. 100% Dacron Polyester Elastique, "Ring-Spun" with octalobal fibers.

DESIGN:

Shall be made on a modified womens uniform pattern, having plain front and quarter top front pockets, 2 back pockets and an elastic back.

POCKETS:

The front pocket opening will be a minimum 6" and be 5-1/2" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1-1/4" wide. The back pockets will have a minimum opening of 5-1/2" and be 6" deep on size 14 and up. On size 12 and down, the minimum opening will be 5" wide and 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The front pockets shall have straight bartacks and the back pockets shall be bartacked with a triangular bartacking machine.

POCKETING:

All pocketing shall be black \*, 75% Polyester/25% Cotton with a minimum thread count of 68 x 54. The weight shall be 3.0 yds./lb.

\* Pink Tan pants will have harmonizing pocketing color instead of black.

WAISTBAND:

The waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. The waistband curtain, attached with a rocap machine, shall have Snugtex and be made of black \*, 75% Polyester/25% Cotton. No roll waistband stiffener, 3/4" in width, shall be sewn into the waistband on the front of the trouser from side seam to side seam. The trousers are to be made with a continuous closed waistband. There shall be a special elastic back using the closed covered method. The relaxed finished waistband measurement shall be 1-1/2" smaller than the ticket size. The waistband shall be set on and stitched below the lower edge through the outer fabric and waistband curtain.

\* Pink Tan pants will have harmonizing waistband curtain color instead of black.

INSIDE TRIM:

The right fly shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper.

BELT LOOPS:

There should be a minimum of 5 belt loops on waist sizes 12 and down, and a minimum of 7 on all sizes over 14. Each loop is to be 3/4" wide, of double thickness, and stitched on the face side with a 2 needle machine.

Except for the back loop, which shall be tacked on, all loops are to be sewn into the rocap at the top and dropped and tacked below the waistband seam. They shall accommodate a 1-5/8" belt.

**ZIPPER:** The trousers shall be closed with a Talon Omni nylon #42 memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

**CREASING:** The front and rear crease in the trouser legs must incorporate a permanent modified silicone crease produced by the "Lintrak System".

**SEAMING:** The entire trouser is to be seamed with Polyester core of 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

**SIZE TAG:** The trouser shall have a sewn in label giving care instructions and an outside waistband label which shall be marked with lot number, size, fiber content and WPL number. A permanent size label shall be sewn inside on the hip pocket.

**FINISHING AND PRESSING:** All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open. There must be a Texpak clip attached to the top fly of the finished trousers.

**ORIGIN:** Made in USA.

**WARRANTY:** One year against workmanship or fabric defects.

8409 -- Navy Blue (Traditional Style)

ITEM 6 - WINTER SLACKS

**FABRIC:** Raeford Mills, Style 645, color Navy, 55% Dacron Polyester/45% Wool, 2-ply, 16.5 - 17 oz. Elastique.

\* French Blue -- Raeford Mills, Style 646-114  
Navy Blue -- Raeford Mills, Style 646-96

**DESIGN:** Shall be made on a modified ladies uniform pattern, having plain front and quarter top front pockets, 2 back pockets and an elastic back.

**POCKETS:** The front pocket opening will be a minimum 6" and be 5-1/2" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1-1/4" wide. The back pockets will have a minimum opening of 5-1/2" and be 6" deep on size 14 and up. On size 12 and down, the minimum opening will be 5" wide and 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The front pocket will have

straight bartacks; the back pockets shall be bartacked with a triangular bartacking machine.

**POCKETING:**

All pocketing shall be black, \* 65% Polyester / 35 % Cotton with a minimum thread count of 68 x 54. The weight shall be 2.60 yards/lb or 75% Polyester / 25% Cotton with a minimum thread count of 68 x 54. The weight shall be 3.0 yds/lb.

\* Pink Tan pants will have a harmonizing pocketing color instead of black.

**WAISTBAND:**

The waistband shall be 2" wide and shall be closed with a crush-proof hook and eye, the eye being bartacked for stability. The waistband curtain, attached with a rocap machine, will have Snugtex and be made of pocketing fabric. No roll waistband stiffener, 3/4" in width shall be sewn into the waistband on the front of the trouser from side seam to side seam. The trousers are to be made with a continuous closed waistband. There shall be a special elastic back using the closed covered method. The relaxed finished waist measurement shall be 1-1/2" smaller than the ticket size. The waistband shall be set on and stitched below the lower edge through the outer fabric and waistband curtain.

**INSIDE TRIM:**

The right fly shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper.

**BELT LOOPS:**

There shall be a minimum of 5 belt loops on waist sizes 12 and down, and a minimum of 7 on all sizes over 14. Except for the back loop, which shall be tacked on, all loops are to be sewn into the rocap at the top and dropped and tacked below the waistband seam. They shall accommodate a 1-5/8" belt. All loops shall be keystone style measuring 1-3/4" at the top and 1-1/2" at the bottom. The back loop shall be straight and shall be 3/4" wide. Except for the back loop which shall be tacked on, all loops will be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1-5/8" belt.

**ZIPPER:**

The trousers shall be closed with a brass memory lock zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside of the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

**CREASING:**

The front and rear crease in the trouser legs must incorporate a permanent modified silicone crease produced by the "Lintrak System".

**SEAMING:**

The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

**SIZE TAG:**

The trouser shall have a sewn in label giving care instructions and an outside waistband label which will be marked with lot number, size, fiber content and WPL number. A permanent size label shall be sewn inside on the hip pocket.

**FINISHING AND PRESSING:**

All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open. There must be a Texpak clip attached to the top fly of the finished trousers.

**ORIGIN:**

Made in USA.

W229 -- Navy Blue (Mr. Horace Small Heritage Collection)

ANNEX D

**NON-SWORN PERSONNEL - MALE**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	Lt. Weight Summer Shirt	LEV 997
2	Heavy Weight Summer Shirt	F/C 97R6676
3	Lt. Weight Winter Shirt	LEV 779
4	Heavy Weight Winter Shirt	F/C 47W6676
5	Elastique Year Around Pants	Small 929
6	Elastique Winter Pants	Small 229

**NOTE:** Items contained in this Annex are the same as those contained in Annex "B".

ANNEX E

**NON-SWORN PERSONNEL - FEMALE**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	Summer Blouse	F/C 52R6600
2	Winter Blouse	F/C 02R6600
3	Summer Slacks	FECH 38233
4	Winter Slacks	FECH 35291

ITEM 1 - SUMMER BLOUSE

10 to 10-1/2 oz. Deluxe tropical weave  
65% Dacron polyester 35% Avril Rayon  
Shoulder straps  
Convertible Sport Collar with permanent collar stays  
High Luster poplin yoke trim  
2 Scalloped flap pleated pockets with Velcro closures  
Pencil compartment  
7 baked in creases front, back and sleeves  
Form fit  
Color: White  
Style: Flying Cross 52R-6600 or equivalent

### ITEM 2 - WINTER BLOUSE

10 TO 10-1/2 oz. Deluxe tropical weave  
65% Dacron polyester 35% Avril Rayon  
Shoulder straps  
Convertible Sport Collar with permanent collar stays  
High Luster poplin yoke trim  
2 Scalloped flap pleated pockets with Velcro closures  
Pencil compartment  
2 button adjustable cuff  
7 baked in creases front, back and sleeves  
Form fit  
Color: White  
Style: Flying Cross 02R-6600 or equivalent

### ITEM 3 - SUMMER SLACKS

FABRIC: Content: 100% polyester  
Color: Navy  
Weave: Texturized woven

BASIC DESIGN: Slacks shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" or baggy seat. The front shall be plain (no pleats) with two 1/4 top pockets and two hip pockets. The left hip pocket shall have a tab to button. The front pocket shall have a minimum opening of 5-1/2" and shall be 5-1/4" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 5" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece PW machine and shall be finished in such a manner that there is no top stitching. The welts shall be interlined with pellow. All pockets must have a firm, straight bartack for reinforcing strength. Bottoms to be flared.

POCKETING: The pocketing shall be 80% polyester 20% rayon blend, minimum 2.70 weight with minimum 72 x 60 count. The color of the pocketing shall harmonize or contrast with color of slacks.

**WAISTBAND:** Two (2) inch outside waistband of same material as slacks. Inside waistband curtain shall be closed at the waist outlet—that is the waistband lining shall be turned, right sides of cloth together, and stitched so as to make a closing seam at the waistband outlet. Waistband curtain to be of the same fabric as the pocketing 80% polyester 20% rayon and shall close with a hood and eye, and contain Fashion Grip. The waistband curtain must be attached to the slacks with a zig-zag stitch.

**FLY LINING:** The right fly shall be the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure and smart appearance. There shall be a French fly closure on the inside of the right fly and the fabric for the French fly must be the same as the outer material of the slacks.

**BELT LOOPS:** There shall be a minimum of 6 belt loops 3/4" wide, of the double thickness. Security Miss elastique slacks to have Keystone belt loops. Each loop must be interlined with non-woven fabric. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished—wide enough to comfortably accommodate a belt 1-5/8" wide.

**MISCELLANEOUS:** Slacks must have a fly front with metal memory lock zipper, the type of which has permanent press finish, and there shall be a bartack at the bottom of the fly going through the zipper tape. The slacks must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.

**PRESSING AND FINISHING:** Slacks must be properly pressed on hot head presses and properly shaped. The outseam and inseam must be pressed open.

**LABELS:** Slacks must have a care label permanently affixed and must also have size label showing fiber content and RN number

FECH 38233 or equivalent.

#### ITEM 4 - WINTER SLACKS

**FABRIC:** Raeford Mill

Color: Medium Navy Blue

Content: 55% dac/poly-45% Wool Weight 14-14-1/2 oz.

Weave: Serge

**BASIC DESIGN:** Slacks shall be manufactured from up-to-date patterns and shall be designed so that there will be no "peg" or baggy seat. The front shall be plain (no pleats) with two 1/4 top pockets, two hip pockets and one watch

pocket. The left hip pocket shall have a tab to button. The front pocket shall have a minimum opening of 5-1/2" and shall be 5-1/4" deep from the bottom of the opening. They shall be stitched, turned and top stitched. The hip pockets shall have an opening of approximately 5" from bartack to bartack and shall be 6" deep. Hip pockets will be of the double welt method manufactured on Reece PW machine and shall be finished in such a manner that there is no top stitching. The welts shall be interlined with pellon. All pockets must have a firm, straight bartack for reinforcing strength. Bottoms to be flared.

**POCKETING:**

The pocketing shall be 80% polyester 20% rayon blend, minimum 2.70 weight and minimum 72 x 60 count. The color of the pocketing shall harmonize or contrast with color of slacks.

**WAISTBAND:**

Two (2) inch outside waistband of same material as slacks. Inside waistband curtain shall be closed at the waist outlet--that is the waistband lining shall be turned, right sides of cloth together, and stitched so as to make a closing seam at the waistband outlet. Waistband curtain to be of the same fabric as the pocketing (80% polyester 20% rayon) and shall close with a hood and eye. The waistband curtain must be attached to the slacks with a zig-zag stitch. The waistband must have 3-strand rubberized stitch (Snugtex) and contain Ban-rol to prevent roll over.

**FLY LINING:**

The right fly shall be the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure and smart appearance. There shall be a French fly closure on the inside of the right fly and the fabric for the French fly must be the same as the outer material of the slacks.

**BELT LOOPS:**

There shall be a minimum of 7 belt loops, 6 of which are to be Keystone style measuring 1-3/4" at the top and 1-1/4" at the bottom. The center back loop shall be straight and be 3/4" wide. All loops (except for the back center loop) must be sewn into the bottom of the waistband and the top of all loops shall be caught into the waistband curtain seam. The waistband shall measure approximately 2" wide when finished -- wide enough to comfortably accommodate a belt 1-5/8" wide.

**MISCELLANEOUS:**

Slacks must have a fly front with metal memory lock zipper, the type of which has permanent press finish, and there shall be a bartack at the bottom of the fly going through the zipper tape. The slacks must be seamed with matching thread and the seat seam must be stitched with a tandem needle machine (2 threads). All exposed inside edges must be serged.

**PRESSING AND FINISHING:**

Slacks must be properly pressed on hot head presses and properly shaped. The outseam and inseam must be pressed open.

**LABELS:**

Slacks must have a care label permanently affixed and must also have size label showing fiber content and RN number.

FECH Lot #35291 or equivalent.

ANNEX F

**SUPERVISORY PERSONNEL - MALE**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	Summer Shirt	Van Heusen Baker Street
2	Winter Shirt	Van Heusen Baker Street
3	Trousers	Hardwick - Harper
4	Blazer	Hardwick - Regent
5	Topcoat	London Fog - Nevin
6	Tie	Broome 809T
7	Ike Jacket	Small 3446

ITEM 1 - SUMMER SHIRT

COLOR: Optional  
FABRIC: 65% Cotton, 35% Polyester, Machine Washable  
CONSTRUCTION: Short sleeve, one pocket with sewn down pocket hem.  
Button down collar  
Van Heusen Baker Street or equivalent.

ITEM 2 - WINTER SHIRT

COLOR: Optional  
FABRIC: 65% Cotton, 35% Polyester, Machine Washable.  
CONSTRUCTION: Long sleeves, one pocket with sewn down pocket hem.  
Button down collar  
Van Heusen Baker Street or equivalent.

ITEM 3 - TROUSERS

COLOR: Optional  
FABRIC: 100% texturized polyester, snag resistant, with soil release properties.  
CONSTRUCTION: Straight legs, plain front, 3/8" belt loops, 1/4 top pockets, corded back pockets.  
Hardwick - Harper or equivalent.

ITEM 4 - BLAZER

COLOR: Optional  
FABRIC: 100% texturized polyester, snag resistant, with soil releasing properties.  
LINING: 100% Rayon  
CONSTRUCTION: Two button single breasted, plain back with deep center vent, 5/16" edge and pocket stitching and metal buttons.  
Hardwick Clothes Co Regent Men's Blazer or equivalent.  
NOTE: Must be available with matching reversible vest.

ITEM 5 - TOPCOAT

COLOR: Optional  
FABRIC: 100% cotton suede twill.  
BODY LINING: 100% nylon  
LINING: Zip-out liner 65% poly 35% cotton face. Nylon back quilted to Thinsulate thermal insulation. Liner sleeve and yoke of Napped Satin.  
London Fog - Nevin or equivalent.

ITEM 6 - TIE

COLOR: Blueberry and Plum alternating 3/4" stripes  
STYLE: Mens four-in-hand 100% woven polyester with a Repp weave. 55% long with 3-1/4" front.  
Broome 809T or equivalent.

ITEM 7 - IKE JACKET

FABRIC: Outer Goods: Raeford Mills, Style 3917 8107, Color Medium Navy Blue, 55% Dacron Polyester/45% Wood, 14 oz. Serge.  
Lining: 180 count Rayon Satin. Colorfast and treated to resist perspiration.

DESIGN: The jacket shall be Eisenhower model with peak lapels and 5 button front. Coat construction shall be used throughout. Body and sleeves are to be fully lined.

BODY DETAIL: The front shall be plain style with patch pockets with flaps, epaulets, and a badge tab. It is to be interlined with a facing strip of Pellon. The inside facing is to be made of the same goods as the outer fabric and shall have an opening for access to button toggles. Front button holes must be cut first type. There shall be a 2 piece bi-swing back, the be-swing being held in place with a 3-1/4" strip of elastic. There is to be a separate 2 piece waistband, 2-1/2" wide with outlet in center back, and a take-up strap on each side. The shoulders are to have pads and sleeve heads.

SLEEVES: The sleeves shall be regular coat style, set in with single needle having a minimum 2" hem. The bottom of the sleeves shall be lined with wigan. Light blue or gold braid around the sleeve 3" above the hem to the bottom edge of the braid.

POCKETS: There shall be 2 outside patch pockets measuring approximately 5" wide and 6-1/2" deep, with box pleats and scalloped flaps. There shall be one inside cut-in pocket on right.

COLLAR: The collar shall be interlined with Pellon. The under collar is to be of the same fabric as the top collar.

EPAULETS:	Epaulets shall be made of outer goods. They shall be sewn into the sleeve seams, box stitched, and tacked to the jacket at the neck. Shall be light blue in color.
BADGE TAB:	The badge tab shall be made of the outer fabric, 1" wide, with 2 metal eyelets spaced vertically 1" apart and is to be centered above the left pocket flap.
BUTTONS:	There shall be attached to the front of the jacket 5 - 26 ligne metal P buttons. The top 4 shall be toggle type attached through sewn eyelets, and the bottom button shall be sewn to the waistband. The pocket flaps and epaulets shall be secured with 24 - ligne metal shank P buttons. Each sleeve shall have 2 - 24 ligne metal screw-back P buttons.
THREAD:	All sewing is to be done with Polyester core thread.
FINISHING AND PRESSING:	The jacket shall be made in a first class workman-like manner, with all loose threads removed. The jacket shall be pressed and shaped properly.
SIZE TAG:	The jacket shall be marked with lot number, size, fiber content, and WPL number, and shall have a care instruction label sewn in it.
	Small 3446 or equivalent.

ANNEX G

**SUPERVISORY PERSONNEL - FEMALE**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	Summer Shirt	Van Heusen Baker Street
2	Winter Shirt	Van Heusen Baker Street
3	Slacks	Hardwick - Trixie
4	Skirt	Hardwick - Willow
5	Blazer	Hardwick - Dixie
6	Topcoat	London Fog - Nevin
7	Scarf	Broome - 809AP

ITEM 1 - SUMMER SHIRT

COLOR: Optional  
FABRIC: 65% Cotton, 35% Polyester oxford, Machine Washable  
CONSTRUCTION: Short Sleeve, one pocket with sewn down pocket hem. Button down collar.  
Lady Van Heusen Baker Street or Equivalent

ITEM 2 - WINTER SHIRT

COLOR: Optional  
FABRIC: 65% Cotton, 35% Polyester oxford, Machine Washable  
CONSTRUCTION: Long Sleeve, one pocket with sewn down pocket hem. Button down collar.  
Lady Van Heusen Baker Street or Equivalent

ITEM 3 - SLACKS

COLOR: Optional  
FABRIC: 100% texturized polyester, snag resistant, with soil release properties.  
CONSTRUCTION: Straight legs, plain front, 3/8" belt loops, 1/4 top pockets, corded back pockets.  
Hardwick - Trixie or equivalent

ITEM 4 - SKIRT

COLOR: Optional  
FABRIC: 100% texturized polyester, snag resistant, with soil release properties.  
Hardwick - Trixie or equivalent

ITEM 5 - BLAZER

COLOR: Optional  
FABRIC: 100% texturized polyester, snag resistant, with soil release properties.  
CONSTRUCTION: Two button single breasted, plain back with deep center vent, 5/16" edge and pocket stitching and metal buttons.

Hardwick - Dixie or equivalent

ITEM 6 - TOPCOAT

COLOR: Optional

FABRIC: 100% cotton sueded twill

BODY LINING: 100% nylon

LINING: Zip-out liner of 65% poly 35% cotton face. Nylon back quilted to Thinsulate thermal insulation. Liner sleeve and yoke of Napped Satin.

London Fog - Nevin or equivalent

ITEM 7 - SCARF

COLOR: Blueberry and Plum in alternating 3/4" stripes

FABRIC: 100% woven polyester -Repp Weave  
4" by 40" Brass ring included

Broome 809AP

ANNEX H

**SPECIAL RESPONSE TEAM**

<u>ITEM</u>	<u>DESCRIPTION</u>	<u>LOT NUMBER</u>
1	2 Piece Tactical Nomex S.W.A.T. Suit	Point Blank P-36
2	2 Piece Tactical S.W.A.T. Suit	Trans TU701
3	Balaclava	Point Blank P-37
4	Tactical Gloves	Point Blank P-38

ITEM 1 - 2 PIECE TACTICAL NOMEX S.W.A.T. SUIT

CONSTRUCTION: 2 Piece Nomex Flame Resistant S.W.A.T. Suit  
Standing Velcro closure collar or open collar type  
Adjustable tab on sleeve cuff  
2 upper chest bellows pockets  
2 adjusting waist tabs  
2 upper 1/4 top pockets  
2 thigh cargo bellows pockets  
Adjustable tabs on leg bottoms  
Kevlar/Ensolite reinforced knee and elbow pads

COLOR: Black

ITEM 2 - 2 PIECE TACTICAL S.W.A.T. SUIT

CONSTRUCTION: 2 Piece 50% polyester 50% cotton Gabardine Twill  
Open collar  
Snaps at each cuff  
2 upper chest bellows pockets with snap down flaps  
Full zip front with set on sleeves  
2 front 1/4 top pockets  
2 side thigh bellows pockets with snap flaps  
2 back pockets with snap down flaps

COLOR: Black

ITEM 3 - BALACLAVA

CONSTRUCTION: Nomex Knit Flame Resistant tactical protective hood  
Pullover hood style with 2" eye slit  
To provide protection to the head and neck  
Hood to have attached bib

COLOR: Black

ITEM 4 - TACTICAL GLOVES

CONSTRUCTION: Nomex Knit Flame Resistant tactical gloves with fine leather palm  
reinforcement  
Gauntlet style with elasticized wrist

COLOR: Black