Document Management Proposal


Prepared for: Rapid City Code Authority 333 West Sixth Street Rapid City, SD 57701





Prepared by: Carolyn Johnson President 343-6089

Presented on: Wednesday, June 18, 2008









Konica Minolta Bizhub C253 – 25 ppm black and white AND color copier/printer/scanner/fax, Scan @ 70 originals per minute, with auto document feeder, reductions and enlargement, handles up to 11x17 paper, lighten and darken, Stand, 2 – 500 sheet paper trays, and 1 – 150 sheet bypass.

List Price \$11664.00 Discount/Trade of Canon 6330 \$ 4998.00

Cash Price \$6865.00 – As quoted

Cash Price \$7691.00 – As quoted with Finisher

FMV Options - No Down Payment

<u>As Quoted</u>	As Quoted w/ Finisher
36 months @ \$225.08	\$253.49
48 months @ \$180.26	\$203.01
60 months @ \$155.99	\$175 . 68

In House Lease through Dakota Leasing Company – Down Payment of 1st/Last <u>As Quoted</u>

36 months @ \$240.28 – 10% lease option 36 months @ \$227.00 – \$1 purchase option

As Quoted with Finisher

36 months @ \$269.24 – 10% lease option 36 months @ \$254.00 – \$1 purchase option

Maintenance and Supplies (for cash purchase or lease options) – \$18.75 for up to 1500 black and white pages per month, all additional copies are .0125 for black and white and .075 for color, all service, parts, labor, travel, and supplies (except paper and staples) are included quoted price.

Information in this proposal is good through April 30, 2008



Rapid City Code Authority

Konica Minolta Bizhub 350 – 35 ppm black and white copier/printer/scanner/fax, Scan @ 70 originals per minute, with auto document feeder, reductions and enlargement, handles up to 11x17 paper, lighten and darken, 2-500 sheet paper trays, 1-2500 sheet paper tray, and 1-150 sheet bypass, finisher and punch kit.

 List Price
 \$13180.00

 Discount/Trade of Canon 6330
 \$7711.00

 Cash Price
 \$5569.00

Maintenance and Supplies (for cash purchase or lease options) – \$28 for up to 4000 pages per months, all additional copies are .0079 black and white, all service, parts, labor, travel, and supplies (except paper and staples) are included quoted price.

I week to get 5-7 business deep.

Who is Kotagraphics Business Solutions?

- ✓ Established in 1996
- ✓ Locally Owned and Operated by Carolyn Johnson of South Dakota
- ✓ Local Service, Support, and Billing
- ✓ Live People Answering the Phone
- ✓ Quality Products
- ✓ Total Satisfaction Guarantee
- ✓ Customizable plans designed just for your business

At Kotagraphics Business Solutions...
We Aren't Happy Until You Are!



SALES ORDER #

Eastern SD & MN Western SD & WY 1 800 477 2425 1 888 883 9282 Sales Rep
Annalee Margheim
PO Number

Date: 6/17/2008

V						- 1 (SEC.)	0.0000000000000000000000000000000000000
	INFORMATION S	SHIP TO:	CUSTOMER INI	FORMATIO		O:	9600000
COMPANY NAME Rapid City Department of Community Development							
ADDRESS	Department of C		Rapid City Departmen	it of comin	iunity D		III GIIL
300 6th St		Suite	300 6th St			Suite	
CITY, STATE		Zip Code	CITY, STATE, ZIP			Zip Code	
Rapid City		57701	Rapid City 57701			57701	
PHONE #		FAX#	PHONE#			FAX#	
605/394-41		<u> </u>	605/394-4181 EMAIL ADDRESS			CONTACT	TNAME
June Hart	:		LIVINIE ADDRESS			CONTACT	I IACIAIC
	EMS & RATES CUST	TOMER WILL ACCEPT & PA	Y FOR THE FOLLOWING M	ERCHANDIS	E.		
	ITEM#/	DESCRIPTION	SERIAL		TINU		TOTAL
QTY	PRODUCT CODE		NUMBER		RICE		MOUNT
1	E-STUDIO453	E STUDIO 453			5,545.00	\$	5,545.00
1	KN3520	Bridge Kit		\$	_	\$	
1	GD1200	FAX BOARD		\$	-	\$	-
1	MJ1101 MJ6004	FINISHER-CONSOLE FINISHER Hole Punch		\$		\$	-
1	KD1012	Large Capacity Feeder		\$		\$	
1	GM2061	Print/Scan Enabler		\$	-	\$	-
1	MR3018	RADF		\$	_	\$	_
0	0	0		\$		\$	-
0	0	0		\$	-	\$	-
0 SPECIAL INST	0 PUCTIONS:	0	Special Toshiba C	ty Pricing		\$	
SPECIAL INST	WO STONES	<u></u>	Special Toshiba C	ncy Fricing			
<u> </u>							
JOB	NFO	NETWORK	INFO				
Sufficiently Culture 1 - 1 - 1 - 1	INFO		INFO		BTOTAL		\$5,545.00
JOB ✓ Sold	INFO	NETWORK Contact Name:		SUE			
Sufficiently Culture 1 - 1 - 1 - 1	INFO	Contact Name:		SUE	orking Fee		\$0.00
Sufficiently Culture 1 - 1 - 1 - 1				SUE	orking Fee ES TAX		\$0.00 See Invoice
✓ Sold		Contact Name: Contact Phone #:		SUE R@\$0.00 Netw SAL	orking Fee LES TAX TOTAL		\$0.00
✓ Sold		Contact Name:		SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT		\$0.00 See Invoice \$5,545.00
☑ Sold ☐ Demo/Loar		Contact Name: Contact Phone #: Is there a switch with Open	Port? YES NO	SUE R@\$0,00 Netw SAL	orking Fee LES TAX TOTAL	\$5,54	\$0.00 See Invoice \$5,545.00
☑ Sold ☐ Demo/Loar		Contact Name: Contact Phone #:		SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar		Contact Name: Contact Phone #: Is there a switch with Open	Port? YES NO	SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar	ier	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop?	Port? YES NO	SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar Rental Decline Ma	ner intaince Agrement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop?	Port? YES NO	SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar Rental Decline Ma	ier	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S	Port? YES NO	SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar Rental Decline Ma	ner intaince Agrement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S	Port? YES NO YES NO Support? YES NO Poperating System?	SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar Rental Decline Ma	er intaince Agrement etwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network	Port? YES NO YES NO Support? YES NO Poperating System?	SUE R@\$0,00 Netw SAL	ORKING FEE LES TAX TOTAL PAYMENT	\$5,54	\$0.00 See Invoice \$5,545.00
Sold Demo/Loar Rental Decline Ma	er intaince Agrement etwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network	Port? YES NO YES NO Support? YES NO Poperating System?	SUE R@\$0.00 Netw SAL LESS DOWN BALAN	PAYMENT		\$0.00 See Invoice \$5,545.00 45.00
Sold Demo/Loan Rental Decline Ma	intaince Agrement stwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network	Port? YES NO YES NO Support? YES NO Poperating System?	SUE R@\$0.00 Netw SAL LESS DOWN BALAN	PAYMENT		\$0.00 See Invoice \$5,545.00 45.00
Sold Demo/Loan Rental Decline Ma	er intaince Agrement etwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network	Port? YES NO YES NO Support? YES NO Operating System? NET 10 DAYS: 11 OVER 10 DAYS Title to the goods remains	SUE R@\$0.00 Netw SAL LESS DOWN BALAN	PAYMENT CE DUE	I ACCO	\$0.00 See Invoice \$5,545.00 45.00 OUNTS emed complete
Sold Demo/Loan Rental Decline Ma	intaince Agrement stwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network	Port? YES NO YES NO Support? YES NO Operating System? NET 10 DAYS: 1 1 OVER 10 DAYS Title to the goods remainand buyers credit has be	SUE R@\$0.00 Netw SAL LESS DOWN BALAN //2% PER Miles with the selled een approved by	PAYMENT ONTH ON er until (1) or oy A&B Busin	I ACCO	\$0.00 See Invoice \$5,545.00 45.00 OUNTS emed complete
Sold Demo/Loar Rental Decline Ma Decline Ne	intaince Agrement etwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network Who is the Internet Provider	Port? YES NO YES NO Support? YES NO Operating System? NET 10 DAYS: 11 OVER 10 DAYS Title to the goods remained buyers credit has been (2) the goods have been	SUE R@\$0.00 Netw SAL LESS DOWN BALAN //2% PER Miles on approved to approve	PAYMENT ONTH ON er until (1) or oy A&B Busin	I ACCO	\$0.00 See Invoice \$5,545.00 45.00 OUNTS emed complete
Sold Demo/Loar Rental Decline Ma Decline Ne	intaince Agrement stwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network Who is the Internet Provider	Port? YES NO YES NO Upport? YES NO Operating System? NET 10 DAYS: 11 OVER 10 DAYS Title to the goods remainent and buyers credit has been and buyers credit has been networking FE Installation includes nincludes ninclude	SUE R@\$0.00 Netw SAL LESS DOWN BALAN 1/2% PER M Ins with the selliceen approved to nfully installed. EE: nety minutes of	ONTH ON er until (1) or oy A&B Busir	I ACCO	\$0.00 See Invoice \$5,545.00 45.00 OUNTS emed complete ipment, Inc. and
Sold Demo/Loar Rental Decline Ma Decline Ne	intaince Agrement etwork Agreement	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network Who is the Internet Provider	Port? YES NO YES NO Upport? YES NO Operating System? NET 10 DAYS: 11 OVER 10 DAYS Title to the goods remainent and buyers credit has	SUE R@\$0.00 Netw SAL LESS DOWN BALAN 1/2% PER Mins with the sellence approved to fully installed. E: nety minutes of at NO CHARGE	ONTH ON er until (1) or oy A&B Busir	I ACCO	\$0.00 See Invoice \$5,545.00 45.00 OUNTS emed complete ipment, Inc. and
Sold Demo/Loar Rental Decline Ma Decline Ne	intaince Agrement etwork Agreement BY CUSTOMER: DISIGNATURE REQU	Contact Name: Contact Phone #: Is there a switch with Open Is there a Network Drop? Do they have their own IT S Is there a windows network Who is the Internet Provider	Port? YES NO YES NO Upport? YES NO Operating System? NET 10 DAYS: 11 OVER 10 DAYS Title to the goods remainent and buyers credit has been and buyers credit has been networking FE Installation includes nincludes ninclude	SUE R@\$0.00 Netw SAL LESS DOWN BALAN 1/2% PER Mins with the sellence approved to fully installed. E: nety minutes of at NO CHARGE	ONTH ON er until (1) or oy A&B Busir	I ACCO	\$0.00 See Invoice \$5,545.00 45.00 OUNTS emed complete ipment, Inc. and



~~.	dittimme initialitimetricamitation imminimit.
Sales R	ep.
	Annalee Margheim
Date	6/17/2008

CUSTOMER INFORMATI	ON SHIP TO:	988 S. T.	CUSTOME!	RINFORMATION BI	LL TO:		1994 1995	3.0
COMPANY NAME	(- 6.0	4	1	ment of Commercial	v Davalan	4		
Rapid City Departmen	t of Community Developme	nt Sulte	Rapid City Departs	Henr of Communit	y pevelopmen	l .	· · · · · · · · · · · · · · · · · · ·	Suite
300 6th St		-	300 6th St					
CITY, STATE		Zip Code	CITY, STATE					Zip Code
Rapid City		· ·	Rapid City, SD					57701
PHONE #		FAX#	PHONE#		FAX#			
605/394-4181			605/394-4181					
CONTACT NAME			EMAIL ADDRESS		CONTACT NAME			
June Hart					June Hart			
TYPE OF PLAN:	LABOR & DURABLE PARTS	SERVICE & NO SUPPLY	SERVICE WI	TH SUPPLIES	LIST S	JPPLIES EXCLUDED		
BILLING PLAN;	ANNUAL	SEMI-ANNUAL		QUARTERLY	<u> </u>	MONTHLY		OTHER
PERIOD COVERED: 12 MONTHS	24 MONTHS	☐ 36 MONTHS	48 MONTHS	✓ 60 MONTHS				
			Equipment Cove	red				
		SALL AND DESCRIPTION OF THE PERSON OF THE PE	Beginning Meter	Base	Copies/Dev	/elopments	Ó	/erage
Equipment LD.	Model /Accessories	Serial Number	Reading	Charge	BW	Color	BW	Color
					4.000	_	0.0000	0.0000
E-STUDIO453	E STUDIO 453			\$34.00	4,000	0	0.0090	0.0000
			ļ					
					1			
					}			
				-				
					 			
					1			
	* "	· **						
					1			
Machine Location			Operator/Emai	I Address				

Note: Maintenance Pricing for color prints or copies is based on an average of 15% coverage of an 8 1/2 X 11 page and 6% for black. If average toner usage exceeds what is necessary for 15% coverage, toner to support the additional coverage may be invoiced in addition to the normal contract charges.

- 1. This agreement allows for an unlimited number of unscheduled maintenance calls, provided the calls are not a result of operator negligence or abuse.

 A & B Business Equipment responsibility with this agreement ceases if the equipment covered is repaired or adjusted by any person other than A & B technical representative, or the supplies used are not authorized or approved by A & B Bussiness Equipment.
- 2. Service shall be provided without additional charge between 8:00 a.m. to 5:00 p.m. Monday through Friday, excluding National holidays.
- 3. The maintenance service plan includes all necessary parts, labor and supplies as specified with the following exceptions:
 - a. Cassettes, master units, exit trays covers or any item that is not related to the electro/mechanical operation of the equipment.
 - Parts damaged by fire, water, other acts of nature, misuse or negligence on the part of the customer or operators of the equipment.
 Drum cartridges are considered supply items, not parts. Agreements include photoconductor units unless otherwise specified.
 - d. Connectivity support beyond the initial 2 hours of support provided with the hardware installation.
- 4. Maintenance with supplies agreements includes toner and developer. These agreements do not include paper, staples and fn Freight = 6,9% of total monthly invoice.
 - 5. It is the customer/user's responsibility to provide power that meets the specific equipment needs as well as proper service access spacearound the equipment. If either one or both of these conditions are not met, A & B Business Equipment reserves the right to apply additional charges to compensate for deficiencies or to suspend this protection plan until the power deficiency is corrected and or adequate service space is provided.
 - 6. This agreement is for the above-specified period of time and is subject to annual price increases due in part to inflation, increased cost of parts, labor or age of equipment. Notice of cancellation must be given 30 days in advance. Early termination will result in penalties equaling 50% of the value of the remaining period of the agreement based on an average monthly billing.

DATE: ACCEPTED BY	DATE	
TITLE		

Side-By-Side

Product Compare





	Toshiba e-STUDIO453	Konica Minolta bizhub 350
BACKGROUND INFORMATION	15617/USA	14162/USA
Dataquest Segment	4	3
SRP/Street Price	\$9.799/None	\$7.650/Info not avail
Manufacturing Status	New	New
Domestic Intro Date	Jan-08	Jun-05
OEM	Toshiba (China)	Konica Minolta Business (China/Japan)
Also Sold As	None	NEC IT3530
Distributed By	Dealers and subsidiaries	Dealers and branches
Max Monthly Duty Cycle	150,000 impressions	150,000 impressions
TYPE	Monochrome copier, MF	Monochrome copier, MF
Configuration/Scanner	Desktop,digital	Desktop,digital
Toner	Dry, dual component	Dry, dual component
GENERAL SPECIFICATIONS/PAPER HANDLIN		pry, dual component
		11.0.000
First Copy Time	3.9 sec	4.8 sec
Multicopy (Ltr/Lgl/Ldgr)	45/24/21 cpm	35/23/20 cpm
Warm-up Time	20 sec	24 sec
Std Paper Source(s)	Dual drawer	Dual drawer
Std Paper Capacity	550/550 sheets	550/550 sheets 15 to 24 lbs
Paper Weights	17 to 28 lbs	
Bypass/Paper Weights	100-sheet/17-lb bond to 110-lb index	150-sheet/15 to 55-3/4 lbs
Max Paper Sources	5	5
Max Paper Capacity	3,700 sheets	4,000 sheets
Max Original Size	11 x 17	11 x 17
Output Size (Min/Max)	5 1/2 x 8 1/2/11 x 17	5-1/2 x 8-1/2/11 x 17
Copy Resolution	2400 x 600 dpi	600 x 600 dpi
System Memory (Std/Max)	256-MB RAM, 40-GB HD/512-MB RAM, 40-GB HD	192 MB/320 MB, 40-GB HD
Duplex	Auto (1:2,2:2,2:1)	Auto (1:2,2:2,2:1)
Duplex Capacity/Paper Sizes	Unlimited/5 1/2 x 8 1/2 to11 x 17	Unlimited/5-1/2 x 8-1/2 to11 x 17
Document Feeder	Opt RADF	Opt RADF
Doc Feeder Speed/Capacity	50 opm/100 orig	41 opm/80 orig
Paper Weights	13 to 33 lbs	9-1/4 to 34 lbs
Sorter (Bins/Capacity)	None	None
Staple Sorter	None	None
Bins/Stapling Capacity	Not applicable	Not applicable
Stapling Positions	Not applicable	Not applicable
Finisher	Opt finishers	Opt finisher
Tray/Stapling/Position(s)	900, 2,250, 2,000/30, 50, 50/1, 3, 3	1,200/50/2
Other	Opt single-position hanging finisher has two trays (200/700 sheets); opt multi-position finisher has two trays (1,000/1,250 sheets); opt saddle-stitch finisher has two trays (1,000 sheets each), V-folding and saddle-stitching of up to 15 sheets (60-page booklets); opt hole punch kit; opt paper feed-pedestal adds one 550-sheet drawer; an additional opt 550-sheet drawer can be added to paper-feed pedestal; opt 2,500-sheet LCT handles letter-sized paper; opt job separator tray; opt offset catch tray; std electronic sorting; envelope feeding through bypass	Opt finisher has two trays (200/1,000)—options avail include 2-/3-hole punch, saddle kit and mailbin; envelope feeding through bypass
SECURITY SPECS Network User Authentication	Yes	Yes
IP Address Filtering	Yes	Yes
MAC Address Filtering	Yes	No
HDD Overwrite	Opt	Std
Max Overwrites	3	7
HDD Encryption	Yes	Yes
Secure Print	Yes	Yes

Encrypted Secure Print	Yes	
Encrypted PDF Mode (Encrypted Scanning)	Yes	
lPsec .	Yes	
Secure Sockets Layer (SSL)	Yes	
SNMPv3	No	
Transport Layer Security	No	
Other	Opt Data Overwrite kit is Common Criteria certified; opt e-BRIDGE SmartCard card reader limits unauthorized access to device; DPWS security for encrypted print; opt FollowMe document management solution restricts document access with release by either biometric fingerprint, proximity card, magnetic swipe card, smartcard, PIN or barcode; IPv6 support	
CONTROL PANEL	Keypad and touch screen	Keypad and touch screen
Quantity Selector	1 to 999 (0 to 9 keypad)	1 to 999 (0 to 9 keypad)
Message Display	Yes	Yes
Help Key	Yes	No
FEATURES		
Automatic Features	AES, AMS, APS, AS, ASO, ATS	AES, AMS, APS, ASO, ATS
Book Copy	Yes	Yes
Booklet Mode	Std .	Std
Color	No	No
Copy Control	1,000*	1,000
Covers	Std	Std
Editing	Std	No
Energy-Save	Yes	Yes
Erase	Std	Std
mage Insert	No	Yes
mage Overlay	No	Opt
mage Repeat	No	Yes
mage Rotate	Std	Std
	Yes	Yes
nterrupt	Yes	
Job Build		Yes
Job Programs	12,060	10
Job Time	No	No
Language	Std	Std
Margin Shift	Yes	Yes
Neg/Pos	Yes	Yes
OHP Interleaving	No	Yes
Photo Mode	Yes	Yes
Poster Mode	No	No
Preset R/E		5R, 4E
Program Ahead	10	Std
Sheet Insertion	Std	Std
Stamping	Std	Opt
Timer	Yes	No
2-in-1	Std	Std
XY Zoom	Yes	Yes
Zoom Range	25 to 400 (1%)	25 to 400 (0.1%)
Other Features	*1,000 department/10,000 user codes; mirror image; 2-in-1, 4-in-1, 8-in-1; copy to hard drive document storage (e-Filing); date and time display; page numbers; annotation; 12,060 templates in up to 201 groups	Tilting control panel; QWERTY keypad; mixed-size originals; watermarks; Opt paper-feed cabinets add one 550-sheet drawer and storage cabinet or two 550-sheet drawers; opt saddle kit provides saddle stitching of up to 15 sheets; accessibility key for Section 508 compliance
ADDITIONAL INFORMATION		
Dimensions (HxWxD)	29" x 26" x 28"	25.5" x 28.5" x 27.5"
Weight	183 lbs	163 lbs
Power Requirements	115 V, 15 A	120 V, 11.5 A
Dedicated Outlet	Not required	Not required
Energy Star Compliant	Yes	Yes
Operating Noise Level	60 dB	62 dB
COMMENTS	None	None
	<u> </u>	<u> </u>
OPHONS		
OPTIONS	RADE (MR-3018): \$1 595	RADE (DE-605): \$1 275
OPTIONS	RADF (MR-3018): \$1,595 2,500-sheet LCT (KD1012): \$1,225	RADF (DF-605): \$1,275 2,750-sheet LCT (PC-402): \$1,260

e e	Multi-position finisher (MJ-1101): \$2,175 Saddle-stitch finisher (MJ-1024): \$3,394	1,100-sheet PF cabinet (PC-202): \$1,070 Built-in finisher (FS-508)/Add'l bin kit (OT-
		601): \$1,500/\$50
	Hanging finisher (MJ-1022): \$1,525	Mailbin kit (MT-501)/Job separator (JS-502): \$1,000/ \$150
	2-hole/3-hole punch unit (MJ-6101/MJ-6004): \$850/ \$850	Punch kit (PU-501): \$500
	Drawer module (MY-1021): \$550	Saddle-stitch kit (SD-502): \$1,290
	Offset catch tray (MJ-5005)/Job separator tray (MJ-5004): \$325/\$275	40-GB HD (HD-504)/Copy desk (DK-501): \$540/\$199
	Platen cover (KA-3511)/Bridge kit (KN-3520)/Work tray (KK-3511): \$50/\$265/\$52	32-MB memory (EM-303)/64-MB memory (EM- 304)/128-MB memory (EM-305): \$145/\$290/\$580
	tray (KK-3511): \$50/\$265/\$52	304)/128-IVIB memory (EIVI-305): \$145/\$290/\$580
MAINTENANCE		
Fuser Rollers	Тwo	Info not avail
Yield	Info not avail	Info not avail
Cleaning Blades	Drum blade	Info not avail
Yield	Info not avail	Info not avail
Other	Fuser blade	Not applicable
Yield	Info not avail	Not applicable
Fuser Oil	Not required	Not required
PM Schedule	150,000	100,000
SUPPLIES	1100,000	100,000
		O
Photoconductor	Organic drum	Organic drum ctrdg
Yield	150,000	100,000
Price	Priced by dealer	\$118
Toner	Ctrdg weight not avail	360g ctrdg
Yield	21,000	17,500
% Coverage	6%	6%
Price	Priced by dealer	\$72
Developer	Btl weight not avail	300g btl
Yield	150,000	100,000
Price	Priced by dealer	\$46
MULTIFUNCTION MODES	i noda by dodion	V 10
Copier	Std	Std
Internet Fax	_ {	Std
	Opt	
Network Printer	Opt	Std
Printer	Opt	Std
Fax	Opt	Opt
Network Fax	Opt	Opt
PC Fax	Opt	Opt
Scanner	Opt	Std
	Opt	Std
CONNECTIVITY SPECIFICATIONS	Opt Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista
CONNECTIVITY SPECIFICATIONS Operating System Support	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare Windows NT	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare Windows NT AppleTalk	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported Networks Supported NetWare Windows NT AppleTalk UNIX AS/400	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes Yes Yes	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare Windows NT AppleTalk UNIX AS/400 Other	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported Netware Windows NT AppleTalk UNIX AS/400 Other FACSIMILE SPECIFICATIONS	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Linux, Citrix	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Wetwork Interface Interface Type LAN Fax/Print/Scan Networks Supported Networks Supported NetWare Windows NT AppleTalk UNIX AS/400 Other FACSIMILE SPECIFICATIONS Scanner Technology	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes Yes Yes Linux, Citrix CCD	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Wetwork Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare Windows NT AppleTalk UNIX AS/400 Other FACSIMILE SPECIFICATIONS Scanner Technology Compression Method	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Linux, Citrix CCD MH/MR/MMR/JBIG	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Yes Home Addition of the property
Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Network Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare Windows NT AppleTalk UNIX AS/400 Other FACSIMILE SPECIFICATIONS Scanner Technology Compression Method Modem Speed	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Yes CCD MH/MR/MMR/JBIG 33.6 Kbps	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes
CONNECTIVITY SPECIFICATIONS Operating System Support Parallel Interface PC Fax/Print/Scan Serial Interface PC Fax/Print/Scan USB Interface PC Fax/Print/Scan Wetwork Interface Interface Type LAN Fax/Print/Scan Networks Supported NetWare Windows NT AppleTalk UNIX AS/400 Other FACSIMILE SPECIFICATIONS Scanner Technology Compression Method	Win 98, NT 4.0, 2000, XP, Server 2003, Vista, Mac OS X, Linux, UNIX None Not applicable None Not applicable Std 2.0 No/Yes/No Std Ethernet, opt wireless 10/100BaseT, 802.11g, Bluetooth Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Linux, Citrix CCD MH/MR/MMR/JBIG	Mac 9.2, 10.2, Win 98, NT 4.0, 2000, Me, XP, 2003, Vista Opt No/No/No None Not applicable Std No/Yes/No Std Ethernet 10BaseT, 100BaseTX Yes/Yes/Yes Yes Yes Yes Yes Yes Yes Yes Home Addition of the property

Gray Scale/Halftones	256 levels	256 levels
Std/Max Fax Memory	Shared	32 MB/32 MB
Min/Max Orig Size (WxL)	5 1/2 x 8 1/2/11 x 17	5-1/2 x 8-1/2/11 x 17
Max Paper/Print Width	11-Nov	11-Nov
Effective Scanning Width	11.7	11
Correct-Order Output	Face down	Yes
Batch Files	Yes	Yes
Battery Backup	Unlimited	Std
Confid TX/RX	Yes/Yes	Yes/Yes
Dual Lines	Opt	Opt
Multi Access	Yes	Yes
Polling	Yes	Yes
Relay Request	Yes	Yes
Smoothing	Yes	Yes
Timers	Yes	Yes
Transfer Hub	Yes	Yes
DIALING CAPABILITIES		3
Broadcasting (Groups/Dest)	200/400	540/300
Redial (Attempts/Intervals)		Programmable
One Touch		540
Speed Dial	12,060	None
Other	} '	Up to 11 x 17 fax transmission/reception; duplex tx; IP
Outer	reception, 40-GB HD backup memory; public	relay faxing; PC faxing; delayed faxing; IP scanner; IP address fax; IP fax to G3
PRINTER SPECIFICATIONS	-	
Engine Mfr & Model	Toshiba/e-STUDIO453	Konica Minolta/bizhub 350
Compatibility	.1	IBM PC, Mac
Speed		35 ppm
Max Print Area		11 × 17
Enhanced Resolution		Not applicable
Unenhanced Resolution	1	600 x 600 dpi
Std/Max Printer Memory	Shared	Shared
Controller Mfr/Model		Konica Minolta/Emperon
Processor/Bits/MHz		MIPS RISC/Info not avail/300
PDL/PCL		PCL 5e/6, PostScript 3
Controller Mfr/Model		Not applicable
Processor/Bits/MHz		Not applicable
PDL/PCL		Not applicable
Controller Mfr/Model		Not applicable
Processor/Bits/MHz		Not applicable
PDL/PCL	<u> </u>	Not applicable
Other	Secure print; proof print; scheduled print; watermarks;	
Calci	print to e-Filing; plug-in available for Web JetAdmin; 80 PCL, 136 PS fonts; memory expansion required for XPS printing	y cooding thompo mornion also of the device
SCANNER AND IMAGE MANAGEMENT SPECIFICATIONS		
Connection Type	Network	Network
Technology/Speed	CCD/50 ipm	CCD/70 ipm
Max Resolution	600 x 600 dpi	600 x 600 dpi
TWAIN Compatible	Yes	Yes
Scan Destinations		
E-mail	Yes	Yes
I-fax	Yes	Yes
FTP	·	Yes
SMB		Yes
HDD	Yes	Yes
URL	No	Yes
LDAP Support	Yes	Yes
Scan/Image Software		Opt PageScope Workware, Konica Minolta ScanTrip, Konica Minolta DocuBreeze, Unity Desktop, Rebus Recollect
OCR Software		Opt PageScope Workware, Konica Minolta ScanTrip, Konica Minolta DocuBreeze, Unity Desktop, Rebus Recollect
File Mgmt Software		Opt PageScope Workware, Konica Minolta ScanTrip, Konica Minolta DocuBreeze, Unity Desktop, Rebus Recollect

COMMENTS		
	One-touch template feature allows users to store personalized settings or workflows (12,060 templates available); remaining paper volume indicator; toner recycling system; e-Filing features one public box & 200 private boxes; user can create 100 folders per private box & store up to 400 documents per folder (1,000 pages per document); TopAccess File Downloader & Document Mgmt utilities included; opt e-BRIDGE Viewer; opt e-BRIDGE Fleet Management software, opt FollowMe document management solution provides additional security and accounting/auditing features; opt WebJet Admin 8.x support; opt DocForm 5.0, an advanced variable data application, allows for the creation of personalized print and electronic documents; 8-bit depth; RoHS compliant; expansion memory required for print or print/scan kit to enable XPS printing	
CONNECTIVITY/MF OPTIONS	TO THE TRANSPORT OF THE	
	Print/Scan kit (GM-2061): \$2,799 Scan kit (GM-4060): \$875 Fax board (GD-1200): \$1,025	Original cover (OC-502): \$ not avail Parallel interface (EK-502): \$150 Fax kit (FK-503): \$1,090 Dual fax line (ML-502): \$1,050 Fax stamp unit (SP-501): \$ not avail

© 2008 Buyers Laboratory, Inc.