


EXISTING DOUBLE WYTHE
BRICK WALL.

NEW 4"x4"x1/4" STEEL
ANGLE CUT INTO EXISTING
MORTAR JOINT. EXTEND
ANGLE 8" PAST EDGE OF
OPENING. PROVIDE EACH
SIDE OF WALL.


1/4"xCONT. STEEL PLATE.
WELD TO BOTTOM OF STEEL
ANGLES. WIDTH OF PLATE TO
BE 1/2" LESS THAN WIDTH
WALL. STOP PLATE AT EDGE
OF WALL OPENING.



SECTION
3/4" = 1'-0"

NOTE:

- 1) CONTRACTOR SHALL NOTIFY ALBERTSON ENGINEERING IF CONDITIONS IN THE FIELD ARE DIFFERENT THAN AS DEPICTED IN THE DRAWING.
- 2) LINTEL WAS DESIGNED FOR STANDARD 3'-4" x 7' x 4" DOOR OPENING. CONTRACTOR SHALL NOTIFY ALBERTSON ENGINEERING IF DOOR ROUGH OPENING IS LARGER THAN AS STATED ABOVE.



S1

3202 W. Main
Suite C
Rapid City, South Dakota 57702
605.343.6606

Albertson Engineering Inc.

DATE 5-3-10

DRAWN BY:

SHEET TITLE:

VINO 100 DOOR OPENING

RAPID CITY, SOUTH DAKOTA