



Proposal - Detailed

Sales Rep Name: Coomes, Curtis
Sales Rep Phone: 605-341-2045
Sales Rep E-Mail: curtiscoomes@heartlandpella.com
Sales Rep Fax:

Phone:

Fax:


Customer Information	Project/Delivery Address	Order Information
Primary Phone: Mobile Phone: Fax Number: E-Mail: Contact Name: Great Plains #: Customer Number: Customer Account:	Brian Sykora Lot # County: Owner Name: Owner Phone:	Quote Name: Brian Sykora 450 Proline Series Order Number: 233 Quote Number: 6303131 Order Type: Non-Installed Sales Wall Depth: Payment Terms: Tax Code: 3RAPIDCITYSD Cust Delivery Date: None Quoted Date: 11/14/2014 Contracted Date: Booked Date: Customer PO #:

Line #	Location:	Attributes
--------	-----------	------------

25 None Assigned

ProLine, Double Hung, 29.5 X 53.5, Tan

Item Price	Qty	Ext'd Price
\$254.09	2	\$508.18



Viewed From Exterior

Rough Opening: 30 - 1/4" X 54 - 1/4"


PK #
674

1: 29.553.5 Double Hung, Equal
Frame Size: 29 1/2 X 53 1/2
General Information: Clad, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Tan
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, No Limited Opening Hardware, Champagne, Order Sash Lift
Screen: Full Screen, Tan, InView™
Grille: No Grille,
Wrapping Information: No Exterior Trim, No Interior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 166", Glazing Pressure = 100.

Customer:

Project Name: Brian Sykora

Quote Number: 6303131

Line #	Location:	Attributes				Item Price	Qty	Ext'd Price
30	None Assigned	ProLine, Double Hung, 33 X 57, Tan				\$256.28	2	\$512.56
		PK # 674	<p>1: 3357 Double Hung, Equal Frame Size: 33 X 57 General Information: Clad, 5", 3 11/16" Exterior Color / Finish: Standard Enduraclad, Tan Interior Color / Finish: Unfinished Interior Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, No Limited Opening Hardware, Champagne, Order Sash Lift Screen: Full Screen, Tan, InView™ Grille: No Grille, Wrapping Information: No Exterior Trim, No Interior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 180", Glazing Pressure = 35.</p>					
Viewed From Exterior								
Rough Opening: 33 - 3/4" X 57 - 3/4"								

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor Heartland Pella will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

TERMS & CONDITIONS:

TO ORDER: Read all of the Terms & Conditions. Date, sign and return. Orders are not entered without signature.

Terms of Sale:

1. By signing this contract, buyer agrees to purchase the products and services described in accordance with these terms and conditions. This contract is between the company (Huey Long Co Inc, dba Heartland Pella, dba Pella Windows and Doors) and the signer. Unless specifically stated elsewhere there is no agreement between the company and the signer to wait for payment until the signer gets paid. Your signature means that you have checked the order and agree to accept and pay for the items shown. Buyer may not assign this contract to anyone else without written approval of the company.
2. This is the entire agreement between the buyer and the company. Any changes must be agreed to and signed by both the buyer and the company.
3. All orders are shipped COD unless prior arrangements have been made. If you have charged before but have not bought for more than 1 year, you have been returned to COD.
4. Invoices are due within 30 days of receipt of product. We charge a finance charge up to 1-1/2% per month on invoices unpaid for more than 30 days. If an invoice is unpaid after 60 days we will send the owner a letter explaining their liability for liens filed against their property and further shipments to you will be COD. After 90 days we will file a lien, turn the account over for collection or both.
5. Unless we have a tax form on file, you must pay all applicable sales tax.
6. Delivery dates are estimates only. If you want to delay your order call us 3 weeks before the scheduled shipping date. If we are asked to hold an order past your original need date, we will send an invoice. If we load an order and you refuse to accept delivery we will add a handling charge to the order of \$100.00 for redelivery.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

7. Warranties for all products covered by this contract are posted at all store locations. A copy will be mailed to you upon request.
8. Once this contract is accepted by the company, it cannot be changed or cancelled. If you want to return anything, you must have prior written authorization and pay a handling charge.
9. The buyer agrees to hold the company harmless against any and all claims, demands, costs and expenses arising from: (a) Buyers breach of contract: or (b) Buyers negligence: or (c) Buyers or any third parties misuse or misapplication of the products supplied by the company.
10. We provide tailgate delivery only, you must provide help to unload. If an extra person is needed the charge will be \$100.00. Drivers will wait 30 minutes, then they must continue on.
11. The company shall have no liability for any claims, loss or damage that is incidental or any loss of profit or savings.
12. Any standard order that is cancelled prior to shipping will be billed at 50% of the original selling price. Non-standard orders cannot be returned.

This quote is good for ten (10) days only. We are not responsible for measuring errors made by others.

Project Check List:

- ☐ Terms & Conditions Reviewed
- ☐ Contract Payment Terms & Credit Policy Reviewed
- ☐ Customer Satisfaction Survey Discussed
- ☐ Reschedule/Warehouse Fee's Discussed
- ☐ Product Specifications Reviewed
 - ☐ Brand
 - ☐ Exterior Clad Color
 - ☐ Glazing * Distortion in tempered glass is common and not considered a defect.
 - ☐ Blinds
 - ☐ Muntins
 - ☐ Wall Thickness
 - ☐ Hardware Color
 - ☐ Screen
 - ☐ Door Hardware
 - ☐ Door Screen
 - ☐ Hinge/Slide Discussed (hinge/slide from outside view)
 - ☐ Key Locks on Entry/Patio Doors

Contract with Property owner:

- ☐ Yes
- ☐ No, list property owner _____
- ☐ Installation
- ☐ Prefinsh
- ☐ All doors must have sill supports installed
- ☐ Desired delivery date.

Customer:

Project Name: Brian Sykora

Quote Number: 6303131

Customer Name (Please print)

Pella Sales Rep Name (Please print)

Customer Signature

Pella Sales Rep Signature

Date

Date

Order Totals

Taxable Subtotal	\$1,020.74
Sales Tax @ 6%	\$61.24
Non-taxable Subtotal	\$0.00
Total	\$1,081.98
Deposit Received	\$0.00
Amount Due	\$1,081.98



DOUBLE-HUNG

GLAZING PERFORMANCE - TOTAL UNIT

Clad

Vent Units



Type of Glazing	U-Factor ₁	SHGC	VLT %	CR	Shaded Areas Meet ENERGY STAR® Performance Criteria in Zones Shown									
					U. S.				Canada ₂					
					Zone				ER	Zone				
VENT UNITS					N	NC	SC	S		A	B	C	D	
11/16" Advanced Low-E IG with argon with 2.5mm glass	0.30	0.30	57	54						18				
with grilles-between-the-glass	0.30	0.27	51	54						16				
with Simulated Divided Light	0.30	0.27	51	54						16				
11/16" Advanced Low-E IG with argon with 3mm glass	0.30	0.30	56	53						18				
with grilles-between-the-glass	0.30	0.27	50	53						16				
with Simulated Divided Light	0.30	0.27	50	53						16				
11/16" SunDefense™ Low-E IG with argon with 2.5mm glass	0.30	0.22	52	54						13				
with grilles-between-the-glass	0.30	0.20	47	54										
with simulated divided light	0.30	0.20	47	54										
11/16" SunDefense Low-E IG with argon with 3mm glass	0.30	0.22	52	54						13				
with grilles-between-the-glass	0.30	0.20	46	54										
with simulated divided light	0.30	0.20	46	54										
11/16" AdvancedComfort Low-E IG with argon with 2.5mm glass	0.26	0.29	55	44						22				
with grilles-between-the-glass	0.26	0.27	49	44						21				
with simulated divided light	0.26	0.27	49	44						21				
11/16" AdvancedComfort Low-E IG with argon with 3mm glass	0.26	0.29	55	43						22				
with grilles-between-the-glass	0.26	0.26	49	43						21				
with simulated divided light	0.26	0.26	49	43						21				
11/16" NaturalSun Low-E IG with argon with 2.5mm glass	0.31	0.56	64	54						32				
with grilles-between-the-glass	0.31	0.50	57	54						28				
with Simulated Divided Light	0.31	0.50	57	54						28				
11/16" NaturalSun Low-E IG with argon with 3mm glass	0.31	0.55	63	53						31				
with grilles-between-the-glass	0.31	0.50	57	53						28				
with Simulated Divided Light	0.31	0.50	57	53						28				

R-Value = 1/U-Factor
 SHGC = Solar Heat Gain Coefficient
 VLT % = Visible Light Transmission
 CR = Condensation Resistance
 ER = Canadian Energy Rating

(1) Glazing performance values are calculated based on NFRC 100.


(2) The values shown are based on Canada's updated ENERGY STAR® initiative.

For center-glass values, see the Product Performance section.

See Casement Section for Fixed unit Glazing Performance.

See the Product Performance section for more detailed information or visit www.energystar.gov for Energy Star guidelines.

Climate Zones






DOUBLE-HUNG

UNIT SECTIONS

Aluminum-Clad Wood



Scale 3" = 1' 0"

All dimensions are approximate.