



- GENERAL NOTES:**
- 1) THIS BUILDING HAS BEEN DESIGNED ACCORDING TO THE I.B.C. (2003 EDITION)
 - 2) DESIGN LOADS
 ROOF SNOW - 30 PSF
 ROOF DEAD - 20 PSF (10_{top}+10_{bot})
 WIND LOAD - 100 MPH (Exp 6) GUST
 - 3) CONCRETE STRENGTH - 4000 PSI AT 28 DAYS
 REINFORCING STEEL - ASTM A615, GRADE 60 DEFORMED BARS
 - 4) LUMBER STRENGTHS:
 S-P-F NO 2 OR BETTER
 2x4 & LARGER
 POSTS-2x6 MSR 2100 PSI (TREATED, GLUE & NAIL)
 TRUSSES
 DESIGNATED PER TRUSS MANUF.
 - 5) PROVIDE CONNECTIONS AS FOLLOWS:
 TRUSS TO BEAM SIMPSON AWC H1
 OSB WALLS @ 6\"/>
 - 6) PROVIDE TOP & BOIT CHORD BRACING TO MEET TPI REQUIREMENTS
 PROVIDE WEB BRACING TO MEET REQUIREMENTS OF THE TRUSS MANUF



THIS DRAWING SHALL BE USED FOR ONE BUILDING AT ONE LOCATION AS SHOWN IN THE TITLE BLOCK. OTHER USES ARE NOT ALLOWED AND WILL BE PROSECUTED TO THE FULLEST EXTENT.

Revisions Number Date Description		
Project Name Floods Ice Cream & Coffee Shop		Project Number 06PD081
Client Name Mark A. Fetzter, Inc.		Scale 1/4" = 1'-0"
Location Rapid City, South Dakota		Date 06/20/2006
Floor Plan And Dimensions Floods Ice Cream & Coffee Shop Rapid City, South Dakota		
MARK A. FETZTER, INC. P.O. Box 2801 Rapid City, South Dakota 57709 Phone (605) 248-8881		
A1		