

CONDENSING UNITS

RECEIVED

DEC 03 2006

Reid City Growth
Management Department


RUUD
ACHIEVER
Series

UAMC-SERIES

12 SEER Models

With Efficiencies up to 14.35 SEER
in certain matched systems.

Nominal Sizes 1½ to 5 Tons
[5.28 to 17.58 kW]



Seven Models

Cooling Capacities


22,200 to 57,000 BTU/HR

[6.5 to 16.7 kW]

The *Ruud Achiever Series*® High Efficiency UAMC- Condensing Unit was designed with performance in mind. These units offer comfort, energy conservation and dependability for single, multi-family and light commercial applications.

The *Ruud Achiever Series*® UAMC- Condensing Units are the result of an ongoing development program for improved efficiencies. With SEER's ranging up to 14.35, these units continue a tradition of high efficiency.

- Attractive, louvered wrap-around jacket protects the coil from yard hazards and weather extremes. Top grille is steel reinforced for extra strength. Cabinet is powder painted for all-weather protection.
- Air is discharged upward away from bushes and shrubs. The discharge pattern of the top grille provides minimum air restriction, resulting in quiet fan operation.
- Exclusive Combination Grille/Motor Mount secures the motor to the underside of the discharge grille. The grille protects the motor windings and bearings from rain and snow.
- All controls are accessible by removing one service panel. Removable top grille provides access to the condenser fan motor and condenser coil.
- Single speed motor designed for low speed, quiet, energy-saving operation.
- All models meet or exceed a 1000-hour salt spray test per ASTM B117 Standard Practice for Operating Salt Spray Testing Apparatus.



"CERTIFIED UNDER THE
A.R.I. CERTIFICATION
PROGRAM—A.R.I.
STANDARD 210"

