Use 2004 City of Rapid City Standard Specifications & Details.

Field verify location & elevation of all existing features prior to beginning work.

Contact "CALL-ONE" prior to beginning work.

DENSIN Air Quality permit prior to beginning work.

Place & maintain sediment barriers. Prevent sediment from leaving work zone.

Place "Construction Ahead" & "Truck Entrance" signs in Parkview Dr. Other signing required per Manual of Uniform Traffic Control Devices (MUTCD).

Sediment Control Notes:
The work area is included in an NPDES Permit issued by the SD DENR. Contractor shall use Rapid City standard sediment control devices.

Prevent sediment from leaving work zone.

Water Main Notes:
Regarding Proposed 8" Class 150 PVC Water Main and appurtenances. Ref. Rapid City 2004 Standard Specifications as applicable for cathodic protection.

For ALL metallic components as applicable.
1. Use ONLY granular backfill, clean sand or soil with noncorrosive properties to backfill 18" in all directions, or flowable fill 12" all directions around metallic components.
2. Use ONLY Cor-Blue series 300 fasteners or equal.
3. DOUBLE wrap w/ polyethelene and securely tape ends to entire pipe DB.

Use ONLY high deflection pipe couplings Ronac style 501 or equal when vertical or horizontal deflections needed at locations other than bends shown.

PIPE RESTRAINT TABLE: EBAA Iron Series 1600 or equal

Dead End & Valves (each way): 8" 39 ft.
Tees: Run-8"x 6"x 6" along 6" branch; 0'-0-16 ft along 8" branch.
8"x 11 ¼ deg. bend: 2 ft each, way.
8"x 22 ½ deg. bend: 3 ft.
8"x 45 deg bend: 6 ft.
Palo Verde Zone: 3546

Utility Coordination Notes:
CONTACT private utility companies prior to beginning work.

Legend

Lighting & Signing Notes:
SL - Street Light Location ✱
SN - Street Name
R1-1 Stop Sign
R1-2 Yield Sign
R2-1 Speed Limit Sign
25 mph Unless otherwise noted
W7-1 Hill Sign
W14-2 No Outlet Sign
3M-1 Triple Diamond Barricade Red & White reflective

Street light Conduit & signing size, material, mounting, & locations per City of Rapid City Standards.

Coordinate w/ City Traffic Division & private utility companies



N 1/2 NW 1/4 NW 1/4 (GL 1)
Section 19 T1N R8E
20 Acres +/-

LAZY P-6 LAND COMPANY, INC.
505 E. CATRON BLVD.
RAPID CITY, SD 57701
605.391.2027
prolnc@gwtc.net

Spot Elevations and boundary survey by Hansen Surve
Existing contours from DC Scott survey.

SHEET INDEX:

Sheet 1: Layout and notes
Sheet 2: Sandra Lane Plan and Profile.
Sheet 3: Sandra Lane Plan and Profile.
Sheet 4: Sandra Lane Plan and Profile.
Sheet 5: Interim detention pond. R1 6-21-05

08PD023

PHASE 3

5th Street
Parkview Drive
Catron Blvd.
Sandra Lane
Ex. 48" RCP
PVC 1444.36
PT 1483.98
INT. 1480.02
LOT 1
S 0°11'02.7" E 1323.14'
10/27/04 Surveyed Contours
WETLANDS
Ex. 60" RCP
Existing Contours
Future Lift Station
END Phase 3
Interim detention pond. See Sheet 5
Prevent Sediment from leaving Phase 3 Project
EXISTING 18" Sewer Main
Ex. 18" Sewer Main
20' MAJOR UTILITY EASEMENT
Finish Contour with USACE 404 Permit. Typ.
EXISTING sediment barrier along east property line. Prevent sediment from flowing East.
N 0°25'22.4"W 1845.79'
N 0°25'22.1"W 1325.41'
FUTURE 51st STREET EXTENSION
Typ. Lot Drainage
31' B Asphalt
52' R ROW
3320
3310
3300
3290
3280
3270

Grade 4'x1' deep channel along all side lot lines. Drain to street.

Typical Lot Line Drainage

CITY OF RAPID CITY
GROWTH MANAGEMENT DEPT.
DEVELOPMENT SERVICES

7/6/05

concerns DEV05-752 : For revised detention pond only

AS CONSTRUCTE

0066 Lazy P-6 Land Co. Inc.: Phase 3 Sandra Lane

CENTERLINE
731 St. Joe Street, Suite 130, Rapid City, SD 57701
Phone: (605) 341-3095 Fax: (605) 341-3168

project no.: 0066
date: 3/28/05
file: 05001-C1