08PD037



1 LANDSCAPE PLAN
1"=10'

SCALE 1"= 10'-0"

NORTH

PLANTING NOTES:

- NO PLANTS WILL BE INSTALLED UNTIL FINAL GRADING AND CONSTRUCTION HAS BEEN COMPLETED IN THE IMMEDIATE AREA
- SOD AREAS DISTURBED DUE TO GRADING UNLESS NOTED OTHERWISE.
- WHERE SOD ABUTS PAVED SURFACES, FINISHED GRADE OF SOD/SEED SHALL BE HELD 1" BELOW SURFACE ELEVATION OF TRAIL, SLAB, CURB, ETC.
- SOD SHALL BE LAID PARALLEL TO THE CONTOURS AND SHALL HAVE STAGGERED JOINTS. ON SLOPES STEEPER THAN 3:1 OR IN DRAINAGE SWALES, SOD SHALL BE STAKED SECURELY
- HARDWOOD MULCH SHALL BE NATURAL COLOR
- PROPOSED PLANT MATERIAL SHALL COMPLY WITH THE LATEST EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK, ANSI Z60.1. UNLESS NOTED OTHERWISE DECIDUOUS SHRUBS SHALL HAVE AT LEAST 5 CANES AT THE SPECIFIED HEIGHT. ORNAMENTAL TREES SHALL HAVE NO "V" CROTCHES AND SHALL BEGIN BRANCHING NO LOWER THAN 2 FEET ABOVE THE ROOT BALL. STREET AND BOULEVARD TREES SHALL BEGIN BRANCHING NO LOWER THAN 6' ABOVE FINISHED GRADE.
- PLAN, LANDSCAPE SCHEDULE DISCREPANCIES IN QUANTITIES EXIST. SPECIFICATIONS AND DETAILS TAKE PRECEDENCE OVER NOTES.
- NO PLANT MATERIAL SUBSTITUTIONS SHALL BE ACCEPTED UNLESS APPROVAL IS REQUESTED TO THE LANDSCAPE ARCHITECT BY THE LANDSCAPE CONTRACTOR PRIOR TO THE SUBMISSION OF BID AND/OR QUOTATION.
- ADJUSTMENTS IN LOCATION OF PROPOSED PLANT MATERIALS MAY BE NEEDED IN FIELD. LANDSCAPE ARCHITECT TO BE NOTIFIED PRIOR TO ADJUSTMENT OF PLANTS.
- PLANT MATERIAL SHALL BE FERTILIZED UPON INSTALLATION WITH DRIED BONE MEAL, OTHER APPROVED FERTILIZER MIXED IN WITH THE PLANTING SOIL PER THE MANUFACTURER'S INSTRUCTIONS OR MAY BE TREATED FOR SUMMER AND FALL INSTALLATION WITH AN APPLICATION OF SEAWEED 0-0-3 (0.06 - 12 OZ. PER 2.5" CALIPER TREE AND 8 OZ. PER SHRUB WITH AN ADDITIONAL APPLICATION OF 10-10-10 THE FOLLOWING SPRING IN THE TREE SAUCER.
- LANDSCAPE CONTRACTOR SHALL WARRANTY NEW PLANT MATERIAL THROUGH ONE CALENDAR YEARS FROM THE DATE OF THE OWNER ACCEPTANCE. NO PARTIAL ACCEPTANCE WILL BE CONSIDERED
- UNLESS NOTED OTHERWISE, THE APPROPRIATE DATES FOR SPRING PLANT MATERIAL INSTALLATION AND SEED/SOD PLACEMENT IS FROM THE TIME GROUND HAS THAWED TO JUNE 15.
- FALL SODDING IS GENERALLY ACCEPTABLE FROM AUGUST 15 TO NOVEMBER 1. FALL SEEDING IS GENERALLY ACCEPTABLE FROM AUGUST 15 TO SEPTEMBER 15. ADJUSTMENTS TO SOD/SEED PLANTING DATES MUST BE APPROVED IN WRITING BY THE LANDSCAPE ARCHITECT.

  CONIFEROUS PLANTING IS GENERALLY ACCEPTABLE FROM AUGUST 15 TO OCTOBER 1. FALL DECIDUOUS PLANTING IS GENERALLY ACCEPTABLE FROM THE FIRST FROST UNTIL NOVEMBER 15. ADJUSTMENTS TO PLANTING DATES MUST BE APPROVED BY WRITING BY THE LANDSCAPE ARCHITECT
- WRAPPING MATERIAL SHALL BE CORRUGATED POLYETHYLENE PIPING 7" GREATER IN CALIPER THAN THE TREE BEING PROTECTED OR QUALITY, HEAVY DUTY WATERPROOF CREPE PAPER MANUFACTURED FOR THIS PURPOSE. WRAP DECIDUOUS TREES PLANTED IN THE FALL PRIOR TO DECEMBER 1 AND REMOVE WRAPPING AFTER MAY 1
- ANNUAL AND PERENNIAL PLANTING BEDS TO RECEIVE 3" DEEP SHREDDED HARDWOOD MULCH WITH NO WEED BARRIER.

  SHRUB BED MASSINGS TO RECEIVE 4" DEEP SHREDDED HARDWOOD MULCH WITH FIBER MAT WEED BARRIER.
- CONIFEROUS TREES ARE TO RECEIVE 4" DEEP SHREDDED HARDWOOD MULCH AND SHALL HAVE NO MULCH IN DIRECT CONTACT WITH THE TREE TRUNK.
- STEEL EDGER TO BE USED TO CONTAIN SHRUBS, PERENNIALS AND ANNUALS WHERE PLANTING BED MEETS SOD UNLESS OTHERWISE NOTED.
- COORDINATE FINAL IRRIGATION CONNECTION WITH MECHANICAL CONTRACTOR.
- LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AN IRRIGATION LAYOUT PLAN AND SPECIFICATIONS AS PART OF THE SCOPE OF WORK. WHEN BIDDING THESE SHALL BE APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO ORDER AND/OR INSTALLATION. IT SHALL BE THE LANDSCAPE CONTRACTORS RESPONSIBILITY TO INSURE THAT SODDED/SEEDED AND PLANTED AREAS ARE IRRIGATED PROPERLY INCLUDING THOSE AREAS DIRECTLY AROUND AND ADJUTTING BUILDING FOUNDATION
- SHRUB & PERENNIAL BEDS TO BE IRRIGATED WITH DRIP IRRIGATION
- BOULEVARD PLANTINGS AND SOD TO RECEIVE IRRIGATION.

  LANDSCAPE CONTRACTOR SHALL PROVIDE THE OWNER WITH A WATERING/LAWN IRRIGATION SCHEDULE APPROPRIATE TO THE PROJECT SITE CONDITIONS AND TO PLANT MATERIALS DESCRIPTIONS.
- LANDSCAPE CONTRACTOR SHALL INSURE THAT SOIL CONDITIONS AND COMPACTION ARE ADDRESSED TO ALLOW FOR PROPER DRAINAGE AROUND THE CONSTRUCTION SITE. UNDESIRABLE CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT PRIOR TO BEGINNING OF WORK. IT SHALL BE THE LANDSCAPE CONTRACTORS RESPONSIBILITY TO INSURE PROPER SURFACE AND SUBSURFACE DRAINAGE IN ALL PLANTING AREAS.

  COORDINATE IRRIGATION SLEEVING LOCATIONS WITH GENERAL CONTRACTOR. RAIN SENSORS TO BE INCLUDED WITHIN THE IRRIGATION DESIGN.

  LANDSCAPE CONTRACTOR SHALL INSPECT ON THE SITE AND BECOME FAMILIAR WITH EXISTING CONDITIONS RELATING TO THE WORK OF THIS CONTRACT.

  LANDSCAPE CONTRACTOR SHALL VERIFY PLANT LAYOUT AND DIMENSIONS SHOWN AND BRING TO THE ATTENTION OF THE LANDSCAPE ARCHITECT DISCREPANCIES WHICH MAY COMPROMISE THE DESIGN AND/OR INTENT OF THE PROJECTS LAYOUT

  LANDSCAPE CONTRACTOR SHALL ASSURE COMPLIANCE WITH APPLICABLE CODES AND ORDINANCES GOVERNING THE WORK AND/OR MATERIALS SUPPLIED.
- LANDSCAPE CONTRACTOR SHALL PROTECT EXISTING ROADS, CURB/GUTTERS, TRAILS, TREES, LAWNS AND SITE ELEMENTS DURING CONSTRUCTION OPERATIONS. DAMAGE TO SAME SHALL BE REPAIRED AT NO ADDITIONAL COST TO THE OWNER. LANDSCAPE CONTRACTOR SHALL VERIFY ALIGNMENT AND LOCATION OF UNDERGROUND AND ABOVE GRADE UTILITIES AND PROVIDE THE NECESSARY PROTECTION FOR SAME BEFORE CONSTRUCTION HAS BEGUN. INSTALLATION BEGINS (GENERALLY 10'-0" CLEARANCE)
- LANDSCAPE CONTRACTOR SHALL COORDINATE THE PHASES OF CONSTRUCTION AND PLANTING INSTALLATION WITH OTHER CONTRACTORS WORKING ON SITE.
- UNDERGROUND UTILITIES SHALL BE INSTALLED SO THAT TRENCHES DO NOT CUT THROUGH ROOT SYSTEMS OF ANY EXISTING TREES TO REMAIN.
- EXISTING CONTOURS, TRAILS, VEGETATION, CURB/GUTTER AND OTHER ELEMENTS ARE BASED UPON INFORMATION SUPPLIED TO THE LANDSCAPE ARCHITECT BY OTHERS. LANDSCAPE CONTRACTOR SHALL VERIFY DISCREPANCIES PRIOR TO CONSTRUCTION AND NOTIFY LANDSCAPE ARCHITECT OF SAME.
- ALIGNMENT AND GRADES OF THE PROPOSED WALKS, TRAILS AND/OR ROADWAYS ARE SUBJECT TO FIELD ADJUSTMENT REQUIRED TO CONFORM TO LOCALIZED TOPOGRAPHIC CONDITIONS AND TO MINIMIZE TREE REMOVAL AND GRADING. CHANGES IN THE ALIGNMENTS AND GRADES MUST BE APPROVED BY THE LANDSCAPE ARCHITECT
- LANDSCAPE CONTRACTOR SHALL REVIEW THE SITE FOR DEFICIENCIES IN THE PLANT MATERIAL SELECTIONS AND OTHER SITE CONDITIONS WHICH MIGHT NEGATIVELY AFFECT PLANT ESTABLISHMENT, SURVIVAL OR WARRANTY. UNDESIRABLE PLANT MATERIAL SELECTIONS OR SITE CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT PRIOR TO BEGINNING OF WORK.
- LANDSCAPE CONTRACTOR SHALL PREPARE AND SUBMIT A "NOTEN REQUEST FOR THE OWNER ACCEPTANCE INSPECTION OF LANDSCAPE AND SITE IMPROVEMENTS PRIOR TO SUBMITTING FINAL PAY REQUEST
- LANDSCAPE CONTRACTOR SHALL PREPARE AND SUBMIT REPRODUCIBLE AS-BUILT DRAWING(S) OF LANDSCAPE INSTALLATION, IRRIGATION AND SITE IMPROVEMENTS UPON COMPLETION OF CONSTRUCTION INSTALLATION AND PRIOR TO PROJECT ACCEPTANCE.
- LANDSCAPE CONTRACTOR IS RESPONSIBLE FOR ONGOING MAINTENANCE OF NEWLY INSTALLED MATERIALS UNTIL TIME OF OWNER ACCEPTANCE. ACTS OF VANDALISM OR DAMAGE WHICH MAY OCCUR PRIOR TO OWNER ACCEPTANCE SHALL BE THE RESPONSIBILITY OF THE LANDSCAPE CONTRACTOR.

TYP. PLANT SCHEDULE:

QTY	SYM.	COMMON NAME	SCIENTIFIC NAME	Size/Type		COMMENTS
DECIDUOUS TREES						
2	A	SWAMP WHT OAK	Quercus bicolor	2.5" Cal	B&B	ONE LEADER
2	B	SERGEESON ASH	Fraxinus pennsylvanica "Sargeeon"	2.5" Cal.	B&B	ONE LEADER
3	C	BUR OAK	Quercus macrocarpa	2.5" Cal	B&B	ONE LEADER
5	D	SPRING SNOW CRAB	Malus "Spring Snow"	1.5"	B&B	ONE LEADER
DECIDUOUS SHRUBS						
17	G	SNOWMOUND SPIREA	Spiraa nipponica 'Snowmound'	#5	Cont.	3'-6" oc
5	H	KELSEY DOGWOOD	Cornus sericea "Kelseyi"	#5	Cont.	3'-0" oc
4	I	GROW LOW SUMAC	Rhus aromatica	#5	Cont.	3'-6" oc
3	J	KOREANSPICE VIBURNUM	Viburnum carlesii 'Koreani Spice'	#5	Cont.	7'-6" oc
EVERGREEN SHRUBS						
5	N	MINT JULEP JUNIPER	Juniperus chinensis 'Mint Julep'	24" spread	Cont.	4'-0" oc
6	M	BUFFALO JUNIPER	Juniperus sabina 'buffalo'	#5	Cont.	4'-0" oc
PERENNIALS & ORNAMENTAL GRASSES						
24	O	INDIAN LOVE CALL DAYLILY	Hemerocallis 'INDIAN LOVE CALL	#1	Cont.	2'-0" oc
37	R	LITTLE BLUESTEM	Schizachyrium scoparium	#1	Cont.	2'-0 oc
25	S	FEATHER REED GRASS	Calamagrostis acutiflora 'Karl Foerster'	#1	Cont.	3'-0" oc

LANDSCAPE REQUIREMENTS:

LOT SIZE = 33,601 S.F.
BUILDING FOOTPRINT = 6,000 S.F
33,600 S.F. - 6,000 S.F. =25,600 S.F. (25,600 LANDSCAPE POINTS)
LARGE TREES (7) @ 2,000 POINTS = 14,000 POINTS
SMALL TREES (5) @ 500 POINTS = 2,000 POINTS
SHRUBS (34) @ 250 POINTS = 8,500 POINTS
GROUNDCOVERS (4) S.Y @ 100 POINTS= 400 POINTS
GRASS: (25) S.Y @ 10 POINTS = 950 POINTS
TOTAL LANDSCAPE POINTS:= 25,850

NOTE:
TWO ALTERNATE METHODS OF TREE STAKING ARE ILLUSTRATED. IT IS THE CONTRACTORS OPTION ON HOW TO STAKE TREES

THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING TREES IN A PLUMB POSITION THROUGHOUT THE GUARANTEE PERIOD.

SCARIFY BOTTOM AND SIDES OF PLANTING PIT PRIOR TO INSTALL

DOUBLE STRAND 14 GA. WIRE 3' AT 120 DEGREE INTERVALS, TYP

3/8" POLYPROPYLENE OR POLY-ETHYLENE (40 MIL. 1-1/2" WIDE STRAPPING TYP.)

INSTALL TO SIT ON COMPACTED SUBGRADE. REMOVE BURLAP FROM TOP OF 1/3 OF ROOTBALL

FLASHING, ONE PER PIPE

MULCH 4" DEPTH, REFER TO SPEC

PLANTING SOIL, REFER TO SPEC

TOPSOIL

SUBGRADE

2x2x24" WOOD STAKE SET AT 90 ANGLE

SOD

DRAIN SYSTEM AS REQUIRED PER SPEC. DRILL 6" AUGURED HOLE 12" DEPTH MINIMUM. FILL WITH 3/4" DIA. DRAIN ROCK. COVER WITH FILTER FABRIC.

8'-0" STEEL STAKE

2 DECIDUOUS TREE PLANTING
NTS

NOTE:
HAND LOOSEN ROOTS OF CONTAINERIZED MATERIAL TYP.

SCARIFY BOTTOM AND SIDES OF PLANTING PIT PRIOR TO INSTALLATION

SHRUBS TO SIT ON SUBGRADE

MULCH 4" DEPTH REFER TO SPECS.

LANDSCAPE FABRIC, REFER TO SPECS.

PLANTING SOIL REFER TO SPECS.

EDGING MATERIAL REFER TO SPECS

TOPSOIL

EDGE CONDITION VARIES, REFER TO PLAN

SUBGRADE

CENTERING OF SHRUB IN BED TO TAKE PRECEDENCE OVER DIMENSION FROM EDGE

3 SHRUB PLANTING
NTS

NOTE:
HAND LOOSEN ROOTS OF CONTAINERIZED MATERIAL TYP.

SCARIFY BOTTOM AND SIDES OF PLANTING PIT PRIOR TO INSTALLATION

REFER TO LAYOUT PLAN AND CONCRETE PAVER DETAILS FOR PAVING INFORMATION

MULCH 3" DEPTH WITH NO FILTER FABRIC REFER TO SPECS

REFER TO PLAN FOR PLANT INFO, PLANT SCHEDULE FOR SPACING

PLANTING SOIL 12" MIN., REFER TO SPECS.

UNDISTURBED SUBGRADE

SCARIFY BOTTOM AND SIDES OF PLANTING PIT PRIOR TO INSTALLATION

4 PERENNIAL PLANTING
NTS

BKV GROUP

Architecture
Interior Design
Landscape Architecture
Engineering

Boarman Kroos Vogel Group Inc.

222 North Second Street
Minneapolis MN 55401
Telephone: 612-339-3752
Facsimile: 612-339-6212
www.bkvgroup.com

CITY SUBMITTAL
JULY 11, 2008

Bank West – Rapid City

CERTIFICATION

I hereby certify that this plan, specification or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional under the laws of the State of Minnesota.

Date

License Number

REVISIONS	No.	DATE

DATE	07-11-08
DRAWN BY	XXX
CHECKED BY	XXX
COMMISSION NO.	08010

LANDSCAPE PLAN

L100

© 2008 BKV Group Inc. RDS