

OCT 21 2009

Rapid City Growth Management Department

KDGI  
KENNEDY DESIGN GROUP, INC.  
4155 OAKHART PARKS DRIVE  
RAPID CITY, SD 57701  
605.343.1311  
ken.kdgi@rapidcity.gov

REVISIONS	
NO.	DATE
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	

  

Project No.	213
File Name	213.rvt
Drawn By	JMS
Checked By	JMS
Date	10/20/09

EAST (FRONT) BUILDING ELEVATION  
11-6-19 SDCL APPLICATION FOR THE HOTEL ALEX JOHNSON  
RAPID CITY, SD

DATE 10/20/09

A2.1  
Drawing Number

HOTEL  
ALEX  
JOHNSON



- ① READER SIGN STATING TIME ON TOP OF CANOPY
- ② ALUMINUM BALL-DROPPED TO 10 FEET ABOVE CANOPY  
 -4 FEET IN DIAMETER  
 -WEIGHING APPROXIMATELY 80 LBS  
 -1/8" METAL GUIDE CABLE  
 -3/16" METAL DROP CABLE  
 -TRAVELS 90 FEET IN 145 SECONDS  
 -3 FEET CLEARANCE FROM BUILDING

HIGHEST POINT OF DROP

APPROXIMATELY 80 FEET

LOWEST POINT OF DROP

ST. JOSEPH STREET

APPROX. 24'-9"

APPROX. 10'-0"

APPROX. 14'-9"

6TH STREET

ALLEY

EAST (FRONT) BUILDING ELEVATION

SCALE 1/16" = 1'-0"