



WALK GATE
NOT TO SCALE




TYPICAL CONCRETE MOWING STRIP
NOT TO SCALE



REBOSTARD

NOV 9 2009

Rapid L. Nowb. Manager




* TENSION BANDS SHALL BE SPACED 12" C. TO C.
** ARE NOT REQUIRED FOR 3' THRU 5' FENCES

COMPONENT	END CORNER & PULL POST		LINE POST		TOP & BRACE RAIL		
	ROUND PIPE NOMINAL	ROLL FORMED STEEL	ROUND PIPE NOMINAL	"C" SECTION	"H" BEAM STEEL	ROLL FORMED STEEL	
TYPE OF FABRICATION	ROUND PIPE	ROLL FORMED STEEL	ROUND PIPE	"C" SECTION	"H" BEAM STEEL	ROLL FORMED STEEL	
SIZE	3.00" O.D.	3.5"x3.5"	2.50" O.D.	1.875"x1.825"	2.25"x3.70"	1.825" O.D.	1.625"x1.25"
WEIGHT (LB. / FT.)	5.75 OR 4.64	5.14	3.65 OR 3.12	2.34	3.43	2.27 OR 1.84	1.36

CHAIN LINK FENCE REQUIREMENTS - SCHEDULE B

- * 6 FT HIGH CHAIN LINK AROUND PERIMETER GATES PER SITE PLAN DRAWING
- ** DOUBLE VEHICULAR GATES 8' WIDE EACH
- * LUMP SUM PAYMENT FOR ALL CHAIN LINK FENCE WORK
- * PROVIDE GROUNDING ROD ON FENCE FOR LIGHTNING PROTECTION AT ONE LOCATION
- * ZINC COATING

CHAINLINK FENCE WITH RAILED TOP
NOT TO SCALE



GATE OPENING		FRAME PIPE NOMINAL	BRACE RAIL - PIPE NOMINAL
WIDTH 1	HEIGHT 2		
3' THRU 6'	3' THRU 6'	1.50"	1.50"
>6' THRU 23'	6'	1.90"	1.50"
>6' THRU 23'	6' THRU 12'	1.90"	1.90"

GATE OPENING WIDTH 1	HINGE POST		CONCRETE FOOTING	
	ROUND PIPE NOMINAL	ROLL FORMED STEEL	DEPTH	DIAMETER
3' THRU 6'	3.00"	3.50"x3.50"	36"	12"
>6' THRU 13'	4.00"	--	42"	12"
>13' THRU 18'	5.825"	--	48"	18"
>18' THRU 23'	8.825"	--	48"	24"

- * ARE NOT REQUIRED FOR GATES 3' THRU 5' HEIGHT OR 5' OR LESS IN WIDTH
- ** TENSION BANDS SHALL BE SPACED 12" C. TO C.
- 1 LEAF WIDTH FOR DOUBLE VEHICULAR GATE
- 2 SHALL COINCIDE WITH FENCE HEIGHT

DOUBLE VEHICULAR GATE
NOT TO SCALE

1560 Concourse Drive
Rapid City, SD 57703
Phone (605) 341-7899
Fax (605) 341-7899
www.cetecengineering.com

cetec ENGINEERING SERVICES, INC.

DESIGNED: TS
CHECKED: JS
APPROVED: JS
DATE: 10/20/09

COLONIAL PINE HILLS SANITARY DISTRICT
SCHEDULE C
CROYLE AVENUE 8" PVC WATER MAIN

SHEET DESCRIPTION: CHAINLINK FENCE DETAILS

CP-16