

EAGLE RIDGE PRD AMENDMENT

PHASE 2

JOB NUMBER: 07.1368.001
DATE: 12/09/09

RAPID CITY, SOUTH DAKOTA

REVISIONS	
NO.	DESCRIPTION


PHASE 2 INTERIM
EROSION CONTROL
PLAN

SHEET

1 OF 1

Copyright 2007. All rights reserved. No part of this document may be reproduced in any form or by any means without permission from FourFront Design, Inc.

FILE LOCATION: 1369-E01-SITE.DGN DRAWN BY: RJD



EROSION CONTROL NOTES

- ① INSTALL 667 SY OF EROSION CONTROL BLANKET
- ② INSTALL MINI SEDIMENT RETENTION DEVICE-60 LF


1. TO PREVENT EROSION ONTO ADJACENT PROPERTIES, THE AREA ADJACENT TO THE WEST PROPERTY LINE SHALL BE SECURED WITH EROSION CONTROL BLANKET IN AREAS SHOWN.
2. PRIOR TO PLACEMENT, 3 INCHES OF TOPSOIL SHALL BE PLACED UNDERNEATH THE EROSION CONTROL BLANKET AND HAND SEEDED WITH A ROAD DITCH MIX. EROSION CONTROL BLANKET SHALL BE INSTALLED ACCORDING TO MANUFACTURE'S RECOMMENDATIONS.
3. IN AREAS WHERE THE POTENTIAL FOR CONCENTRATED FLOW DOWN THE SLOPE EXISTS, 3 INCH OR LARGER ROCK SHALL BE PLACED ON AND DOWN GRADIENT FROM THE EROSION CONTROL BLANKET ON THE SLOPE TO PROVIDE ENERGY DISAPATION.
4. TO PREVENT SEDIMENT RUNOFF IN THE NORTHWEST CORNER OF PHASE 2, A MINI SEDIMENT RETENTION DEVICE SHALL BE PLACED IN AREAS SHOWN.


5. A MINI SEDIMENT RETENTION DEVICE SHALL CONSIST OF 3-12 INCH COMPOST FILTER SOCKS, TWO ON BOTTOM, ONE ON TOP. ALL FILTER SOCKS SHALL BE STAKED DOWN ACCORDING TO MANUFACTURE'S RECOMMENDATIONS.

RECEIVED

DEC 16 2009

Rapid City Growth
Management Department





RECEIVED
 DEC 16 2009
 Rapid City Growth
 Planning Department