



# DESTINATION RAPID CITY

512 Main Street, Suite 100 • Rapid City, South Dakota 57701

605-716-7979 • FAX 605-716-1343

www.downtownrapidcity.com

## **Proposed Skate Shack/Visitor Information Center at Main Street Square**

### *Materials Plan and Description of Proposed Project*

This proposal is based on saw cutting and removing a 16' x 19' paving area in the existing parking structure. Sub-surface soils will be excavated to a depth of 4' and replaced with clean rock fill.

This proposal is based on providing a 16'x19' steel stud framed structure on a 12" thick reinforced concrete slab. The structure will have brick veneer and single ply membrane roofing. This proposal is based on providing three Gerkin anodized aluminum windows and one FRP door and frame; windows will be white in color, door will be owner's choice of manufacturers standard colors. The building will have R-19 insulation in the walls and R-30 insulation in the roof structure. This proposal is based on sheathing the interior walls and ceiling with ¾" AC plywood, caulking the joints and painting in the owner's choice of one Sherwin Williams color. A double layered ¾" AC Plywood 2'x16' transaction counter will be provided with a non-slip mat atop the counter.

This proposal is based on providing suitable electrical service to the Skate Shack. The electrical proposed to be provided is 6 GFI receptacles, globe lighting on the exterior, one data outlet, interior fluorescent surface mount 4x2 fixtures, two eight foot radiant cove heaters, and one exterior junction or outlet for future sign (sign by owner).

This proposal is based on providing one, one ton Goodman mini-split unit.

# RECEIVED

FEB 09 2012

Rapid City Community Planning  
& Development Services