



WALL ASSEMBLIES

- WD DEMO-ED WALL OR PORTION OF WALL
- W1 INFILL
-5/8" X' GYPSUM BOARD
-MATCH STUD SIZE OF WALL AT 16" O.C., TERMINATE AT HEADER ABOVE AND/OR IN THE CASE AT A UNIT DEMISING WALL, TERMINATE AT THE UNDERSIDE OF THE ROOF DECK
-5/8" X' GYPSUM BOARD
- W2 VESTIBULE STUD WALL
-5/8" X' GYPSUM BOARD
-2X4 STUDS AT 16" O.C. TO 8'-0" HIGH MINIMUM
-5/8" X' GYPSUM BOARD
- W3 2X4 STUD WALL
-5/8" X' GYPSUM BOARD
-2X4 STUDS AT 16" O.C. TERMINATE 4" MINIMUM ABOVE CEILING SYSTEM
-5/8" X' GYPSUM BOARD
- W4 2X4 FURRING STUD WALL
-EXISTING WALL
-2X4 STUDS AT 16" O.C. TERMINATE 4" MINIMUM ABOVE CEILING SYSTEM
-5/8" X' GYPSUM BOARD

FLOOR PLAN

SCALE: 1/8" = 1'-0"

NORTH



KDGI
KENNEDY DESIGN GROUP, INC.
4955 ENCHANTED PINES DRIVE
RAPID CITY, SD 57701
605.342.5314
kenik@rap.midco.net

PROJECT:
TENANT IMPROVEMENT
FOR
WAL-EAST DEVELOPMENT, INC.
927 MAIN STREET
RAPID CITY, SD 57701

FLOOR PLAN

PROJECT NO: 1508
FILE NO: CURRENT FILE
DRAWN BY: RKK
CHECK BY: RKK
DATE: 3.12.15
REVISIONS: XXXX

A3

SHEET DATE: 3.19.15