



GENERAL NOTES

- 1. SEE SHEET A-001 FOR WALL TYPES
- 2. VERIFY UNTAGGED PARTITION TYPES BY ARCHITECT
- 3. WALL TYPE CHANGES OCCUR AT CORNERS
- 4. SEE SHEET A-121 FOR REFLECTED CEILING PLAN
- 5. SEE SHEET A-001 FOR DOOR SCHEDULE, DOOR TYPES AND DETAILS
- 6. SEE SHEET A-011 FOR WINDOW SCHEDULE, WINDOW TYPES AND DETAILS
- 7. SEE SHEET A-101 FOR FINISH SCHEDULE
- 8. DIMENSIONS ARE TO FACE OF METAL STUD AND CENTER OF STRUCTURAL COMPONENTS UNLESS NOTED OTHERWISE
- 9. TYPICAL METAL STUD THICKNESS IS 3.56 UNLESS NOTED OTHERWISE
- 10. FLOOR ELEVATIONS GIVEN EXCEPT FROM TYPICAL FIRST FLOOR ELEVATION NOMINALLY LABELED AS 0'-0"
- 11. FLOOR LEVEL CHANGES ARE FROM THIS REFERENCE ELEVATION
- 12. COORDINATE LAYOUT OF BUILDING AND STRUCTURAL GRID WITH ARCHITECT'S FIELD THROUGH WALL PENETRATIONS FOR UTILITY SERVICES SHALL NOT COMPROMISE THE RATINGS OF RATED WALLS
- 13. EXTEND ALL FIRE RATED PARTITIONS TO STRUCTURAL DECK ABOVE. SEAL GAPS AND PENETRATIONS WITH FIRE STOPPING
- 14. FIRE EXTINGUISHER CABINETS (FEC) TO BE SEMI-RECESSED CABINETS INSTALLED AT LOCATIONS INDICATED AND ALSO WHERE DIRECTED BY THE LOCAL FIRE OFFICIALS
- 15. CABINETS INSTALLED IN FIRE RATED WALLS SHALL BE FIRE RATED CABINETS. INSTALL CABINETS WITH TOP OF CABINET HANDLE NO GREATER THAN 48" ABOVE FEE. SURFACE MOUNTED FIRE EXTINGUISHERS (FE) TO BE INSTALLED WITH WALL BRACKET AT HANDLE NO GREATER THAN 48" ABOVE FEE
- 16. CONTRACTOR TO VERIFY LOCATION OF ALL EXISTING WALLS. NOTIFY ARCHITECT OF ANY DISCREPANCY. REPAIR GYP RD WALLS WHERE EXISTING FIREWOOD HAS REMOVED
- 17. ALL FURNITURE IS BY OWNER UNLESS NOTED OTHERWISE
- 18. ALL EXTERIOR WALLS ARE INSULATED TO THE ROOF DECK R-19 MIN

LEGEND

- 1. INTERIOR STUD PARTITION: SEE A-001 FOR PARTITION TYPES
- 2. 1 HOUR FIRE-RATED PARTITION
- 3. 2 HOUR FIRE-RATED PARTITION
- 4. 3 HOUR FIRE-RATED PARTITION
- 5. SOFFIT OVERHEAD
- 6. 1 HOUR FIRE-RATED FLOOR/CEILING ASSEMBLY

DRAWING NOTES

- 1. FUTURE STAIR - OPEN 2 STORY SHAFT PHASE I - STAIR FABRICATOR TO PROVIDE EXTENDED HANDRAIL IN PHASE I
- 2. FIRE FRAME REMOVABLE WALL PANEL FOR FUTURE HANDRAIL OVER LOOKING FOYER
- 3. ACCESS HATCH ARCHITECT AND COVER IN PHASE I
- 4. FIRE FRAME REMOVABLE WALL FOR FUTURE DOOR IN PHASE II
- 5. FIRE FRAME KNUCK-OUT PANELS FOR FUTURE EXPANSION OF THE SHOWER AREAS



RECEIVED

APR 23 2015

RAPID CITY COMMUNITY PLANNING & DEVELOPMENT SERVICES

TRUE NORTH

CANYON LAKE UNITED METHODIST CHURCH
3500 CANYON LAKE DRIVE
RAPID CITY, SOUTH DAKOTA 57702

FIRST FLOOR PLAN

2009.1.04
DRAWN BY: RVD/LJL
CHECKED BY: RVD/LJL
DATE: 8/10/2009 3:16:06 PM
A-101

CONTRACT DOCUMENTS