



LOT 4  
DAIRYLAND SUBDIVISION

RESEED DISTURBED AREAS WITH DITCH MIX IMMEDIATELY UPON COMPLETION OF GRADING

FURNISH & INSTALL 112.5 L.F. OF SILT FENCE FOR EROSION CONTROL

LOT C OF LOT 2

FURNISH & INSTALL 26.5 L.F. OF SILT FENCE FOR EROSION CONTROL

FURNISH & INSTALL STRAW BALES FOR EROSION CONTROL

2:1 SLOPE REQUIRES ARMORING WITH 6" ROCK, 0.5 FT THICK @ 177.5 CUBIC YD. SEE DETAIL

MAJOR DRAINAGE EASEMENT AS SHOWN IN PLAT BOOK 28 PAGE 4

RESEED DISTURBED AREAS WITH DITCH MIX IMMEDIATELY UPON COMPLETION OF GRADING

LOT K OF LOT 2

LOT J OF LOT 2

WEST SIDE NEW HUMANITY SOCIETY BLDG  
FT=3150.37  
SOUTH SIDE NEW HUMANITY SOCIETY BLDG  
FT=3150.39

CREEK DRIVE  
86' ROW OF RECORD

LOT K OF LOT 2 OF SE 1/4 SW 1/4 LESS LOT H1

LOT E OF LOT 2 OF SE 1/4 SW 1/4 LESS LOT H1

LOT 1 OF DENHOLM SUBDIVISION  
D & F TRANSMISSION  
FT=3151.95

LOT 1

WEST SIDE OLD HUMANITY SOCIETY BLDG  
FT=3150.80

12" WIDE GAS LINE EASEMENT AS SHOWN IN BOOK 49 PAGE 82A

RE

MATCH EXISTING TPO  
E=3150.27

MATCH EXISTING TPO  
E=3151.8

SECTION 5  
SECTION B

EAST ST. PATRICK STREET

80' ROW OF RECORD

SHRIMP ACCESS EASEMENT AS SHOWN IN PLAT BOOK 28 PAGE 4