

## Chapter 4. Recommendations

This chapter lays out a 20-year plan for completing the system of walkways, bikeways, and shared-use paths. The recommended network builds upon previous and on-going local and regional planning efforts and reflects the extensive input offered by city staff, the project Steering Committee, bicycle and pedestrian stakeholder groups, and Rapid City residents.

The recommended bicycle and trail network includes a comprehensive and diverse set of bicycle and trail facilities connecting key destinations in and around Rapid City. System improvements include establishing a formalized on-street bikeway system, completing gaps in the existing sidewalk system, upgrading intersections for safer trail crossings, and projects to enhance safety and encourage bicycling and walking. Suggested improvements include low-cost measures yielding immediate results, such as re-stripping of streets to accommodate bike lanes. Other improvements, such as expanding the local trail system, represent longer-term strategies for transforming Rapid City into a truly bicycle- and pedestrian-friendly community.

The Bicycle and Pedestrian Master Plan allows the City of Rapid City to focus and prioritize implementation efforts where they will provide the greatest community benefit.

### Recommended Walkway Improvements

The recommended pedestrian network builds upon Rapid City's existing system of sidewalks and shared-use paths. The City completed an inventory of sidewalks on arterial and collector roadways, which was used to identify major roads without sidewalks on either side of the road. While sidewalks on both sides of a street are preferred, they are particularly necessary near pedestrian attractors, such as schools and community centers and in the downtown area. In addition, along major roads where crossings are further than an eighth of a mile apart, sidewalks should be provided on both sides to accommodate pedestrians walking to a crossing.

### Sidewalk Project Selection

A sidewalk inventory developed by Rapid City staff was used to locate gaps in the sidewalk network on arterial and collector streets. The Bicycle and Pedestrian Master Plan sidewalk project list includes identified sidewalk gaps on either side of the street. Criteria used to identify the priority project list prioritized demand paths, which indicate where people walk despite the lack of sidewalk. Sidewalks adjacent to pedestrian trip attractors are also prioritized, as pedestrian activity is expected to be high close to these uses. Criteria used to prioritize sidewalks are shown in Table 10.

Table 10. Sidewalk Prioritization Criteria Selection

Criteria	Score	Measurement
Land Uses	12	Within 1/8 mile of a school, park, or destination (includes work release sites, hospitals, fire department stations, civic uses, the Rapid City Public Library, and others)
	8	Project within ¼ mile of school, park, or destination
	4	Project within ½ mile of school, park, or destination
	0	Project further than ½ mile to a school, park, or destination
Roadway Classification	15	Principal arterial
	10	Minor arterial
	5	Collector
Demand	20	Existing demand path
	0	No existing demand path
Transit	8	Within 1/8 mile of a bus route
	4	Project within ¼ mile of a bus route
	2	Project within ½ mile of a bus route
	0	Project further than ½ mile of a bus route

## Sidewalk Recommendations

Table 11 and Table 12 show the high-priority sidewalk projects in the city and the three-mile planning area, respectively. All recommended sidewalk improvements are shown in Map 2.


Table 11. Top City Sidewalk Projects

Name	Extent	Length (miles)	Land Uses	Classification	Demand	Transit	Total Points	Side
5th Street	South Street - Clark Street	0.05	12	15	20	8	55	West
Cambell Street	Centre Street - Rocker Drive	0.23	12	15	20	8	55	Both
Cambell Street	Rocker Drive - 560' S of Saint James Street	0.26	12	15	20	8	55	East
Cambell Street	280' N E St. Charles Street - E St. Patrick Street	0.18	12	15	20	8	55	East
E Omaha Street/E Highway 44	La Crosse Street - S Valley Drive	1.74	12	15	20	8	55	Both
Omaha Street	West Boulevard - Mount Rushmore Road	0.20	12	15	20	8	55	North
S 5th Street	57' S 3rd Street - 95' N Elk Street	0.15	12	15	20	8	55	West
W Omaha Street	Mountain View Road - Oshkosh Street	0.51	12	15	20	8	55	Both
W Omaha Street	Oshkosh Street - Founders Park Drive	0.21	12	15	20	8	55	North
Deadwood Avenue	N Plaza Drive - W Chicago Street	1.72	12	15	20	4	51	Both
<b>Total City Sidewalk Recommendations</b>		<b>5.25</b>						

Table 12. Top Sidewalk Projects in the Three-Mile Planning Area

Name	Extent	Length (miles)	Land Uses	Classification	Demand	Transit	Total Points	Side
E Highway 44	City Limits - Jolly Lane	0.52	4	15	20	0	39	Both
Haines Avenue	City Limits - Mall Drive	1.33	8	15	0	8	31	East
Country Road	City Limits - 3 Mile Limits	3.34	12	15	0	0	27	Both
Highway 16	City Limits - 3 Mile Limit	4.91	12	15	0	0	27	Both
Highway 44	Jolly Lane - 3 Mile Limit	7.45	12	15	0	0	27	Both
Jackson Boulevard	Dark Canyon Place - City Limits	1.53	12	15	0	2	29	Both
N La Crosse Street	Seeger Drive - E Mall Drive	0.19	4	15	0	8	27	Both
Nemo Road	3 Mile Limit - City Limits	5.78	12	15	0	0	27	Both
Reservoir Road	Avenue A - Lamb Road	4.30	12	15	0	0	27	Both
S Highway 79	City Limits - 3 Mile Limits	4.72	12	15	0	0	27	Both
Sheridan Lake Road	3 Mile Limit - City Limits	5.76	12	15	0	0	27	Both
W Highway 44	3 Mile Limit - City Limits	3.67	12	15	0	0	27	Both
<b>Total Three-Mile Planning Area Sidewalk Recommendations</b>		<b>43.5</b>						

*This page intentionally left blank.*



Map 2. Prioritized Sidewalk Projects

*This page intentionally left blank.*

## Recommended Bikeway Improvements

Although Rapid City currently lacks a comprehensive on-street bikeway network, the City could formalize a network with signs and pavement markings, as well as longer-term improvements. The following recommendations also recognize that costs and difficulty of implementation vary widely. The phasing plan divides projects into three classifications, based on ease of implementation:

- Classification I: Signed shared roadways and bike lane restriping
- Classification II: Bike lane
- Classification III: Shared-use paths and bicycle facilities on undeveloped streets

## Bicycle Project Selection


The recommended bicycle network builds upon the previously proposed bikeways and connects to existing bikeways. The recommended network fills system gaps, continues expansion of the regional shared-use path network, formalizes existing routes used by bicyclists, and improves access between residential, employment, civic, and commercial destinations. Table 13 summarizes the criteria and methodology used to attribute points to each potential bikeway project. Points were assigned out of a total of 76 points. Within each of the classification groups, projects were divided into short-, medium-, and long-term in approximate thirds.

The project priorities may change according to available funds, new roadway projects, new development and redevelopment opportunities, or other factors. Medium- and long-term projects are also important and may be implemented at any point in time as part of a development or public works project. In general, as new public works projects are contemplated, bicycle accommodations should always be included regardless of priority.

Table 13. GIS-Based Bicycle Project Criteria

Criteria	Score	Measurement	Technical Notes
System Connectivity	20	Project within an 1/8 mile of existing bicycle/shared use facilities	Used 'as the crow flies' distance and considered existing bike lanes, side paths, shared-use paths, and cycle tracks.  Visual analysis of locations where street connectivity is poor to determine critical regional links.
	15	Project within a 1/4 mile of existing bicycle/shared-use facilities	
	10	Project within a 1/2 mile of existing bicycle/shared use facilities	
	5	Project provides partial connection where no other facilities exist	
	0	Project further than a 1/2 mile of existing facilities or does not connect to the existing system	
Land Uses	12	Within 1/8 of a school, park, or destination (includes work release sites, hospitals, volunteer fire department stations, civic uses, the Rapid City Public Library, and others)	Used 'public buildings' shapefile as well as additional locations provided by the City.
	8	Project within 1/4 mile of school, park, or destination	
	4	Project within 1/2 mile of school, park, or destination	
	0	Project further than 1/2 mile from a school, park, or destination	
	15	Off-street facilities and bike lanes	
Dedicated Facility	8	On-street bikeway along a collector road/road with posted speeds of 30 mph or less	30 mph or less
	4	On-street bikeway along a minor arterial/road with posted speed of 35-45 mph	35-45 mph
	0	On-street bikeway along a primary road/road with posted speeds of 50 mph or more	50 mph or more
Regional Benefit	15	Connects to neighboring community	Based on review of the map.
	8	Connects to outlying area in the Rapid City Area	
	0	Does not provide regional benefits	
Cost Effectiveness	14	Project team has identified sufficient space for a bike route	Based on proposed project type.
	8	Other on-street facility (additional review required)	
	6	Off-street facility	





Map 3. Recommended Bikeways

Rapid City Area  
 Bicycle and Pedestrian Master Plan  
 Source: Data obtained from Rapid City MPO  
 Author: HWK  
 Date: March 2011

*This page intentionally left blank*

## Recommendations for Shared Roadways and Bike Lane Restriping Projects

Many on-street bicycle facilities can be developed inexpensively with paint and signs. These facilities include shoulder bikeways, bike lane restriping, shared lane markings, and signed shared roadways.

### Shoulder Bikeways

Rapid City has several streets with existing paved shoulders wide enough to accommodate bicyclists (four feet minimum continuously). To identify these as bicycle routes, the City should install “Bike Route” signs and repaint edge lines as needed. Accommodation for bicyclists on these streets should be preserved when they are reconstructed, or when intersections or turning lanes are developed. If any of these streets is built to an urban cross-section with curb and gutter, the road should include bike lanes.

Table 14. Shoulder Bikeway Projects

Route	Extent	Length (miles)	Tier
Country Road	Haines Avenue - N Elk Vale Road	3.50	High
Airport Road	Airport - E Highway 44	1.29	Low
N Elk Vale Road	Country Road - E Mall Drive	1.43	Low
<b>Total Shoulder Bikeway Recommendations</b>		<b>6.22</b>	

### Bike Lane Restriping

Designated exclusively for bicycle travel, bike lanes are separated from vehicle travel lanes with striping and are denoted by pavement stencils and signs. On streets in Rapid City that have high vehicle speeds, dedicated bike lanes are appropriate to separate bicyclists from motor vehicle travel and turn lanes. On many of these roads, physical constraints limit street retrofit measures, and bike lanes must be retrofitted to the existing curb-to-curb widths. The least expensive and intrusive method is to narrow vehicular travel lanes and re-stripe the street with bike lanes. Table 15 lists the bike lane projects that could be implemented through restriping roadways.

Table 15. Bike Lane Restriping Projects

Route	Extent	Length (miles)	Tier
Jackson Boulevard	W Main Street - Mountain View Road	0.48	High
Mountain View Road	W Omaha Street - Jackson Boulevard	0.58	High
North Street	West Boulevard N - Allen Avenue	0.91	High
Soo San Road	W Main Street - Brookside Road	0.16	High
W Chicago Street	N 44th Street - Deadwood Avenue	1.76	High
West Boulevard N	Anamosa Street - Silver Street	0.26	High
Mt. Rushmore Road	North Street - Omaha Street	0.45	Medium
Steele Avenue	Brennan Avenue - Railroad	0.28	Medium
Jackson Boulevard	W Highway 44 - Chapel Lane	1.53	Low
W Main Street	44th Street - Soo San Drive	0.76	Low
<b>Total Bike Lane Restriping Recommendations</b>		<b>7.17</b>	

### Shared Lane Markings

Shared lane markings are often used on streets where bike lanes are desirable but are not possible due to width constraints, and where motor vehicle speeds are moderate (less than 35 mph). High visibility pavement markings (MUTCD Section 9C.07) are placed in the travel lane to alert motorists of bicycle traffic, while also encouraging cyclists to ride at an appropriate distance from the “door zone” of adjacent parked cars. Placed in a linear pattern along a corridor, shared lane markings also encourage cyclists to ride in a straight line so their movements are predictable to motorists. These pavement markings have been successfully used in many small and large communities throughout the U.S.

Table 16. Shared Lane Marking Projects

Route	Extent	Length (miles)	Tier
44th Street	W Chicago Street - Raider Road	1.06	High
5th Street	Omaha St - Columbus St	0.46	High
Covington Street	Twilight Drive - E Highway 44	0.89	High
E Centennial Street/Locust Street	Parkview Drive - E Fairmont Boulevard	0.82	High
E New York St/N Maple Ave/E Philadelphia Street	East Boulevard - Cambell Street	1.00	High
Flormann Street/Meade Street	West Boulevard - 5th Street	1.27	High
Jackson Boulevard	Mountain View Road - Mountain View Road	0.28	High

Route	Extent	Length (miles)	Tier
Jolly Lane	E Highway 14 - Daly Circuit	0.90	High
Milwaukee Street	Crestwood Drive - E New York Street	1.00	High
7th Street	Omaha Street - Columbus Street	0.45	Medium
Cathedral Drive/Fairmont Boulevard	Mount Rushmore Road - Creek Drive	2.35	Medium
Creek Drive	E Saint Patrick Street - Fairmont Boulevard	1.01	Medium
Franklin Avenue/Belleview Drive/E St Andrew St	West Boulevard - 5th Street	0.55	Medium
N Maple Avenue	Disk Drive - Anamosa Street	0.57	Medium
Quincy Street	West Street - East Boulevard	1.20	Medium
Raider Road	44th Street - Hillsvie Drive	0.55	Medium
Triple Crown Drive	E Minnesota Street - E Catron Boulevard	0.53	Medium
Anamosa Street	Commerce Road - Silver Street	1.14	Low
Bunker Drive	Sagewood Street - Disk Drive/I-90	0.86	Low
Commerce Road/Lien Street	Railroad - Rand Road	0.81	Low
Degeest Drive	Homestead Street - Twilight Drive	0.65	Low
Dunsmore Road	Sheridan Lake Road - Moon Meadows Drive	0.14	Low
E Kansas City Street	East Boulevard - SD School of Mines & Technology	0.60	Low
East Boulevard	E Quincy Street - Signal Drive	0.45	Low
Hillsvie Drive	Canyon Lake Road loop	0.46	Low
Moon Meadows Drive	Dunsmore Road - Highway 16	2.27	Low
Red Cloud Street	Northridge Drive - Mall Drive	0.63	Low
Reservoir Road/Longview Road	Twilight Drive - E Highway 44	1.48	Low
<b>Total Shared Lane Marking Recommendations</b>		<b>24.38</b>	

### Signed Shared Roadways

Signed shared roadways are streets where motorists and bicyclists share the same space. A motorist will usually have to cross over into the adjacent travel lane to pass a bicyclist unless a wide outside lane is provided. The most suitable roadways for shared bicycle use are those with low speeds (25 mph or less) or low traffic volumes (3,000 vehicles per day or fewer). The route should be signed with standard Manual on Uniform Traffic Control Devices (MUTCD) green bicycle route signs with directional arrows.

Rapid City has a relatively well-connected system of lower-volume streets with posted speed limits of 25 mph. With the addition of relatively small-

scale treatments, many streets in the area could become good bikeways for riders of all ages and skills.

Table 17. Signed Shared Roadway Projects

Route	Extent	Length (miles)	Tier
Alta Vista Drive/Anaconda Road	East of City View Drive - E Fairmont Boulevard	1.65	High
E Fairlane Drive	Elm Avenue - Robbinsdale Park	0.25	High
E Oakland Street	Hawthorne Avenue - Cambell Street	0.87	High
Kansas City Street	5th Street - East Boulevard	0.48	High
Meade Street/E Indiana Street	5th St - Hawthorne Avenue	1.21	High
Minuteman Drive	Lindbergh Avenue - Anamosa Street	0.60	High
Parkview Drive	E Liberty Street - E Minnesota Street	0.14	High
Sagewood Street/Northridge Drive	Bunker Drive - Haines Ave	0.56	High
Soo San Road	Brookside Drive - Range Road	1.00	High
Van Buren Street	Allen Avenue - Milwaukee Street	0.99	High
W South Street	Soo San Road – Mary Hill Park	0.11	High
9th Street	Quincy Street - Flormann Street	0.99	Medium
Cambell Street Service Road	Fairmont Boulevard - Richland Drive	0.37	Medium
Hawthorne Avenue	E Main Street - E Oakland Street	0.34	Medium
N Spruce Street	Meadowlark Road - E Philadelphia Street	0.50	Medium
Nordby Lane	W Saint Louis Street - W Main Street	0.19	Medium
Oak Avenue	E Indiana Street - Colorado Street	0.62	Medium
Silver Street/Philadelphia Street	N 11 <sup>th</sup> Street - Boegel Street	0.61	Medium
West Boulevard	Leonard "Swanny" Swanson - Flormann Street	1.18	Medium
Allen Avenue	Anamosa Street - North Street	0.51	Low
Apolda Street	N Mount Rushmore Road - 6th Street	0.19	Low
Copperfield Drive	End of Existing Street - Highway 44	0.61	Low
Prairie Avenue	Saint Patrick Street - E Indiana Street	0.35	Low
San Marco Boulevard	City Springs Road - South Canyon Road	0.36	Low
San Marco Boulevard	South Canyon Road- W Chicago Street	0.31	Low
South Canyon Road	Berry Boulevard - N 44th Street	2.04	Low
W Chicago Street	San Marco Boulevard - N 44th Street	0.35	Low
W Flormann Street	Argyle Street - Mountain View Road	0.63	Low
<b>Total Signed Shared Roadway Recommendations</b>		<b>18.01</b>	

## Recommendations for Bike Lanes Requiring Construction

While several of the bike lane projects can be accomplished simply by restriping a roadway, other projects would require additional construction and engineering effort. These projects may be able to reallocate existing street width through road diets or parking reduction to accommodate bike lanes, while some projects may require road widening.

Table 18. Bike Lanes Requiring Construction

Route	Extent	Length (miles)	Tier
W Main Street	Soo San Road - West Boulevard	2.14	High
E Minnesota Street	Minnesota Street Park - Cambell Street	0.25	Medium
Harmony Heights Lane	Plaza Boulevard - Anamosa Street	2.79	Low
N Maple Avenue	Mall Drive - Disk Drive	0.47	Low
N Plaza Drive/Plaza Boulevard	Deadwood Avenue - Harmony Heights Lane	1.08	Low
St. Patrick Street	5th Street - Elm Avenue	0.73	Low
<b>Total Bike Lane Construction Recommendations</b>		<b>7.46</b>	

## Recommendations for Shared-Use Paths, Side Paths, and Bikeways on Undeveloped Streets

The final category of bikeways is facilities that require additional financial outlay or that should occur in conjunction with a roadway construction or reconstruction project. These include bike lanes recommended on streets that have not been constructed, side paths, and shared-use paths.

### Bike Lanes on Future Roadways

Future roads should be constructed with sufficient right-of-way to accommodate bicyclists via bike lanes. Table 19 lists planned future roads which would build out the bicycle network.

Table 19. Bike Lanes on Future Roadways

Route	Extent	Length	Tier
Anamosa Street	Valley Drive - Elk Vale Road	1.01	Low
Copperfield Drive	E Anamosa Street - Existing Street	0.42	Low
E Anamosa Street	E North Street - Mickelson Drive	0.60	Low

Route	Extent	Length	Tier
E Anamosa Street	Mickelson Drive - Valley Drive	0.58	Low
E Anamosa Street	Elk Vale Road - N Reservoir Road	1.03	Low
Fairmont Boulevard	Creek Drive - S Valley Drive	0.75	Low
Highway 16 Service Road	Skyline Drive/Tower Road - Catron Boulevard	1.98	Low
Mickelson Drive	E Anamosa Street - E Highway 44	0.51	Low
E Minnesota Street	Cambell Street - Jolly Lane	2.10	Low
St. Martins Drive/N 44th Street	Sturgis Road - W Chicago Street	0.67	Low
Valley Drive	Anamosa Street - Fairmont Street	1.87	Low
<b>Total Bike Lane on Future Roadway Recommendations</b>		<b>11.52</b>	

## Side Paths

While this plan focuses on the development of an on-street bikeway network to complement and connect to existing off-road facilities, in some locations vehicular speeds are too high to accommodate bicyclists on the roadway. In other locations, side paths provide a connection between other facilities on one side of the roadway. Table 20 shows the proposed side path project list.

Table 20. Side Paths

Route	Extent	Length	Tier
5th Street	Cleveland Street - Texas Street	0.87	High
Anamosa Street	Silver Street - Haines Avenue	0.66	High
Anamosa Street	Haines Ave - Milwaukee Street	0.70	High
E Anamosa Street	Racine Street - Century Road	0.77	High
Anamosa Street	Century Road - E North Street	0.27	High
E St. Patrick Street/Highway 44	Existing Side Path - Twilight Drive	1.14	High
East Boulevard	E Quincy Street - E New York Street	0.61	High
Jackson Boulevard	Cliffside Park - Existing Trail	0.75	High
Jackson Boulevard	Cleghorn Canyon Road - Cliffside Park	0.75	High
Parkview Drive	Parkview Park - 5th Street	0.53	High
5th Street	E Minnesota Street - E Catron Boulevard	0.99	Medium
Argyle Street	Jackson Boulevard - W Flormann Street	0.20	Medium
Cambell Street	E Oakland Street - Fairmont Boulevard	0.19	Medium
Cambell Street	Richland Drive - Minnesota Street	0.12	Medium
Disk Drive	Haines Avenue - N La Crosse Street	1.13	Medium
E Minnesota Drive	Parkview Drive - Odde Drive	0.46	Medium



Route	Extent	Length	Tier
Elm Avenue	E Saint Patrick Street – E Talent Street	0.31	Medium
Elm Avenue	E Oakland Street – Field View Drive	1.33	Medium
Elm Avenue	Field View Drive - E Catron Boulevard	0.56	Medium
I-190/Drainageway	West Boulevard N - Silver Street	0.13	Medium
San Francisco Street	La Crosse Street - Cherry Avenue	0.29	Medium
West Boulevard	W Omaha Street - Saint Joseph Street	0.26	Medium
Concourse Drive	Elk Vale Road - Twilight Drive	0.20	Low
E North Street	Mall Drive - Anamosa Street	0.71	Low
Mall Drive	Haines Avenue - N Elk Vale Road	3.72	Low
Twilight Drive	E Highway 44 - Shadow Drive	0.18	Low
<b>Total Side Path Recommendations</b>		<b>17.83</b>	

### Education and Encouragement Strategies

Improvements to bicycle and pedestrian infrastructure should be complemented by programs and activities designed to promote bicycling and walking. There are a number of existing efforts to encourage bicycling and walking in Rapid City, including efforts by local agencies and active community groups, shown in Table 21.

Table 21. Existing Education and Encouragement Programs in Rapid City

Resource or Event	Available
Rapid City Parks and Recreation Facilities Map	<a href="http://www.rcgov.org/pdfs/Parks-and-Recreation/bike_path_map.pdf">www.rcgov.org/pdfs/Parks-and-Recreation/bike_path_map.pdf</a>
George S. Mickelson Trail Guide	<a href="http://www.sdgfp.info/parks/regions/northernhills/mickelsontrail/GSMTrailGuide.pdf">www.sdgfp.info/parks/regions/northernhills/mickelsontrail/GSMTrailGuide.pdf</a>
Bike Walk Run Committee	On hiatus
Black Hills Mountain Bike Association (BH MBA)	<a href="http://bhmba.org/">http://bhmba.org/</a>
Black Hills Reconditioned Bikes for Kids	<a href="http://www.rapidnet.com/~bikerbfk/">http://www.rapidnet.com/~bikerbfk/</a>
Black Hills Volkssport Association	<a href="http://www.ava.org/clubs/bhva/">http://www.ava.org/clubs/bhva/</a>
South Dakota Bicycle Coalition (SDBC)	<a href="http://www.sdbicyclecoalition.org/">http://www.sdbicyclecoalition.org/</a>
Black Hills Fat Tire Festival	<a href="http://www.bhfattirefestival.com/">http://www.bhfattirefestival.com/</a>
Black Hills Journey	Not available
League of American Bicyclists (national organization)	<a href="http://www.bikeleague.org/">http://www.bikeleague.org/</a>
Mickelson Trail Trek	<a href="http://gfp.sd.gov/state-parks/directory/mickelson-trail/trail-trek.aspx">http://gfp.sd.gov/state-parks/directory/mickelson-trail/trail-trek.aspx</a>
Police Department Pedestrian Safety Campaign, "Pedestrian Safety, It's a Two-Way Street"	<a href="http://temp.rcgov.org/police/">http://temp.rcgov.org/police/</a>
Yellow Bike-a-Thon	<a href="http://www.rapidnet.com/~bikerbfk/">http://www.rapidnet.com/~bikerbfk/</a>

## Program Recommendations

The City can encourage bicycling and walking in the region through select programs and by supporting local advocates' efforts. Key strategies include applying to become acknowledged as a Bicycle Friendly Community by the League of American Bicyclists. This program would require only staff time for the application. Another program the MPO might take a leading role in is to convene a Bicycle and Pedestrian Advisory Committee, with a work plan developed through the development of this Bicycle and Pedestrian Master Plan.

The MPO can also support advocates' efforts by providing in-kind support, meeting space, tables, publicity, and printing for groups holding an event. The MPO can support the school district in their desire to implement a Safe Routes to School program by providing grant writing and technical expertise. Table 22 summarizes these key programs. Additional information is available in Appendix H.

Table 22. Program Recommendations

Resource or Event	Description	Potential Partners	Purpose	Timeframe
Become a Bicycle Friendly Community	Focus improvements on the League of American Bicyclists' award program and apply for recognition	South Dakota Bicycle Coalition	Receive recognition; build community support	One-time, with regular updates
Convene a Bicycle Advisory Committee (BAC)	Appoint citizen volunteers and key staff to advise the City on pedestrian and bicycling issues and assist with grant applications, plan review, etc.	South Dakota Bicycle Coalition	Advise City on bicycle and pedestrian issues	Ongoing
Develop and Launch a Bicycle/ Pedestrian Safety Awareness Media Campaign	Develop a marketing campaign highlighting bicyclist and pedestrian safety	Local bicycling and walking groups	Create awareness of bicycling and walking; promote safety	Late spring/ early summer, or in conjunction with back to school
Host National Bike Month Activities	Host group rides and events, offering incentives and rewards	South Dakota Bicycle Coalition, local groups and shops, large employers	Encourage bicycling and build a cycling community	Annually in May
Establish a "Create a Commuter" Program	Provides basic bicycle safety education and fully-outfitted commuter bicycles to low-income adults striving to connect to work, workforce development, or other daily needs by bicycle	Local bicycling groups and shops, such as Black Hills Reconditioned Bikes for Kids	Empower low-income residents to bicycle for transportation	Ongoing
Safe Routes to School Program – Phase 1	Educate students and their parents about walking and biking to school	Rapid City /Meade School Districts, parent groups, school neighbors	Improve safety through physical improvements and programs, encourage more bicycling and walking to and from school	School year

## Community-Wide Improvements

Supporting facilities encourage bicycle trips and improve comfort and usability of the physical network.

### Bicycle Wayfinding Signing Plan

Landmarks, natural features, civic destinations, neighborhood business districts and other visual cues help residents and visitors navigate through Rapid City. Placing signs throughout the city indicating to bicyclists their direction of travel, location of destinations, and the distance to those destinations will increase users' comfort and convenience of the bicycle system. Wayfinding signs also visually cue motorists that they are driving along a bicycle route and should expect bicycle traffic.

Rapid City should adopt an on-street wayfinding signage similar to the MUTCD-approved sign shown in Figure 22 for use along bicycle facilities.

Signage can serve both wayfinding and safety purposes including:

- Familiarizing users with the bikeway system
- Helping users identify the best routes to destinations
- Addressing misperceptions about travel time and distance
- Helping overcome a “barrier to entry” for people who do not bicycle often and who fear becoming lost

Wayfinding signs are a relatively cost-effective means for improving the walking and bicycling environment. Signs are typically placed at key locations leading to and along bicycle routes, including the intersection of multiple routes. Guidance for sign placement and height can be found in Appendix F.

Rapid City should create a community-wide Bicycle Wayfinding Signage Plan that identifies:



- Sign locations along existing and planned bicycle routes
- Sign type – what information should be included and what is the sign design
- Destinations to be highlighted on each sign – key destinations for bicyclists
- Approximate distance and riding time to each destination

Figure 22. Model MUTCD-approved wayfinding signage.

## Drainage Grate Retrofits

The City should continue its efforts to retrofit existing drainage grates as roads are being resurfaced. Some older drainage grates can create slippery conditions for bicyclists and/or catch a bike wheel if they have metal grates that are parallel to the direction of travel. Newer grate styles have grates that are perpendicular to the travel lane or in a grid or mesh pattern. These newer grate types are much safer for bicyclists. Figure 23 demonstrates examples of bicycle-safe drainage grate coverings.




Figure 23. Examples of bicycle-safe drainage grates.

Rapid City should establish a goal for the number of drainage grates to retrofit each year. Retrofitting and replacing existing drainage grates will facilitate safe bicycle crossing movements and can reduce the City's liability exposure.

## Bicycle Parking

Bicycle parking is an essential element of the bikeway network; without an adequate place to park, people may decide not to take a trip via bicycle. Improperly locked bicycles can crowd the sidewalk and restrict pedestrian movement.

Rapid City should consider linking bicycle parking requirements to land uses. Sample bicycle parking requirements recommended by the Association of Pedestrian and Bicycle Professionals (APBP) in the 2010 *Bicycle Parking Guidelines* are provided in Appendix G.

## Street Design Criteria Manual Update

The City of Rapid City's Street Design Criteria Manual contains minimum street width standards by street classification but does not include bicycle accommodations as part of street design cross-sections. The City should revisit its Manual using the bicycle and pedestrian design guidelines provided in Appendix F to provide guidance for bicycle accommodation by level of street. The Manual should be modified to require bike lanes on all new arterial and collector streets, and revised cross-sections should be completed to illustrate the new street designs.

## Proposed Subdivision Requirements

Typical subdivision design in the U.S. promotes the almost exclusive use of the automobile. Residential subdivision streets are wide, non-linear, often lack connectivity and may or may not provide sidewalks. Most homeowners have ample room to park in their garages or in their driveways, however, little on-street parking is generally provided now. The use of cul-de-sacs

and streets that limit circulation in and out of subdivisions can overload arterial streets that typically do not accommodate nonmotorized travel well. Retrofitting existing suburban neighborhoods to make them more bicycle and pedestrian friendly can often be more politically difficult than physically difficult. Design solutions include a number of options:

- Adding sidewalks, preferably on both sides of the street;
- Adding accessible curb ramps;
- Adding marked crosswalks;
- Creating bike lanes with striping and signage;
- Creating public access connectors between cul-de-sacs and adjacent streets to enhance circulation on foot or by bicycle; and
- Narrowing the streets (through a variety of techniques) to slow traffic and increase safety for nonmotorized users.

New subdivision design should include the following criteria at a minimum:

- Grid street pattern wherever possible with multiple intersections to provide ample opportunity for connectivity;
- Public right-of-way connections for bicyclists and pedestrians between cul-de-sacs and adjacent streets;
- Minimum of 5' wide sidewalks on both sides of the street;
- Shorter street blocks; and
- Proximity to neighborhood amenities such as parks, shops, schools, etc.

## Multimodal Connections

Transit has an integral role in ensuring the success of an active transportation system. Quality integration among travel modes is mutually beneficial in extending the reach and catchment area of transit services, particularly in lower-density areas, as well as increasing the distance that can be comfortably traveled by a pedestrian or bicyclist.

Transit agencies have identified a number of reasons for providing active transportation connections to transit including:

- Increasing the number of multimodal trips;
- Removing motor vehicles from roads and parking lots to better utilize that space;
- Enhancing quality of life in the community by reducing emissions, noise, and traffic congestion and supporting active living, improved public health, equity and accessibility;
- Increasing the visibility of walking and bicycling as viable transportation options;

- Contributing to regional commuter assistance programs and extending low-cost transportation options; and
- Providing an alternative for pedestrians and bicyclists so that they can bypass areas that are barriers to bicycling, such as bridges, tunnels, steep hills, roads with traffic, and avoid riding at night or during adverse weather conditions.<sup>12</sup>

## Transit Supportive Facilities

Facilities that improve the ability of people to walk or bicycle are critical in attracting and maintaining transit riders. Recommended provisions at transit stops, which will vary depending on the type and use of stops, include:

- Seating: either benches or seats adjacent to the transit stop post. Seating should be placed so that waiting passengers are visible to the bus driver.
- Shelter: provision of dedicated shelters at transit stops, especially higher volume stops, or use surrounding building elements such as awnings to provide protection from the elements.
- Trip Information: essential information that should be provided at every transit stop includes the route number and the stop number. It is also preferable to provide a route map and timetable.
- Bicycle Parking: In general, suburban and rural stops can make do with existing street furniture or simple bike racks. More guidance is provided in the design guidelines.
- Pedestrian-Scale Lighting: increase security and visibility for riders and transit operators by providing lighting; and
- Trash/Recycling Container.

## Accessibility

### Pedestrian Access to Transit Stops

Difficult and unsafe routes to transit stops can discourage or prevent pedestrians, including those that use wheelchairs, walkers and strollers from using the transit system.

---

<sup>12</sup> Based on responses to a survey included in the TCRP *Bicycle and Transit Integration* study.

Factors that influence pedestrian access to a transit stop include:

- Crossing location distance/quality
- Posted speeds
- Sightlines and distances
- Number of travel lanes
- Curb-to-curb width
- Traffic volume
- Pedestrian collisions
- Existence/ condition of sidewalks
- Slope

Sidewalks, ramps, and crossings are also essential parts of the pedestrian network and connect transit stops with adjacent and nearby land uses. Corridors that are served by a transit route are priority locations in the recommended pedestrian network. In addition, standards and guidelines for marked crossings and mid-block crosswalks are provided in the design guidelines.

Crossings are particularly important and where possible, these should be provided along the most direct path as pedestrians are typically unwilling to walk out-of-direction to access a crosswalk. This includes mid-block crossings, which should be treated appropriately depending on the crossing opportunities afforded by traffic and prevailing conditions of the roadway. Treatments to improve pedestrian crossings include:

- Clearing visual obstructions – street trees, telephone poles, limiting on-street parking, etc.
- Moving the stop to an existing marked or signalized crossing
- Adding curb extensions or median refuges to shorten the crossing distance
- Adding pedestrian signals

### **Bicycle Access to Transit Stops**

The bicycle network should also connect to transit stops, especially since the RapidRide buses are equipped with bicycle racks to carry passengers' bikes. Key elements of bicycle access to bus stops include:

- Actuated traffic signals near the station that can be activated by bicycles; and
- Signed bikeway links should indicate streets leading to bus stops.

### **Bicycles on Transit**

The local RapidRide buses are already equipped with front-loaded bicycle racks that carry up to two bicycles. These racks help extend the coverage area of the transit system as some passengers can use bicycles to connect to their origins and/or destinations that may not be served by the transit system.

Carrying bicycles onto transit also enables bicyclists to bypass potentially difficult situations like large hills, busy streets, long distances and inclement weather. It can also reduce the fear of being stranded in the case of equipment failure and may also prevent theft of bikes that would otherwise have to be locked up at a transit stop.



## Chapter 5. Implementation Plan

As described in Chapter 4, Rapid City's recommended bicycle and pedestrian improvements consist of a comprehensive network of on-street bikeways and sidewalks of all types. This chapter begins with an implementation strategy, which presents a targeted approach for how Rapid City can institutionalize bicycle and pedestrian planning into its City processes. Possible federal, state and local funding sources are also identified.

### Action Plan

The following actions are recommended as the first steps to implement the Rapid City Area Bicycle and Pedestrian Master Plan:

1. Adopt a Complete Streets policy to consider the needs of pedestrians and bicyclists in new development, redevelopment and roadway reconstruction and update the City's Infrastructure Design Criteria Manual to include consideration for bicycle and pedestrian travel based on road classification to begin policy implementation.
2. Dedicate Capital Improvement Plan (CIP) funds to bicycle and pedestrian projects. The City currently allocates \$50,000/year for ADA (disability access) compliance projects. Providing a dedicated capital fund for bicycle improvement projects and sidewalk infill projects would allow the City to make progress on developing the bikeway network and completing the pedestrian network.
3. Implement several recommended bikeway projects annually, including those that are located on low-speed, low-volume streets where wayfinding signs would be sufficient to designate the bikeway.
4. Form a Bicycle/Pedestrian Advisory Committee to help guide the implementation of the Master Plan.
5. Complete five sidewalk infill projects - The highest priority locations were chosen where demand paths indicate existing walking activity and the travel speed and traffic volume of the adjacent streets are high.

### Implementation Policies

The Rapid City Bicycle and Pedestrian Master Plan provides the long-term vision for the development of a community-wide bikeway network usable by all residents for all trip purposes. Implementation of the plan will take

place over many years. The following strategies and action items are provided to guide Rapid City toward the vision identified in the plan:

### **Strategy 1: Strategically Pursue Infrastructure Projects**

City of Rapid City staff should utilize the City's existing capital improvement program (CIP) funding process to advance project recommendations in this Bicycle and Pedestrian Master Plan. Additionally, staff should incorporate bicycle and pedestrian improvements into other planned projects, pursue outside and grant funding and seek partnerships with other agencies and community partners

#### **Policies:**

Rapid City should seek to implement identified projects through current funding sources and track progress of plan implementation.

- Policy 1.1 Pursue capital improvement funding or grant funding for pedestrian and bicycle improvements.
- Policy 1.2 Install approved pedestrian and bicycle projects in conjunction with road improvement projects scheduled in the same area.
- Policy 1.3 Publish a public report documenting the status of and on-going actions for all pedestrian and bicycle projects at the end of each fiscal year.

### **Strategy 2: Regularly Revisit Project Prioritization**

Projects have been prioritized based on system connectivity, overcoming barriers, community support and other criteria described in Chapter 4. This list should be reviewed every fiscal year so new projects can be added, completed projects removed, and the priorities revised as conditions change. This strategy also supports collaborations with nearby jurisdictions on regionally-important walkways and bikeways.

#### **Policies:**

Complete an annual review and update of the bikeway and pedestrian improvements project lists by City staff with input from Pennington County, the Rapid City Parks Department, and other relevant agency staff. These updated lists should be made available to the public.

- Policy 2.1 Annually review and update the Rapid City Area Bicycle and Pedestrian Master Plan project lists.
- Policy 2.2 Share updated project lists with the public and other jurisdictions, including Pennington County and the Rapid City MPO.

Policy 2.3      Review and update the Bicycle and Pedestrian Master Plan as needed, but at least every five years.

### **Strategy 3: Integrate Bicycle Planning into Rapid City's Planning Processes**

To ensure the Bicycle and Pedestrian Master Plan is implemented, the plan must be a living document that is incorporated into the day-to-day activities of transportation planning, design, funding, construction and maintenance in Rapid City. This plan recommends several ways for bicycle and pedestrian planning to be integrated into these processes.

#### **Policies:**

Policy 3.1      Implement a Complete Streets policy to ensure that bicycle and trail facilities are included in all major construction and reconstruction projects. Pedestrian, bicycle, and trail facilities should be addressed at the project scoping stage.

Policy 3.2      Revise the City's Infrastructure Design Criteria Manual to reflect the Bicycle and Pedestrian Design Guidelines in Appendix F and to ensure that appropriate pedestrian, bicycle, and trail facilities are built in new developments in accordance with this plan and other relevant plans.

Policy 3.3      Incorporate a pedestrian and bicycle facilities checklist into the plan review process.

Policy 3.4      Require sufficient right-of-way to be set aside for pedestrian, bicycle, and trail facilities as redevelopment projects occur.

Policy 3.5      Adopt a bicycle parking ordinance that establishes guidelines for bicycle parking linked to land uses.

### **Strategy 4: Encourage Private Donors to Support the Bicycle and Pedestrian System**

The Friends of Rapid City Parks or other advocacy groups in the community could provide volunteer construction and maintenance services as well as possibly funding small projects like signage and wayfinding programs. Likewise, a formal "Adopt a Bikeway" program could be developed so corporations, institutions and individual private donors can support the existing and proposed bikeway and shared-use path system. This program can be leveraged to enhance maintenance through volunteer work and connect philanthropy with fundraising to help sustain the system.

**Policies:**

- Policy 4.1 Encourage corporations, institutions and individual private donors to support the existing and proposed bikeway, shared-use path, and walkway systems.
- Policy 4.2 Leverage this program to enhance maintenance through volunteer work and connect philanthropy with fundraising to help sustain the system.
- Policy 4.3 Evaluate opportunities for establishing a philanthropic program that can be used to support the construction and maintenance of Rapid City’s walkways, bikeways, and shared-use paths.

**Strategy 5: Implement Education, Encouragement and Enforcement Activities**

The City should augment the expanded bicycle network with education, encouragement and enforcement activities to support increased walking and bicycling by Rapid City residents. These support programs are critical to the success of the Master plan and have been prioritized based on cost and ease of implementation.

**Policies:**

- Policy 5.1 Pursue grant and donor funding for recommended programs.
- Policy 5.2 Form a Bicycle/Pedestrian Advisory Committee to help guide the implementation of the Master Plan.
- Policy 5.3 Work with schools, youth groups, and other organizations to provide education and encouragement programs to Rapid City residents.
- Policy 5.4 Work with the Police Department, media, advocacy and safety groups to create an educational program to educate pedestrians, bicyclists, and drivers on rights, responsibilities and safe practices to share the road safely and comfortably.

**Cost Opinions**

Unit prices were provided by Rapid City staff or taken from bicycle and pedestrian master plans and experience in nearby communities. Table 23 shows cost opinions (expressed in 2011 dollars) for elements of bicycle, pedestrian, and shared-use path improvement projects. Detailed inputs to

the cost estimates and planning-level cost opinions for the proposed bicycle and pedestrian improvements are provided in Appendix I.

Table 23. Planning-Level Costs for Bicycle and Pedestrian Improvements\*

Facility Type	Price*	Unit	Notes
Shoulder Bikeways	\$1	LF	Signs every 600'.
Bike Lanes	\$35	LF	Striping removal, re-striping (paint), pavement markings, and signs.
Shared Lane Markings	\$7	LF	Pavement markings every 100' each direction, signs every 600'.
Signed Shared Roadway	\$1	LF	Signs every 600'.
Side Path	\$79	LF	Includes clearing and grubbing, grading, 12' wide asphalt surface
Sidewalk	\$144	LF	6' width, includes concrete curb and gutter and drainage.
<b>Amenity Costs</b>			
Pedestrian Refuge Island	\$12,000-\$15,000	EA	
High-Visibility Crosswalks	\$7,500	EA	Thermoplastic
ADA-Compliant Curb Ramps	\$1,000	EA	
Curb Extensions	\$12,500	EA	
Signs	\$300	EA	Includes sign, pole and mounting hardware cost plus labor for installation
Bicycle Loop Detector	\$2,500	EA	Imbedded pavement sensor so bicycles can trigger the traffic signal
Bicycle/Pedestrian Signal	\$40,000	EA	
Drainage Grate	\$1,500	EA	Bicycle-friendly

\* 2011 estimated unit costs

\* Costs include engineering (25%), contingency (15%), and design (20%) allowances.

Costs for including bicycle facilities on streets that are being constructed or re-constructed need to include right-of-way purchase costs in some cases.

## Maintenance

On-street bikeways, sidewalks, and trails require regular maintenance and repair. On-street bikeways are typically maintained as part of standard roadway maintenance programs, and extra emphasis should be placed on

keeping bike lanes and roadway shoulders clear of debris and keeping vegetation overgrowth from blocking visibility or creeping into the roadway. Typical maintenance costs for on-street bikeway facilities are shown in Table 24.

Table 24. On-Street Bikeway Maintenance Frequency and Cost Opinions

Activity	Materials Type	Frequency	Cost Opinion *
Pavement resurfacing	Asphalt	Every 20 years	\$50,000/mile
	Concrete	Every 20 years	\$50,000/mile
	Aggregate	Every 3 years	\$3,000/mile
Pavement sweeping	All	Weekly/monthly as needed	Part of regular street sweeping activities
Snow removal	All	Weekly/as needed	Depends on conditions, ~\$150/mile
Tree/shrub trimming	All	5 months – 1 year	Part of regular street maintenance activities
Sign repair/ replacement	Worn	Every 10 years	\$250/sign
	Stolen/damaged	As needed	\$250/sign
Re-stripping	Paint	Semi-annually	\$2,600/mile
	Thermoplastic striping	Every 10-15 years	\$10,600/mile

\* 2011 estimated unit costs

## Funding Sources

Acquiring funding for projects and programs is considerably more likely if it can be leveraged with a variety of local, federal and public and private sources (South Dakota does not have specific statewide funding for bicycle or pedestrian improvements). This section identifies potential matching and major funding sources available for bicycle and pedestrian projects and programs as well as their associated need and criteria.

Funding sources for bicycle and pedestrian facilities are listed below. Additional detail about these sources is provided in Appendix J.

### Federal Funding Sources

Federal funding for bicycle and pedestrian facilities is primarily provided by the latest federal transportation act, the Safe, Accountable, Flexible, Efficient Transportation Equity Act – a Legacy for Users (SAFETEA-LU).

SAFETEA-LU authorizes the Federal surface transportation programs for highways, highway safety and transit for the five-year period 2005-2009. At this time, the authorization of a new federal transportation bill has not yet been completed; public agency staff should monitor the status of this legislation as federal funding programs currently available may be changed under new legislation. Existing federal programs under SAFETEA-LU that fund bicycle and pedestrian improvements include:

- Surface Transportation Program (STP)
- Highway Safety Improvement Program (HSIP)
- Transportation Enhancements (TE)
- Recreational Trails Program (RTP)
- State and Community Highway Safety Grant Program (Section 402)
- Safe Routes to School (SRTS)
- Community Development Block Grants (CDBG)
- Rivers, Trails and Conservation Assistance Program
- Land and Water Conservation Fund (LWCF)
- Transportation, Community and System Preservation Program (TCSP)
- National Scenic Byways Program

### **Metropolitan Planning Organization (MPO) Funding Sources**

Metropolitan Planning Organizations (MPOs) are encouraged to use their federal planning funds to advance bicycle and pedestrian transportation improvements in their regions. Specifically, MPOs must incorporate nonmotorized transportation plans as integral parts of their regional Long Range Transportation Plans (LRTP).

### **Local Funding Sources**

Communities throughout the country have looked to different local sources to find funding for bicycle, pedestrian and shared-use path projects. These sources vary from reallocation of an existing tax, to local bond measures. Existing local funding sources include:

- Road Use Tax (RUT) Funds
- Annual Capital Improvement Program (CIP) funding
- CDBG Entitlement Grant
- Tax Increment Financing/Urban Renewal Funds
- Rapid City's Vision 2012 Funding

*This page intentionally left blank.*





Alta Planning + Design  
408 East Wilson Street  
Madison, WI 53703

[www.altaplanning.com](http://www.altaplanning.com)

