ITEM 10

GENERAL INFORMATION:

APPLICANT/AGENT Dream Design International, Inc.

PROPERTY OWNER William B. Colson, Jr. and Mary Colson

REQUEST No. 09SV028 - Variance to the Subdivision

Regulations to reduce the pavement width from 27 feet to 20 feet and to waive the requirement to install curb, gutter, sidewalk, street light conduit, water and sewer along Pioneer Circle, to reduce the width of the private access and utility easement from 49 feet to a varying width of 46.9 feet to 5 feet, to waive the requirement to install pavement, curb, gutter, sidewalk, street light conduit, water and sewer along the private access and utility easement, to reduce the width of the access easement from 49 feet to a varying width of 40 feet to 20 feet and to waive the requirement to install pavement, curb, gutter, sidewalk, street light conduit, water and sewer along the access easement as per Chapter 16.16 of the

Rapid City Municipal Code

EXISTING

LEGAL DESCRIPTION Lots 5R and 6R of Block 1 of Spring Canyon Estates,

Section 6, T1S, R7E, BHM, Pennington County, South

Dakota

PROPOSED

LEGAL DESCRIPTION Lots 1, 2 and 3 of Lots 5R and 6R of Block 1 of Spring

Canyon Estates, Section 6, T1S, R7E, BHM, Pennington

County, South Dakota

PARCEL ACREAGE Approximately 20.0 acres

LOCATION 5703 and 5707 Pioneer Circle

EXISTING ZONING Low Density Residential District (Pennington County)

SURROUNDING ZONING

North:

South:

Low Density Residential District (Pennington County)

Low Density Residential District (Pennington County)

Low Density Residential District (Pennington County)

West:

Low Density Residential District (Pennington County)

ITEM 10

PUBLIC UTILITIES City sewer and water

DATE OF APPLICATION 12/11/2009

REVIEWED BY Vicki L. Fisher / Ted Johnson

RECOMMENDATION:

Staff recommends that the Variance to the Subdivision Regulations to reduce the pavement width from 27 feet to 20 feet and to waive the requirement to install curb, gutter, sidewalk, street light conduit, water and sewer along Pioneer Circle, to reduce the width of the private access and utility easement from 49 feet to a varying width of 46.9 feet to 5 feet, to waive the requirement to install pavement, curb, gutter, sidewalk, street light conduit, water and sewer along the private access and utility easement, to reduce the width of the access easement from 49 feet to a varying width of 40 feet to 20 feet and to waive the requirement to install pavement, curb, gutter, sidewalk, street light conduit, water and sewer along the access easement as per Chapter 16.16 of the Rapid City Municipal Code be continued to the **March 25, 2010** Planning Commission meeting.

GENERAL COMMENTS:

(Update, February 5, 2010. All revised and/or added text is shown in bold print.) This item was continued at the February 18, 2010 Planning Commission meeting to allow the applicant to submit additional information. In particular, street sections and drainage calculations must be provided showing that the existing street improvements adequately control stormwater flows in order to determine if curb and gutter are needed. In addition, the location and design of the existing driveway located in the northwest corner of the property must be provided in order to determine if the easement as shown on the plat for the driveway is sized and located correctly. If individual on-site wastewater systems are to be utilized, then an on-site wastewater plan prepared by a Professional Engineer demonstrating that the soils are suitable for on-site wastewater systems must be submitted for review and approval. In addition, water plans prepared by a Registered Professional Engineer identifying the well information and water flow data for the existing Spring Canyon water system must be submitted for review and approval. The applicant must also submit a signed and recorded Covenant Agreement with the Spring Canyon Water Company securing service to the property.

The applicant has indicated that they are currently working on submitting the above referenced information. However, as of this writing, the information has not been submitted for review and approval. As such, staff recommends that the Variance to the Subdivision Regulations be continued to the March 25, 2010 Planning Commission meeting to allow the applicant to address the outstanding issues.

(Update, February 5, 2010. All revised and/or added text is shown in bold print.) This item

ITEM 10

was continued at the February 4, 2010 Planning Commission meeting to allow the applicant to submit additional information. In particular, street sections and drainage calculations must be provided showing that the existing street improvements adequately control stormwater flows in order to determine if curb and gutter are needed. In addition, the location and design of the existing driveway located in the northwest corner of the property must be provided in order to determine if the easement as shown on the plat for the driveway is sized and located correctly. If individual on-site wastewater systems are to be utilized, then an on-site wastewater plan prepared by a Professional Engineer demonstrating that the soils are suitable for on-site wastewater systems must be submitted for review and approval. In addition, water plans prepared by a Registered Professional Engineer identifying the well information and water flow data for the existing Spring Canyon water system must be submitted for review and approval. The applicant must also submit a signed and recorded Covenant Agreement with the Spring Canyon Water Company securing service to the property.

To date, the information has not been submitted for review and approval. As such, staff recommends that the Variance to the Subdivision Regulations be continued to the March 4, 2010 Planning Commission meeting to allow the applicant to address the outstanding issues.

(Update, January 22, 2010. All revised and/or added text is shown in bold print.) This item was continued at the January 21, 2010 Planning Commission meeting to allow the applicant to submit additional information. In particular, street sections and drainage calculations must be provided showing that the existing street improvements adequately control stormwater flows in order to determine if curb and gutter are needed. In addition, the location and design of the existing driveway located in the northwest corner of the property must be provided in order to determine if the easement as shown on the plat for the driveway is sized and located correctly. If individual on-site wastewater systems are to be utilized, then an on-site wastewater plan prepared by a Professional Engineer demonstrating that the soils are suitable for on-site wastewater systems must be submitted for review and approval. In addition, water plans prepared by a Registered Professional Engineer identifying the well information and water flow data for the existing Spring Canyon water system must be submitted for review and approval. The applicant must also submit a signed and recorded Covenant Agreement with the Spring Canyon Water Company securing service to the property.

To date, the information has not been submitted for review and approval. As such, staff recommends that the Variance to the Subdivision Regulations be continued to the February 18, 2010 Planning Commission meeting to allow the applicant to address the outstanding issues.

(Update, January 8, 2010. All revised and/or added text is shown in bold print.) This item was continued at the January 7, 2010 Planning Commission meeting to allow the applicant to submit additional information. In particular, street sections and drainage calculations

ITEM 10

must be provided showing that the existing street improvements adequately control stormwater flows in order to determine if curb and gutter are needed. In addition, the location and design of the existing driveway located in the northwest corner of the property must be provided in order to determine if the easement as shown on the plat for the driveway is sized and located correctly. If individual on-site wastewater systems are to be utilized, then an on-site wastewater plan prepared by a Professional Engineer demonstrating that the soils are suitable for on-site wastewater systems must be submitted for review and approval. In addition, water plans prepared by a Registered Professional Engineer identifying the well information and water flow data for the existing Spring Canyon water system must be submitted for review and approval. The applicant must also submit a signed and recorded Covenant Agreement with the Spring Canyon Water Company securing service to the property.

To date, the information has not been submitted for review and approval. As such, staff recommends that the Variance to the Subdivision Regulations be continued to the February 4, 2010 Planning Commission meeting to allow the applicant to address the outstanding issues.

The applicant has submitted a Variance to the Subdivision Regulations to reduce the pavement width from 27 feet to 20 feet and to waive the requirement to install curb, gutter, sidewalk, street light conduit, water and sewer along Pioneer Circle, to reduce the width of the private access and utility easement from 49 feet to a varying width of 46.9 feet to 5 feet, to waive the requirement to install pavement, curb, gutter, sidewalk, street light conduit, water and sewer along the private access and utility easement, to reduce the width of the access easement from 49 feet to a varying width of 40 feet to 20 feet and to waive the requirement to install pavement, curb, gutter, sidewalk, street light conduit, water and sewer along the access easement. In addition, the applicant has submitted a Layout Plat (File #09PL086) to subdivide the property, which consists of two platted lots, into three lots.

The property is located outside the City limits of Rapid City but within the City's three mile platting jurisdiction. In particular, the property is located approximately 500 feet south of the intersection of Pioneer Circle and Clarkson Road on the east side of Pioneer Circle. Currently, a fire hydrant is located on proposed Lot 1, a single family residence, garage and pump house are located on proposed Lot 2 and a single family residence is located on proposed Lot 3.

STAFF REVIEW: Additional information is needed in order to review the Variance to the Subdivision Regulations as requested by the applicant. In particular, street sections and drainage calculations must be provided showing that the existing street improvements adequately control stormwater flows in order to determine if curb and gutter are needed. In addition, the location and design of the existing driveway located in the northwest corner of the property must be provided in order to determine if the easement as shown on the plat for the driveway is sized and located correctly. If individual on-site wastewater systems are to be utilized, then an on-site wastewater plan prepared by a Professional Engineer

STAFF REPORT March 4, 2010

No. 09SV028 - Variance to the Subdivision Regulations to waive the requirement to construct pavement, pavement width, curb, gutter, sidewalk, water, sewer and street light conduit on the Private Access Easement and Pioneer Circle

ITEM 10

demonstrating that the soils are suitable for on-site wastewater systems must be submitted for review and approval. In addition, water plans prepared by a Registered Professional Engineer identifying the well information and water flow data for the existing Spring Canyon water system must be submitted for review and approval. The applicant must also submit a signed and recorded Covenant Agreement with the Spring Canyon Water Company securing service to the property.

Staff recommends that the Variance to the Subdivision Regulations be continued to the **March 25, 2010** Planning Commission meeting to allow the applicant to submit the additional information as identified above in order for staff to adequately review the Variance requests.

<u>Legal Notification Requirement</u>: The receipts from the certified mailings have been returned. Staff has received two telephone calls of inquiry regarding this item. The callers voiced concern with the existing well serving an additional lot.